

由于产品不断更新换代，产品资料和数据若有变更，恕不另行通知。
如样本图片与实际产品不相符，则以实际产品为准。若需最新资料，请与本公司联系！

www.cnhaidu.com

HxDU 海都电气

产品总汇
Catalogue

>接线盒
METERING BOX

>开关端子
SWITCH TERMINAL

>电表接插件
Watt-hour meter connector

>大电流接线端子
HEAVY-CURRENT TERMINAL BLOCK

浙江海都电气有限公司

ZHEJIANG Haidu ELECTRIC CO.,LTD.

地址：浙江省乐清市北白象镇赵岙村

电话：0577-62860055 62860066

传真：0577-62860070

邮箱：cnhaidu@163.com

Add: BeiBaiXiang ZhaoAoCun, Yueqing City, Zhejiang Province

Tel: 0577-62860055 62860066

Fax: 0577-62860070

E-mail: cnhaidu@163.com

浙江海都电气有限公司

ZHEJIANG Haidu ELECTRIC CO.,LTD.

眺望未來 挑战新高度



企业简介

Brief Introduction

浙江海都电气有限公司位于中国电器之都温州柳市，紧靠104国道，交通十分便捷。公司拥有先进的生产设备和齐全的检测设备，是一家集制造、研发、贸易为一体的高科技企业。公司专业生产电能计量接线盒、电表箱分线端子、大电流接线端子、多用途端子、开关端子、T接端子、绝缘穿刺线夹及各种配线器材。

公司所有产品均严格按照国际电工委员会标准和国家及行业标准生产。产品已通过CCC认证、CQC认证和CE认证，其中多项产品获得国家专利。公司已通过ISO9001:2008质量管理体系认证，并获得国家颁发的自主经营进出口全资格。

公司拥有一支现代化管理队伍和科研人员，本着以人为本，以新技术、新产品为依托，坚持以质量优异、性能先进的产品满足不断变化的市场需求。产品由电力工业局推荐使用，现已畅销全国各地，并远销欧美、东南亚、中东等国际市场。

本着“安全稳定，开拓进取”的宗旨，公司始终坚持市场是公司的出发点，客户是企业的支点，客户满意是公司服务的准则。与时俱进，不断创新，使公司始终站在时代前沿，走在行业前列。

为感谢广大客户长期以来对公司的支持和合作，同时也为开拓全新业务领域，热忱欢迎海内外新老客户及各界人士光临指导、洽谈业务、共图发展！

Zhejiang Haidu Electric Co., Ltd. is located in the China electrical appliances are Wenzhou Liushi, close to 104 National Road, traffic is very convenient. The company has advanced production equipment and complete testing equipment, is a collection research and development, manufacturing, trade as one of the hi-tech enterprises. Company specializing in the production of electric energy metering junction box, electric meter box junction terminal, large current terminal, multi-purpose terminal, switch terminal, T terminal, insulation piercing connectors and wiring equipment.

All products are in strict accordance with the International Electrotechnical Commission standards and national and industry standard production. Products have passed CCC certification, CQC certification and CE certification, in which a number of products obtained national patent. The company has passed ISO9001:2008 quality management system certification, and awarded the country independent import and export operation full qualification.

The company has a modern management team and research personnel, people-oriented, to new technology, new products as the basis, adhere to the excellent quality, advanced performance products to meet the changing needs of the market. Products by the Electric Power Industry Bureau recommended, now sold all over the country, and exported to Europe, Southeast Asia, the Middle East and other international markets.

The spirit of "security and stability, and pioneering spirit" of purpose, the company always adhere to the market is the starting point of the company, the customer is the fulcrum, customer Yi is service standards. Keeping pace with the times, continuous innovation, the company has always been at the forefront of the times, walking in the forefront of the industry.

To thank our customers for a long time on the company's support and cooperation, but also to develop new business field, warmly welcome new old customers at home and abroad and from all walks of life to guide, negotiate business, the total development plans!

资质证书

Qualification certificate



目录

Contents

LEADING
THE FUTURE
海都电气
HAIDU ELECTRIC

FJ6/DFY1、2型电能计量联合接线盒 FJ6/DFY1,2 type energy measuring terminal block	page001-003	FJ6/CM1-15系列小型母线架 FJ6/CM1-15 series mini busbar frame	page043-043
FJ6/PJ1、2型电能计量联合接线盒 FJ6/PJ1,2 type energy measuring terminal block	page004-007	FJ6/JTS2系列端子 FJ6/JTS2 series terminal block	page044-058
FJ6/DFY1L、HD型电能计量联合接线盒 FJ6/DFY1L、HD type energy measuring terminal block	page008-008	FJ6/JTS2C系列端子 FJ6/JTS2C series terminal block	page059-068
FJ6/HDL型电能计量联合接线盒 FJ6/HDL type energy measuring terminal block	page009-009	FJ6系列T型线夹 FJ6 series T-type connector	page069-069
FJ6/NZ2080型电能计量联合接线盒 FJ6/NZ2080 type energy measuring terminal block	page010-010	JY1、JL1、YY1、SD系列安装屏用切换片 JY1,JL1,YY1,SD series wire connector	page070-070
FJ6/JHD-10系列接户计量箱专用接线盒 FJ6/JHD-10 series terminal block for metering box	page011-011	FJ6/JHD-8系列自升计量箱输出接线盒 FJ6/JHD-8 series terminal blocks for measuring box	page071-071
FJ6/HD系列插入式一进一出计量箱接线盒 FJ6/HD insert type terminal block for one-inlet one-outlet metering box	page011-011	FJ6/JHD-6系列自升计量箱接线盒 FJ6/JHD-6 series terminal blocks for measuring box	page072-072
FJ6/HD2系列单相计量箱专用接线盒 FJ6/HD2 series terminal block for single-phase metering box	page012-014	FJ6/JDG-8系列自升计量箱输出接线盒 FJ6/JDG-8 series terminal blocks for measuring box	page073-073
FJ6-12型防盗分线盒 FJ6-12 type branch box(anti-electricity-theft)	page014-014	FJ6/JDG-6系列自升计量箱接线盒 FJ6/JDG series terminal blocks for measuring box	page074-074
FJ6/JHD系列自升计量箱接线盒 FJ6/JHD series terminal block for metering box	page015-015	FJ6D-35/10系列组合式接线盒 FJ6D-35/10 series combined terminal blocks	page075-079
FJ6/JHD系列一户一表计量箱专用接线盒 FJ6/JHD series terminal block for one household one-meter metering box	page016-016	FJ6D-10/10系列输出组合式接线盒 FJ6D-10/10 series combined terminal block	page080-080
FJ6/JHD-1系列单相计量箱专用接线盒 FJ6/JHD-1 series terminal block for single-phase metering box	page017-023	FJ6D-70/25系列组合式接线盒 FJ6D-70/25 series combined terminal blocks	page081-081
FJ6/JHD-2系列三相计量箱专用接线盒 FJ6/JHD-2 series terminal block for three-phase metering box	page024-027	FJ6S系列多用途接线端子精巧型 FJ6S series terminal block (elaborate type)	page082-086
FJ6/JHD-3系列可重复接地计量箱零线盒 FJ6/JHD-3 series neutral line terminal block	page028-030	FJ6DI-150-01导轨式组合接线端子(单极) FJ6DI-150-01 rail type combined terminal (monopole)	page087-087
FJ6/JHD-4系列一进多路输出计量箱专用接线盒 FJ6/JHD-4 series terminal block for one-inlet multi-outlet metering box	page031-032	FJ6DI-150-02导轨式组合接线端子(单相) FJ6DI-150-02 rail type combined terminal (single phase)	page088-088
FJ6/JHD-5系列计量箱输出接线盒 FJ6/JHD-5 series terminal block for metering box	page033-034	FJ6DI-150-03导轨式组合接线端子(三相三线) FJ6DI-150-03 rail type combined terminal (Three-phase three-wire)	page089-089
FJ6/JHT系列大电流多路输出计量箱专用接线盒 FJ6/JHT series heavy current terminal block	page035-041	FJ6DI-150-04导轨式组合接线端子(三相四线) FJ6DI-150-04 rail type combined terminal (Three phases and four wires)	page090-090
电表架、塑料导线板 Electric meter bracket, Plastic conductor plate	page042-042	FJ6DI-150-04导轨式组合接线端子(三相四线)组合型 FJ6DI-150-04 rail type combined terminal (Three phases and four wires)Combined type	page091-091

目录

Contents

LEADING
THE FUTURE
海都电气
HAIDU ELECTRIC

FJ6S系列特殊型多用途接线端子精巧型 FJ6S series terminal block (elaborate type)	page092-095	FJ6NB-600/35-95系列独立式零线端子(接鼻式) FJ6NB-600/35-95 series independent type neutral line terminal block(connection lug type)	page120-120
FJ6SF系列多用途封闭式防窃电接线端子精巧型 FJ6SF series terminal block(anti-electricity-theft)	page096-103	FJ6Q系列自升接线端子 FJ6Q series self-elevating connection terminal	page121-124
FJ6G系列开关端子 FJ6G series switch terminal block	page104-104	FJ6/HDJ系列绝缘穿刺线夹 FJ6/HDJ series insulation piercing connector	page125-127
FJ6/47(63型)系列开关端子 FJ6/47(type 63) series switch terminal block	page105-105	FJ6/HDJ、HTD2系列绝缘穿刺线夹(1kV) FJ6/HDJ、HTD2 series insulation piercing connector	page128-128
FJ6/47LE(100型)系列开关端子 FJ6/47LE(type 100) series switch terminal block	page106-106	FJ6/UKK端子分线盒 FJ6/UKK terminal distribution box	page129-129
FJ6/158(100型)系列开关端子 FJ6/158(type 100) series switch terminal block	page107-107	FJ6/JHSD蓝色自升接线端子 FJ6/JHSD blue Jack-up terminal	page129-129
FJ6G-100/10-35系列开关端子 FJ6G-100/10-35 series switch terminal block	page108-108	电能表接插件 Wait-hour meter connector	page130-143
FJ6G-250/16-50系列开关端子 FJ6G-250/16-50 series switch terminal block	page109-109	电能表接插件(配件) Wait-hour meter connector (accessories)	page144-144
FJ6G-400/25-70系列开关端子 FJ6G-400/25-70 series switch terminal block	page110-110	铜头 Copper head	page145-145
FJ6G-600/35-95系列开关端子 FJ6G-600/35-95 series switch terminal block	page111-111	FJ6GD自升开关端子 FJ6GD Jack-up switch terminal	page145-145
FJ6N-100/10-35系列零线端子 FJ6N-100/10-35 series neutral line terminal block	page112-112	支架 Stent	page146-146
FJ6N-250/16-50系列零线端子 FJ6N-250/16-50 series neutral line terminal block	page113-113	铜排黑色底座 Black base of copper bar	page146-146
FJ6N-400/25-70系列零线端子 FJ6N-400/25-70 series neutral line terminal	page114-114	TC/TB接线端子 TC/TBterminal	page147-148
FJ6N-600/35-95系列零线端子 FJ6N-600/35-95 series neutral line terminal	page115-115	尼龙电缆固定头 Nylon cable glands	page149-150
FJ6G系列开关端子 FJ6G series switch terminal block	page116-116	圆形堵塞件 Plastic plug	page151-151
FJ6NB-100/10-35系列独立式零线端子(接鼻式) FJ6NB-100/10-35 series independent type neutral line terminal block(connection lug type)	page117-117		
FJ6NB-250/16-50系列独立式零线端子(接鼻式) FJ6NB-250/16-50 series independent type neutral line terminal block(connection lug type)	page118-118		
FJ6NB-400/25-70系列独立式零线端子(接鼻式) FJ6NB-400/25-70 series independent type neutral line terminal block(connection lug type)	page119-119		

一、产品概述 General

FJ6/DFY1、2型电能计量联合接线盒是电能计量装置标准接线中的专用接线盒，也适用于额定电压至660伏，额定电流至20安的二次回路中，作在带负荷情况下安全调换或现场检验电能表、电气仪表、继电保护等电气设备之用，确保了人身操作安全，提高了现场工作效率。

现应大量用户的要求，我公司完成了改进设计，并采用了美国进口的高分子聚碳酸酯新材料注塑，具有抗冲击强度高、抗老化、不吸水、能阻燃、耐高温等诸多优点，色泽鲜艳，外形美观，产品性能进一步提高。从根本上解决了原胶木产品脆性易碎裂、吸水起霉点，造成CT二次泄漏大，PT二次易击穿的缺点，盒内各回路中设有测试孔，极大地方便了检查和测试，该接线盒为更新换代产品。该接线盒为更新换代产品。

各项技术指标均符合国家标准要求。试用单位反映，采用该新产品后，有效地防止了电能的漏计，是电能计量工作者的好帮手。对杜绝电能计量事故的发生，起到了积极作用。

FJ6/DFY1,2 type energy measuring terminal blocks are special terminal blocks applied for standard wiring in energy measuring equipments. They are also suitable for secondary circuit of rated voltage up to 660V and rated current up to 20A. They are used to change of inspect the electric equipments such as energy meter, electric instrument and relaying equipment under on-load circumstance. They can guarantee operation safety and improve

In order to satisfy customers' demand, our company improves the design and adopts America-imported high-molecular polycarbonate material. It has advantages of high impact resistance, ageing resistance, anti water-absorption, flame retardant, high temperature resistance. It not only has bright and elegant appearance, but also excellent product performance. It solves former products problems such as fragile, easy mildew stain grow, or heavy CT secondary leakage, easy PT secondary breakdown, etc.. This kind of terminal block is an ideal successor of the older generation.

The technical parameter of this product is in conformity with international standards. Feedback from users shows that new type of this terminal block is capable of preventing missing electric energy measurement. It is helpful for energy measuring work, and can put an end to energy measuring accident effectively.

二、主要技术指标 Main technical parameter

- 1、额定绝缘电压Rated insulation voltage:660V、50Hz/60Hz
- 2、额定电流Rated current:5A(20A)
- 3、工频耐压Power frequency withstanding voltage:3000V/min
- 4、绝缘电阻Insulation resistance: > 30MΩ
- 5、环境温度Ambient temperature:-40℃~+60℃




FJ6/DFY1型
三相四线电能计量联合接线盒
FJ6/DFY1 type three-phase four-wire
energy measuring terminal block

接线举例 Wiring example

FJ6/DFY1、2型电能计量联合接线盒
Type energy measuring terminal block


FJ6/DFY1型三相四线联合接线盒一只三相四线有功电度表和三只流变联合接线图

Combined wiring diagram of FJ6/DFY1 type three-phase four-wire terminal block with three-phase four-wire active watt-hour meter and three rheometers









FJ6/DFY2型三相三线联合接线盒一只三相三线有功电度表和两只流变，Y/Y接线压变联合接线图

Y/Y variable-voltage combined wiring diagram of FJ6/DFY2 type three-phase three-wire terminal block with three-phase three-wire active watt-hour meter and two rheometers.



产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/DFY1型(Type) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150001	
	FJ6/DFY1型(Type) (防窃电anti-electricity theft) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150002	
	FJ6/DFY1型(Type) (带保险丝with fuse) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150003	
	FJ6/DFY1型(Type) (胶木bakelite) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150004	
	FJ6/DFY1型(Type) (防窃电anti-theft electricity)(胶木bakelite) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150005	
	FJ6/DFY1型(Type) (带保险丝with fuse)(胶木bakelite) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150006	
	FJ6/DFY1型(Type)(玻璃纤维fiberglass、树脂resin)带防窃电anti-electricity theft 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150007	
	FJ6/DFY1型(Type) (透明、防弹transparent,bulletproof) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150008	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/DFY2型(Type) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150009	
	FJ6/DFY2型(Type) (透明、防弹transparent, bulletproof) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150010	
	FJ6/DFY2型(Type) (防窃电anti-electricity theft) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150011	 防窃电盖外形: 150 × 102 × 38
	FJ6/DFY2型(Type) (带保险丝with fuse) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150012	
	FJ6/DFY2型(Type) (胶木bakelite) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150013	
	FJ6/DFY2型(Type) (胶木bakelite)(防窃电anti-electricity theft) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150014	 防窃电盖外形: 150 × 102 × 38
	FJ6/DFY2型(Type)(玻璃纤维fiberglass、树脂resin)(带防窃电anti-electricity theft) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150015	
	FJ6Y型(Type) 三相三线电能电压接线盒 Three-phase three-wire terminal block 订货号Order No. 150016	

一、产品概述 General

FJ6/PJ1、2型电能计量联合接线盒(也称DFY1B、DFY2B接线盒)是根据全国电能计量装置统一设计组专家们的意见,在原生产的FJ6/PJ1、2型电能计量联合接线盒的基础上最新研制的。为配合电力系统采用标准接线及实施《电能计量装置检验规格》创造了有利的条件。

该产品是电能计量装置标准接线中的专业接线盒,也适用于额定电压至660伏、额定电流至20安的二次回路中,在带负荷情况下安全调换成现场检验电能表、电气仪表、继电保护等电气设备之用,确保了人身操作安全,提高了现场工作效率,对提高计量正确性起到了积极的作用。

FJ6/PJ1、2 type energy measuring terminal blocks are developed on the basis of former ones according to the suggestion from relevant experts of national electric power bureau. This provides a favorable environment for adopting standard wiring.

This products is specially applied for standard wiring of energy measuring equipment, It is also suitable for secondart circuit of rated voltage up to 660V and rated current up to 20A. It is used to change or inspect the electric equipment such as energy meter, electric instrument and relaying protection equipment under on-load circumstance. It guarantees operator personal safety and improves fieldwork efficiency. It plays a positive role in improving the measuring correctness. The products can always receive favorable comments in the power system field.

二、结构特点 Structural features

FJ6/PJ1、2型电能计量联合接线盒产品为国内首创,质量优良,由于采用了美国进口的高分子聚碳酸酯材料注制而成,色泽鲜艳,外型美观,它具有抗冲击强度高,不易碎裂;抗潮湿,绝缘性能好;抗老化、阻燃、耐高温;可在-40℃至+120℃范围内长期工作;接线螺钉采用复合槽组合工艺,一字十字二种螺丝刀通用。其电压回路采用一进三出,各相电压、电流具有相序标志,即方便联合接线,又可避免因相序接错而造成的计量错误,接线盒的盖板用两只可封印的螺丝固定,有利于防窃电工作。

FJ6/PJ1、2 type energy measuring terminal block have excellent quality. It adopts high-molecular polycarbonate material imported from America. It has advantages of bright and elegant appearance, high impact resistance, moisture resistance, favorable insulation; ageing resistance, flame retardant and high temperature resistant. It can work at -40℃ ~ +120℃ for long term. The screw adopts compound recess, which is suitable for flathead screwdriver and crossed screwdriver. The voltage circuit adopts one-inlet three-outlet, All phases are marked with phase sequence, which is not only convenient for combined wiring, but also can avoid measuring error cause by wiring wrong phase sequence. The terminal block cover is fixed with two sealing screws, which is helpful to prevent electricity-theft.

三、主要技术指标 Main technical parameter

- 1、额定绝缘电压Rated insulation voltage:FJ6/PJ1:3 × 380/220V
FJ6/PJ2:3 × 380V
- 2、额定电流Rated current:5A(20A)
- 3、工频耐压Power frequency withstanding voltage:3000V/min
- 4、绝缘电阻Insulation resistance: > 30MΩ
- 5、环境温度Ambient temperature:-40℃ ~ +120℃





FJ6/PJ1型
三相四线电能计量联合接线盒
Three-phase four-wire energy measuring combined terminal block

接线举例 Wiring example

FJ6/PJ1、2型电能计量联合接线盒











FJ6/PJ1、PJ型三相联合接线盒一只三相四线有功电度表和一只三相无功电度表,三只流变联合接线图











Combined wiring diagram of FJ6/PJ1, PJ type three-phase terminal block with three-phase four-wire active watt-hour meter and three-phase reactive watt-hour meter and three rheometers.














FJ6/PJ2型三相三相三线联合接线盒一只三相有功电度表和一只三相无功电度表,二只流变V/V接线压变联合接线图

V/V variable-voltage combined wiring diagram of FJ6/PJ2 type three-phase three-wire terminal block with three-phase active watt-hour meter and two rheometers.

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/PJ1型(Type) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150017	
	FJ6/PJ1型(Type) (防窃电anti-electricity theft) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150018	
	FJ6/PJ1型(Type) (防窃电anti-electricity theft)(黑色black) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150019	
	FJ6/PJ1型(Type) (防窃电带保险熔丝anti-electricity theft)(黑色black) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150020	
	FJ6/PJ1型(Type) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150021	
	FJ6/PJ1型(Type) (防窃电anti-electricity theft) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150022	 防窃电盖外形: 246 × 130 × 35
	FJ6/PJ1型(Type) (透明、防弹transparent,bulletproof) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150023	
	FJ6/PJ1型(Type) (带保险丝with fuse) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150024	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/PJ1型(Type) (带防窃电, 胶木anti-electricity theft bakelite) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150025	
	FJ6/PJ1型(Type)(玻璃纤维fiberglass、树脂resin)(带防窃电anti-electricity theft) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150026	
	FJ6/PJ1型(Type) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150027	
	FJ6/PJ1型(Type) (带防窃电anti-electricity theft) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150028	 防窃电盖外形: 230 × 130 × 35
	FJ6/PJ1型(Type) (带防窃电anti-electricity theft) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150029	
	FJ6/PJ2型(Type) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150030	
	FJ6/PJ2型(Type) (带保险丝with fuse) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150031	
	FJ6/PJ2型(Type) (防窃电anti-electricity theft,bakelite) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150032	 防窃电盖外形: 200 × 102 × 38

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/PJ2型(Type) (带防窃电胶木anti-electricity theft) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150033	
	FJ6/PJ2型(Type)(玻璃纤维fiberglass、树脂resin)(带防窃电anti-electricity theft) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150034	
	FJ6/HD340型(Type) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150035	
	FJ6/HD330型(Type) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150036	
	FJ6/ZJZ340型(Type) (胶木bakelite) 三相四线电力定量器联合接线盒 Three-phase four-wire power controller terminal block 订货号Order No. 150037	
	FJ6/ZJZ-3型(Type) 电力定量器联合接线盒 Power controller terminal block 订货号Order No. 150038	
	FJ6/ZJZ-4型(Type) 电力定量器联合接线盒 Power controller terminal block 订货号Order No. 150039	
	FJ6/ZJZ330型(Type) (胶木bakelite) 三相三线电力定量器联合接线盒 Three-phase three-wire power controller terminal block 订货号Order No. 150040	

一、产品概述 General

FJ6/HD系列电能计量联合接线盒是在原生产的FJ6/DFY1、2和FJ6/PJ1、2型电能计量联合接线盒的基础上最新开发的产品。为配合电力部门采用标准接线及安全测试创造了良好的条件。

该产品是电能计量装置标准接线盒中的新一代接线盒，也适用于额定电压至660V、额定电流至20A的二次回路中，作为带负荷情况下安全调换成现场检验电能表、电气仪表、继电保护等电气设备之用，确保了人身操作安全，对提高了现场工作效率提供了保障。

FJ6/HD type energy-measuring combined terminal blocks are the latest products developed on the basis of former FJ6/DFY1 and 2 type and FJ6/PJ1 and 2 type energy measuring combined terminal blocks. The product provides favorable conditions for standard connection and safe test of electric power department.

As for the standard terminal block boxes of the energy measuring device, the product is a new generation of terminal block, suitable for the circuit of rated voltage 660V and rated current 20A, performing the safe adjustment and field test of watt-hour meter electric meter, relaying protection device, etc. under on-load conditions, to make sure the safety of human operation and provide the guarantee of improving the field working efficiency.

二、结构特点 Structural features

1、该产品全部采用了高分子聚碳酸酯材料注射而成。因而它具有阻燃性、耐高温、不吸水、抗潮湿、绝缘性能好、抗冲击、不易碎裂、抗老化等多种优质特性。结构合理，色泽鲜艳，外形美观。各相电压、电流具有相序颜色标志，既方便联合接线，又可避免因相序接错而造成计量错误。带封印螺丝，可防窃电。

2、采用透明盖板，既能观察到接线盒内部的工作状态；既直管，又安全可靠；有的底板和外壳全部采用透明材料，既安装方便，又可透视到盒内所有导电部件，达到了检修方便、安全用电的目的。

3、盒内各回路中专门设置了测试孔，十分方便插入测试笔，极大地方便了安全检查和测试。

1、The product adopts high-molecular polycarbonate material and is made by injection moulding process, therefore, it has advantages such as flame retardant, high temperature resistance, no water absorption, moisture resistance, favorable insulation, impact resistance, no easy to crack, aging resistance and so on. It is featured with reasonable structure, vivid color and nice appearance. In addition, the voltage and current of each phase has the mark of phase sequence color, so it is easy for combined connection and avoids the measurement error that is caused by wrong phase sequence. It is fixed with sealing screw that is helpful for preventing the electricity being stolen.

2、Because the cover plate is made of transparent material, it not only can take convenience for viewing the operation state of terminal block inside, but also can facilitate the installation and make sure the reliability of connection. And, some bedplates and enclosures are also made of transparent material, it is very easy for installing, besides, the conductive parts in the terminal block may be watched, so as to achieve the goal of convenient maintenance and safe power utilization.

3、Some test holes are equipped at the circuits, which can facilitate the insertion of test pen and take the great convenience for safety examination and test.

三、产品用途 Application

适用于计量箱，电表箱，成套柜体，变电站；可直接安装于三相三线、三相四线，额定电压220~660V、电流5~20A的二次回路中。







It is applicable for metering box, watt-hour meter box, complete cubicle, transformer substation, etc., directly installed at the three-phase three-wire and three-phase four-wire secondary circuit of rated voltage 220~660V and current 5~20A.













四、主要技术指标 Main technical indexes















1、绝缘电压：660V 50Hz(60Hz) 2、额定电流：5~20A 3、工频耐压：3000V/min 4、环境温度：-40℃~+60℃ 5、绝缘电阻 >30MΩ

1. Insulation voltage: 660V 50Hz(60Hz) 2. Rated current: 5~20A 3. Power frequency withstand voltage: 3,000V/1min 4. Ambient temp: -40℃~+60℃

5. Insulation resistance: > 30MΩ

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/DFY2L 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150041	
	FJ6/DFY1L 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150042	
	FJ6/HD330L 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150043	
	FJ6/HD340L 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150044	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/HD3L 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150045	
	FJ6/HD4L 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150046	
	DKPJ1型(Type) (透明、防弹transparent, bulletproof) 三相四线电力定量器联合接线盒 Three-phase four-wire power contoller terminal block 订货号Order No. 150047	
	FJ6/PJ2L 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150048	
	FJ6/PJ1L 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150049	
	FJ6/HDL 电能计量联合接线盒 Energy measuring terminal block 订货号Order No. 150050	
	FJ6/NZ2080-3 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150051	
	FJ6/NZ2080-4 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150052	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/NZ2080-3型(防窃电) 三相三线电能计量联合接线盒 Three-phase three-wire energy measuring terminal block 订货号Order No. 150053	
	FJ6/NZ2080-4型(防窃电) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150054	
	FJ6/NZ2080-4B型(防窃电) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150055	
	FJ6/NZ2080-4L型 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150056	
	FJ6/NZ2080-4L型(防窃电) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150057	
	FJ6/NZ2080 A型 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150058	
	FJ6/DFY1型(Type) (瑞典型 European type)(胶木bakelite) 三相四线电能计量联合接线盒 Three-phase four-wire energy measuring terminal block 订货号Order No. 150059	
	FJ6/DFY3 单相电能计量联合接线盒 Energy measuring terminal block 订货号Order No. 150060	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-10/a	
	接户计量箱进线盒 Terminal block for metering box	
	订货号Order No. 150061	
	FJ6/JHD-10/c	
	接户计量箱进线盒 Terminal block for metering box	
	订货号Order No. 150062	
	FJ6/JHD-10/d	
	接户计量箱进线盒(进线35mm ² , 出线35mm ²) Terminal block for metering box (Line 35mm ² , Outlet 35mm ²)	
	订货号Order No. 150063	
	FJ6/JHD	
	接户计量箱专用接线盒(进线25mm ² , 出线25mm ²) Terminal block for metering box (Line 25mm ² , Outlet 25mm ²)	
	订货号Order No. 110064	
	FJ6/JHD-10/b	
	接户计量箱进线盒 Terminal block for metering box	
	订货号Order No. 150065	

FJ6/HD系列插入式一进一出计量箱接线盒
FJ6/HD insert type terminal block for one-inlet one-outlet metering box

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/HD	
	插入式一进一出计量箱接线盒 FJ6/HD insert type terminal block for one-inlet one-outlet metering box	
	订货号Order No. 150066	

一、产品概述 General

随着用电户数的增多和计量装置的集中安装管理, 本公司不断变化的市场需要, 开发了单相多回路输出接线盒。是本公司推向市场的新一代多功能产品。

本产品经过电力相关部门检测, 符合GB14048国家标准和安全用电要求。被越来越多的电管单位推广使用。

Along with the increase of electricity users and centralized installation management of metering device, the company developed single-phase multi-circuit output terminal block to meet the ever-changing market needs. It is new generation of multifunctional products launched on the market by the company.

The products have passed the tests carried out by relevant power departments, are in accordance with national standard GB14048 and safety requirements in utilizing electric energy, the products are popularized and used by more and more electricity management units.

二、结构特点 Structural features

该产品体积小, 载流量大, 可安装户数多, 耐压高, 结构紧凑, 安装方便, 外形美观, 具有阻燃性、不吸水、抗潮湿、绝缘性能好、抗老化等多种优质特性。

采用透明盖板, 透视性好; 出线为封闭式, 安全可靠。

Featured with small volume, large current carrying capacity, many households use, high withstanding voltage, compact structure, convenient installation, nice appearance, etc., this product has many superior properties such as flame retardant, no water absorption, wetness prevention, perfect insulation, anti aging, etc..

Owning to transparent cover plate, it has perfect visualization; the outgoing wire is enclosed type, so it is very safe and reliable.

三、产品用途 Application


该适用于多表位计量的配套使用, 避免了进户线直接进裸铜排, 检修不方便等缺陷, 而且节省了安装空间, 降低了计量箱的成本。分为二进四出、六出、八出、十出...四十出等。














This product supports metering of multi-meter-position, it not only avoids the defect if service-entrance wire entering into bare copper bar directly, inconvenient overhaul, but also saves the mounting space, cuts down the cost of metering box. It can be divided into two-inlet four-outlet, six-outlet, eight-outlet, ten-outlet...forty-outlet, etc.





四、主要技术指标 Main technical indexes

- | | |
|--|---|
| 1. 绝缘电压: 660V 50Hz(60Hz) | 1. Insulation voltage: 660V 50Hz(60Hz) |
| 2. 进户线电流(A/截面mm ²): 100/25、150/50、200/90、250/120、300/150、400/240 | 2. Service-entrance conductor current(A/section mm ²): 100/25, 150/50, 200/90, 250/120, 300/150 and 400/240 |
| 3. 进表线电流(A/截面mm ²): 20~60/6~10 | 3. Meter-entrance conductor current(A/section mm ²): 20~40/6~10 |
| 4. 工频耐压: 3000V/1min | 4. Power frequency withstand voltage: 3,000V/1min |
| 5. 工作温度: -40°C~+120°C | 5. Working temp: -40°C~+120°C |
| 6. 端子间及绝缘电阻 > 30MΩ | 6. Terminal-to-terminal/insulation resistance: > 30MΩ |

五、接线举例 Wiring example



产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/HD2-6/B 单相二进六出接线盒 Single-phase two-inlet six-outlet terminal block 订货号Order No. 150067	
	FJ6/HD2-8/B 单相二进八出接线盒 Single-phase two-inlet eight-outlet terminal block 订货号Order No. 150068	
	FJ6/HD2-12/B 单相二进十二出接线盒 Single-phase two-inlet twelve-meter-outlet terminal block 订货号Order No. 150069	
	FJ6/HD2-12/C 单相二进十二出接线盒 Single-phase two-inlet twelve-meter-outlet terminal block 订货号Order No. 150070	
	FJ6/HD2-16/C 单相二进十六出接线盒 Single-phase two-inlet sixteen-meter-outlet terminal block 订货号Order No. 150071	
	FJ6/HD2-20/C 单相二进二十出接线盒 Single-phase two-inlet twenty-meter-outlet terminal block 订货号Order No. 150072	
	FJ6/HD2-24/C 单相二进二十四出接线盒 Single-phase two-inlet twenty-four-meter-outlet terminal block 订货号Order No. 150073	
	FJ6/HD2-28/C 单相二进二十八出接线盒 Single-phase two-inlet twenty-eight-meter-outlet terminal block 订货号Order No. 150074	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/HD2-32/C 单相二进三十二出接线盒 Single-phase two-inlet thirty-two-meter-outlet terminal block 订货号Order No. 150075	
	FJ6/HD2-36/C 单相二进三十六出接线盒 Single-phase two-inlet thirty-six-meter outlet terminal block 订货号Order No. 150076	
	FJ6/HD2-40/C 单相二进四十出接线盒 Single-phase two-inlet Forty-meter-outlet terminal block 订货号Order No. 150077	








FJ6-12型防盗分线盒
FJ6-12 type branch box(anti-electricity-theft)



一、产品概述 General

FJ6/JHD-1系列自升计量箱接线盒，符合安全防护、美观、接线方便、安装稳固等要求。适用于额定电压660V，频率50Hz或60Hz，进线端连接导线的最大截面为2.5-50(70)mm²，出线端连接导线为0.75-16mm²。本产品采用自升螺钉压线夹直接压接方式。在压线夹与螺钉之间形成自锁，在震动条件下也不会松动脱落，在长时间的使用过程中给您带来免维护的方便。

FJ6/JHD-1 series terminal block for measuring box reaches the requirements of safe protection, gracefulness, convenient connection, stable installation, etc., It is suitable for the circuit of rated voltage 660V, frequency 50Hz or 60Hz, and connection conductor section at inlet terminal up to 2.5-50(70)mm² and outlet terminal up to 0.75-16mm². It employs direct crimping way by self-elevating screw clip that forms a self-locking structure between clip and screw. This structure enables terminal block not to loose under a shock.

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1TN 单相一表户接线盒 Single-phase one-meter household terminal block 订货号Order No.150079	
	FJ6/JHD-2TN 单相二表户接线盒 Single-phase two-meter household terminal block 订货号Order No.150080	
	FJ6/JHD-3TN 单相三表户接线盒 Single-phase three-meter household terminal block 订货号Order No.150081	
	FJ6/JHD-4TN 单相四表户接线盒 Single-phase four-meter household terminal block 订货号Order No.150082	
	FJ6/JHD-1 穿孔式单相二表户接线盒 Single-phase two-meter household terminal block 订货号Order No.150083	
	FJ6/JHD-1/a 穿孔式单相四表户接线盒 Single-phase four-meter household terminal block 订货号Order No.150084	
	FJ6/JHD-1/d 穿孔式单相六表户接线盒 Single-phase six-meter household terminal block 订货号Order No.150085	

一、产品概述 General

根据电力部城网改造规划，为了改善居民生活用电条件，逐步实行“一户一表”制的要求，本厂研制生产了FJ6/JHD系列专用接线盒产品。该产品经全国十多个省、市、自治区的近百个单位使用，用户普遍反映：安装该接线盒后，既操作方便，又确保了接线的可靠，达到了安全用电的目的。深受电能计量工作者的欢迎，对电力系统推行“一户一表”制与电能计量装置的标准化和规范化起到了积极的作用，由浙江省科协等四单位认定为浙江省高质量科技产品，电力工业局推荐使用。

In order to improve residential electricity consumption condition, our company develops FJ6/JHD series terminal block. This kind of terminal block enables the operation to be more convenient, and also guarantees reliable connection, and finally reaches the aim of safety in utilizing electric energy. This products get high appreciation from the energy measuring operators one-meter and standardization of energu measuring devices as well as standardized management. The products are also honored as national high-quality technological products and are recommended for application by national electric power bureau.

二、产品用途 Application

采用该接线盒后，可将进户线与进表线分开，解决了以往进户线处并接的问题，相线接线盒盖板还可铅封，以防窃电；零线接线盒可重复接地，符合电能计量规范中“专用、封闭”的原则及《浙江省电力工业局一户一表实施规范化意见》中有关接线的规定。适用于“一户一表”制集表式计量箱(也称公房住宅一户一表制电表箱)的配套以及直接用于旧城老区“合表制”的改造。

Application of this terminal block enables house service wire to be separated from meter service wire which solves the problem of parallel connection. Teriminal block cover can be sealed to prevent electricity theft; Neutral line terminal block can be earthed repeatedly. It is in conformity with the "special,sealed" principle standardization of one-household one-meter. The products are applied in "one-household one-meter" electric energy metering box.

三、结构特点 Structural features

该系列产品由于采用美国进口的高分子聚碳酸酯材料注塑而成，它具有抗冲击强度高、不易碎裂、抗潮湿、绝缘性能好、抗老化、阻燃、耐高温等特性。接线螺钉采用复合槽组合工艺，一字十字二种螺丝刀通用，因而体积小，容量大，耐压高，结构合理，色泽鲜艳，外形美观，深受广大用户欢迎。


This series of terminal block adopt high-molecular polycarbonate material imported from America. It has advantages of high impact resistance, moisture resistance, favorable insulation; ageing resistance, flame retardant, high temperature resistant, etc. The binding screw adopts compound recess, which is suitable for flathead screwdriver and crossed screwdriver. The products are popular due to compact volume, large capacity, high withstand voltage, reasonable structure and elegant appearance.

四、主要技术指标 Main technical indexes


- 1、绝缘电压Insulation voltage:660V、50Hz/60Hz
- 2、标定电流Calibrated current:30A(40A)每路出线outlet of each circuit
- 3、工作温度Operating temperature:-40℃~+120℃连续continuously
- 4、工频耐压Power frequency withstand voltage:3000V/分钟minute
- 5、端子间绝缘电阻Insulation resistance among terminals: > 40MΩ




接线举例 Wiring example



图一Fig.1:一只FJ6/JHD-1/a组成单相四表户接线
One piece of FJ6/JHD-1/a series forms into single-phase four-meter household wiring



图二Fig.2:一只FJ6/JHD-1/b组成单相九表户接线
One piece of FJ6/JHD-1/b series forms into single-phase nine-meter household wiring



图三Fig.3:一只FJ6/JHD-1/c组成单相十五表户接线
One piece of FJ6/JHD-1/c series forms into single-phase fifteen-meter household wiring

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1 单相二表户接线盒 Single-phase two-meter terminal block 订货号Order No. 150086	
	FJ6/JHD-1/a 直进单相二表户接线盒 Direct-inlet single-phase two-meter terminal block 订货号Order No. 150087	
	FJ6/JHD-1/a 单极二表户接线端子 Single-pole two-meter household terminal block 订货号Order No. 150088	
	FJ6/JHD-1/a 单极三表户接线端子 Single-pole three-meter household terminal block 订货号Order No. 150089	
	FJ6/JHD-1/a 单相二进六出接线盒 Single-phase two-inlet six-outlet terminal block 订货号Order No. 150090	
	FJ6/JHD-1 单相四表户接线盒(小型) Single-phase four-inlet household terminal block(miniature) 订货号Order No. 150091	
	FJ6/JHD-1/a 单相四表户接线盒 Single-phase four-meter household terminal block 订货号Order No. 150092	
	FJ6/JHD-1/a 圆角单相四表户接线盒 Rounded single-phase four-meter household terminal block 订货号Order No. 150093	











产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1/4 单极四表户接线端子(小型) Single-pole four-meter household connection terminal block(miniature) 订货号Order No. 150094	
	FJ6/JHD-1/a 单极四表户接线端子 Single-pole four-meter household connection terminal block 订货号Order No. 150095	
	FJ6/JHD-1/a 直进单极四表户接线端子 Single-pole four-meter household connection terminal block 订货号Order No. 150096	
	FJ6/JHD-1/a 直进单相四表户接线盒 Single-phase four-meter household terminal block 订货号Order No. 150097	
	FJ6/JHD-1/a 单相四表户双层接线盒 Single-phase four-meter household terminal block 订货号Order No. 150098	
	HD-2-8 单相接线盒 Single-phase terminal block 订货号Order No. 150099	
	FJ6/JHD-1/a 单相六表户接线盒(小型) Single-phase six-meter household terminal block(miniature) 订货号Order No. 150100	
	FJ6/JHD-1/d 单相六表户接线盒 Single-phase six-meter household terminal block 订货号Order No. 150101	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1/d 圆角单相六表户接线盒 Single-phase six-meter household terminal block 订货号Order No. 150102	
	FJ6/JHD-1/d 单相六表户接线盒(小型) Single-phase six-meter household terminal block(miniature) 订货号Order No. 150103	
	FJ6/JHD-1/d 单相六表户接线端子 Single-pole six-meter household terminal block 订货号Order No. 150104	
	FJ6/JHD-1/L 直进单相六表户接线盒 Single-phase six-meter household terminal block 订货号Order No. 150105	
	FJ6/JHD-1/d 直进单相六表户接线盒 Single-phase six-meter household terminal block 订货号Order No. 150106	
	FJ6/JHD-1/d 单相二进十二出接线盒 Single-phase two-inlet twelve-outlet terminal block 订货号Order No. 150107	
	FJ6/JHD-1/b 单相八表户接线盒 Single-phase eight-meter household terminal block 订货号Order No. 150108	
	FJ6/JHD-1/b 单相八表户接线端子 Single-pole eight-meter household terminal block 订货号Order No. 150109	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1/b 直进单相八表户接线端子 Single-pole eight-meter household terminal block 订货号Order No. 150110	
	FJ6/JHD-1/b 直进单相八表户接线盒 Single-phase eight-meter household terminal block 订货号Order No. 150111	
	HD-2-16 单相接线盒 Single-phase terminal block 订货号Order No. 150112	
	FJ6/JHD-1/b 单相九表户接线盒 Single-phase nine-meter household terminal block 订货号Order No. 150113	
	FJ6/JHD-1/b 单相九表户接线端子 Single-pole nine-meter household terminal block 订货号Order No. 150114	
	FJ6/JHD-1/b 直进单相九表户接线端子 Single-pole nine-meter household terminal block 订货号Order No. 150115	
	FJ6/JHD-1/b 直进单相九表户接线盒 Single-phase nine-meter household terminal block 订货号Order No. 150116	
	FJ6/JHD-1/b 直孔进单相九表户接线盒 Single-pole nine-meter household terminal block 订货号Order No. 150117	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1/c 单相二进十八出接线盒 Single-phase two-inlet eighteen-outlet terminal block 订货号Order No.150118	
	FJ6/JHD-1/b 单相十表户接线盒 Single-phase ten-meter household terminal block 订货号Order No.150119	
	FJ6/JHD-1/b 单极十表户接线端子 Single-pole ten-meter household terminal block 订货号Order No.150120	
	FJ6/JHD-1/b 直进单极十表户接线端子 Single-pole ten-meter household terminal block 订货号Order No.150121	
	FJ6/JHD-1/b 直进单相十表户接线盒 Single-phase ten-meter household terminal block 订货号Order No.150122	
	FJ6/JHD-1/c 单相十二表户接线盒 Single-phase twelve-meter household terminal block 订货号Order No.150123	
	FJ6/JHD-1/c 单极十二表户接线端子 Single-pole twelve-meter household terminal block 订货号Order No.150124	
	FJ6/JHD-1/CL 直进单极十二表户接线端子 Single-pole twelve-meter household terminal block 订货号Order No.150125	


产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1/c 直进单相十二表户接线盒 Single-phase twelve-meter household terminal block 订货号Order No.150126	
	FJ6/JHD-1/E 单相二进二十四出接线盒 Single-phase two-inlet twenty-four-outlet terminal block 订货号Order No.150127	
	FJ6/JHD-1/c 单相十三表户接线盒 Single-phase thirteen-meter household terminal block 订货号Order No.150128	
	FJ6/JHD-1/CT 直进单极十四表户接线端子 Single-pole fourteen-meter household terminal block 订货号Order No.150129	
	FJ6/JHD-1/c 单相十四表户接线盒 Single-phase fourteen-meter household terminal block 订货号Order No.150130	
	FJ6/JHD-1/c 直进单相十四表户接线盒 Direct-inlet single-phase fourteen-meter household terminal block 订货号Order No.150131	
	FJ6/JHD-1/c 单相十五表户接线盒 Single-phase fifteen-meter household terminal block 订货号Order No.150132	
	FJ6/JHD-1/c 单极十五表户接线端子 Single-pole fifteen-meter household terminal block 订货号Order No.150133	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-1/c 单相十六表户接线盒 Single-phase sixteen-meter household terminal block 订货号Order No.150134	
	FJ6/JHD-1/c 单极十六表户接线端子 Single-pole sixteen-meter household terminal block 订货号Order No.150135	
	FJ6/JHD-1/CN 直进单极十六表户接线端子 Single-pole sixteen-meter household terminal block 订货号Order No.150136	
	FJ6/JHD-1/CT 直进单极十六表户接线盒 Single-pole sixteen-meter household terminal block 订货号Order No.150137	
	FJ6/JHD-1/E 单相十八表户接线盒 Single-phase eighteen-meter household terminal block 订货号Order No.150138	
	FJ6/JHD-1/E 单极十八表户接线端子 Single-pole eighteen-meter household terminal block 订货号Order No.150139	
	FJ6/JHD-1/E 单相二十表户接线盒 Single-phase twenty-meter household terminal block 订货号Order No.150140	
	FJ6/JHD-1/E 单极二十表户接线端子 Single-pole twenty-meter household terminal block 订货号Order No.150141	

接线举例 Wiring example




一只FJ6/JHD-2/a
与一只FJ6/JHD-3a
组成三相八表户接线
One piece of FJ6/JHD-2/a
and one piece of FJ6/JHD-3a
form into three-phase
eight-meter household wiring




101 102 201 202 301 302 401 402

二只FJ6/JHD-4组成单相八表户接线
Two pieces of FJ6/JHD-4
form into single-phase
eight-meter household wiring




101 102 103 104
201 202 203 204

一只FJ6/JHD-2/c
与一只FJ6/JHD-3/c
组成三相二十四表户接线
One piece of FJ6/JHD-2/c
and one piece of FJ6/JHD-3/c
form into three-phase
twenty-four-meter household wiring




重复接地

三只FJ6/JHD-4
与一只FJ6/JHD-3/c
组成三相二十四表户接线
Three piece of FJ6/JHD-4
and one piece of FJ6/JHD-3/c
form into three-phase
twenty-four-meter
household wiring











重复接地









一只FJ6/JHD-2/b
与一只FJ6/JHD-3/b
组成三相十五表户接线
One piece of FJ6/JHD-2/b
and one piece of FJ6/JHD-3/b
form into three-phase
fifteen-meter household
wiring




















101 102 201 202 301 302 401 402 501 502 601 602 701 702 801

重复接地

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD3-4/4	
	三相四线四表户接线盒 Three-phase four-wire four-meter household terminal block	
	订货号Order No. 150142	
	FJ6/JHD-2	
	三相六表户接线盒 Three-phase six-meter household terminal block	
	订货号Order No. 150143	
	FJ6/JHD3-4/6	
	三相四线六表户接线盒 Three-phase four-wire six-meter household terminal block	
	订货号Order No. 150144	
	FJ6/JHD-2/a	
	三相九表户接线盒 Three-phase nine-meter household terminal block	
	订货号Order No. 150145	
	FJ6/JHD3-4/9	
	三相四线九表户接线盒 Three-phase four-wire nine-meter household terminal block	
	订货号Order No. 150146	
	FJ6/JHD-2/H	
	三相十二表户接线盒 Three-phase twelve-meter household terminal block	
	订货号Order No. 150147	
	FJ6/JHD3-4/12	
	三相四线十二表户接线盒 Three-phase four-wire twelve-meter household terminal block	
	订货号Order No. 150148	
	FJ6/JHD-2/b	
	三相十五表户接线盒 Three-phase fifteen-meter household terminal block	
	订货号Order No. 150149	









产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD3-4/15	
	三相四线十五表户接线盒 Three-phase four-wire fifteen-meter household terminal block	
	订货号Order No. 150150	
	FJ6/JHD-2/J	
	三相十八表户接线盒 Three-phase eighteen-meter household terminal block	
	订货号Order No. 150151	
	FJ6/JHD3-4/18	
	三相四线十八表户接线盒 Three-phase four-wire eighteen-meter household terminal block	
	订货号Order No. 150152	
	FJ6/JHD-2/K	
	三相二十一表户接线盒 Three-phase twenty-one-meter household terminal block	
	订货号Order No. 150153	
	FJ6/JHD3-4/21	
	三相四线二十一表户接线盒 Three-phase four-wire twenty-one-meter household terminal block	
	订货号Order No. 150154	
	FJ6/JHD-2/c	
	三相二十四表户接线盒 Three-phase twelve-four-meter household terminal block	
	订货号Order No. 150155	
	FJ6/JHD3-4/24	
	三相四线二十四表户接线盒 Three-phase four-wire twenty-four-meter household terminal block	
	订货号Order No. 150156	
	FJ6/JHD-2/E	
	三相三十表户接线盒 Three-phase thirty-meter household terminal block	
	订货号Order No. 150157	








产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-2/F 三相三十六表户接线盒 Three-phase thirty-six-meter household terminal block 订货号Order No.150158	
	FJ6/JHD-4/8 四进八出接线盒 Four-inlet eight-outlet terminal block 订货号Order No.150159	
	FJ6/JHD-4/12 四进十二出接线盒 Four-inlet twelve-outlet terminal block 订货号Order No.150160	
	FJ6/JHD-4/16 四进十六出接线盒 Four-inlet sixteen-outlet terminal block 订货号Order No.150161	
	FJ6/JHD-4/20 四进二十出接线盒 Four-inlet twenty-meter terminal block 订货号Order No.150162	
	FJ6/JHD-4/24 四进二十四出接线盒 Four-inlet twelve-four-meter terminal block 订货号Order No.150163	
	FJ6/JHD-2 三进三出大电流接线盒 Three-inlet three-outlet heavy current terminal block 订货号Order No.150164	
	FJ6/JHD-2/c 四进四出大电流接线盒 Four-inlet four-outlet heavy current terminal block 订货号Order No.150165	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-3/a 二进六出零线盒 Two-inlet six-outlet neutral line box 订货号Order No.150166	
	FJ6/JHD-3/b 四进六出零线盒 Four-inlet six-outlet neutral line box 订货号Order No.150167	
	FJ6/JHD-3/a 八路可重复接地零线盒 Eight-circuit repeatable grounding neutral line box 订货号Order No.150168	
	FJ6/JHD-3/a 零线盒 Neutral line box 订货号Order No.150169	
	FJ6/JHD-3/a 十二路可重复接地零线盒(小型) Twelve-circuit repeatable grounding neutral line box(miniature) 订货号Order No.150170	
	FJ6/JHD-3 十二路可重复接地零线盒 Twelve-circuit repeatable grounding neutral line box 订货号Order No.150171	
	FJ6/JHD-3/b 三进十二出零线盒 Three-inlet twelve-outlet neutral line box 订货号Order No.150172	
	FJ6/JHD-3/b 二进十二出零线盒 Two-inlet twelve-outlet neutral line box 订货号Order No.150173	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-3/b	
	十六路可重复接地零线盒 Sixteen-circuit neutral line box	
	订货号Order No.150174	
	FJ6/JHD-3/c	
	零线盒 Neutral line box	
	订货号Order No.150175	
	FJ6/JHD-3/b	
	十八路可重复接地零线盒 Eighteen-circuit neutral line box	
	订货号Order No.150176	
	FJ6/JHD-3/c	
	二进十八出零线盒 Two-inlet eighteen-outlet neutral line box	
	订货号Order No.150177	
	FJ6/JHD-3/b	
	二十路可重复接地零线盒 Twenty-circuit neutral line box	
	订货号Order No.150178	
	FJ6/JHD-3/c	
	二十四路可重复接地零线盒 Twenty-four-circuit neutral line box	
	订货号Order No.150179	
	FJ6/JHD-3/E	
	二进二十四出零线盒 Two-inlet twenty-four-outlet neutral line box	
	订货号Order No.150180	
	FJ6/JHD-3/c	
	二十八路可重复接地零线盒 Twenty-eight-circuit neutral line box	
	订货号Order No.150181	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-3/c	
	三十路可重复接地零线盒 Thirty-circuit neutral line box	
	订货号Order No.150182	
	FJ6/JHD-3/c	
	三十二路可重复接地零线盒 Thirty-two-circuit neutral line box	
	订货号Order No.150183	
	FJ6/JHD-3/E	
	三十六路可重复接地零线盒 Thirty-six-circuit neutral line box	
	订货号Order No.150184	
	FJ6/JHD-3/E	
	四十路可重复接地零线盒 Forty-circuit neutral line box	
	订货号Order No.150185	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-4/a 一进四出接线盒 One-inlet four-outlet terminal block 订货号Order No.150186	
	FJ6/JHD-4/a 一进六出接线盒 One-inlet six-outlet terminal block 订货号Order No.150187	
	FJ6/JHD-4 一进八出接线盒 One-inlet eight-outlet terminal block 订货号Order No.150188	
	FJ6/JHD-4 一进九出接线盒 One-inlet nine-outlet terminal block 订货号Order No.150189	
	FJ6/JHD-4/d 一进十出接线盒 One-inlet ten-outlet terminal block 订货号Order No.150190	
	FJ6/JHD-4/b 一进十二出接线盒 One-inlet twelve-outlet terminal block 订货号Order No.150191	
	FJ6/JHD-4/b 一进十三出接线盒 One-inlet thirteen-outlet terminal block 订货号Order No.150192	
	FJ6/JHD-4/F 一进十五出接线盒 One-inlet fifteen-outlet terminal block 订货号Order No.150193	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-4/c 一进十六出接线盒 One-inlet sixteen-outlet terminal block 订货号Order No.150194	
	FJ6/JHD-4/c 一进十八出接线盒 One-inlet eighteen-outlet terminal block 订货号Order No.150195	
	FJ6/JHD-4/c 一进十九出接线盒 One-inlet nineteen-outlet terminal block 订货号Order No.150196	
	FJ6/JHD-4/F 一进二十出接线盒 One-inlet twenty-outlet terminal block 订货号Order No.150197	
	FJ6/JHD-4/F 一进二十二出接线盒 One-inlet twenty-two-outlet terminal block 订货号Order No.150198	
	FJ6/JHD-4/E 一进二十四出接线盒 One-inlet twenty-four-outlet terminal block 订货号Order No.150199	
	FJ6/JHD-4/E 一进二十五出接线盒 One-inlet twenty-five-outlet terminal block 订货号Order No.150200	

一、产品概述 General

我公司在有关部门的大力协作下，成功地开发了用于安装在计量箱内的JHD-5型计量输出接线盒。为解决计量接线不规范的问题以及实施计量配电装置的标准化和规范化管理提供了保证。产品设计符合电能计量规范中“专用、封闭”的原则，各项技术指标均符合IEC标准要求，深受用电、管电单位的欢迎。

JHD-5 type terminal block for electric energy metering that is installed in the metering box is successfully developed by us under the strong cooperation of relevant departments, it can provide the full guarantee for solving the problems of irregular measurement and connection and implementing the standardization and normalization of metering and distribution device.

二、结构特点 Structural features

该产品全部采用了高分子聚碳酸酯(PC)材料注制而成。因而它具有阻燃性，耐高温，不吸水、抗潮湿、绝缘性能好、抗冲击、不易碎裂、抗老化等多种优质特性。体积小，载流容量大，耐压高，结构合理，色泽鲜艳，外形美观。

由于盖板采用透明材料，既能观察到接线盒内部的工作状态，既安装方便，又确保了接线的可靠，达到了检修方便、安全用电的目的。

The product is made of high molecular polycarbonate, formed by injection moulded process, so it has excellent properties such as flame retardant, high temperature resistance, no water absorption, dampness resistance, perfect insulation, anti impact, not easy to break, anti aging, etc., in addition, it is characterized by small volume, large current carrying capacity, high withstanding voltage, structure reasonable, vivid color, nice appearance, etc..


三、产品用途 Application

适用于计量箱，电表箱，成套柜体，额定电压220~660V电流5~20A的二次回路中；可根据回路的多少选用不同档数的接线盒。

It is suitable for metering box, watt-hour meter box and complete cubicle, used at the secondary circuit of rated voltage 220~660V and current 5~20A. According to the number of circuit, user may select the terminal blocks of different gears.

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-5/d 计量箱输出接线盒(2档) Terminal block for electric energy metering box(2-gear) 订货号Order No.150201	
	FJ6/JHD-5/G 计量箱输出接线盒(3档) Terminal block for electric energy metering box(3-gear) 订货号Order No.150202	
	FJ6/JHD-5/b 计量箱输出接线盒(4档) Terminal block for electric energy metering box(4-gear) 订货号Order No.150203	

接线举例 Wiring example



产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHD-5/K 计量箱输出接线盒(4档) Terminal block for electric energy metering box(4-gear) 订货号Order No.150204	
	FJ6/JHD-5/F 计量箱输出接线盒(6档) Terminal block for electric energy metering box(6-gear) 订货号Order No.150205	
	FJ6/JHD-5/a 计量箱输出接线盒(8档) Terminal block for electric energy metering box(8-gear) 订货号Order No.150206	
	FJ6/JHD-5/L 计量箱输出接线盒(10档) Terminal block for electric energy metering box(10-gear) 订货号Order No.150207	
	FJ6/JHD-5 计量箱输出接线盒(12档) Terminal block for electric energy metering box(12-gear) 订货号Order No.150208	
	FJ6/JHD-5/c 计量箱输出接线盒(15档) Terminal block for electric energy metering box(15-gear) 订货号Order No.150209	
	FJ6/JHD-5/D 计量箱输出接线盒(16档) Terminal block for electric energy metering box(16-gear) 订货号Order No.150210	
	FJ6/JHD-5/E 计量箱输出接线盒(20档) Terminal block for electric energy metering box(20-gear) 订货号Order No.150211	

一、产品概述 General

根据电力部电网改造规划，为了改善居民用电条件，本公司按照市场需要，开发了用于进户线分线多路输出接线盒。产品投入市场以来，受到了广大电能计量工作者的欢迎。既操作方便，又确保了接线的牢固性和可靠性，达到了安全用电的目的，为计量装置的标准化和规范化起到了推动作用。

本系列产品经过国家强制认证，各项技术指标均符合GB14048国家标准和IEC国际标准要求。现已被电力部门推广使用。

According to the power grid up grading plan, in order to improve residential electricity utilization condition, the company developed the muti-circuit output terminal block for branch lines of service-entrance wires in the light of market demand. The products have been popular with the electric energy measuring operators since being launched on the market, they not only are convenient to operate, but also guarantee fastness and reliability of wiring, finally reach the aim of safety in utilizing electric energy, actively promote the standardization and normalization of metering device.

This series of products has passed the china compulsory certification, the technical indexes are in conformity with national standard GB14048 and international stanard IEC, now the products are widely popularized by the power department.

二、结构特点 Structural features

该产品体积小，载流量大，耐压高，结构合理，外形美观，具有阻燃性，耐高温，不吸水、抗潮湿、绝缘性能好，抗冲击、抗老化等多种优质特性。

盖板采用透明材料，且拆装方便，达到了透明直观，安全用电的目的。

Featured with small volume, large current carrying capacity, high withstanding voltage,reasonable structure, nice appearance, etc., this product has many superior properties such as flame retardant, withstanding high temperature, no water absorption, wetness prevention, perfect insulation, impact resistance, anti aging, etc..

Its cover plate is made of transparent material, assembled and disassembled conveniently, so, it attains the goal of transparence and visualization as well as reliable power utilization.

三、产品用途 Application


该适用于各种表位计量的配套使用，安装后不但解决了进户线直接进裸铜排，造成电流小、不安全、不可靠、不方便等诸多事故隐患的问题。而且减少计量箱的成本。按产品的极数为单极(1P)、单相(2P)、三相三线(3P)、三相四线(4P)，按出线分为一出、二出、三出、四出...二十四出等。

This product supports metering of various meter-positon,after mounting, it not only avoids the problem of weak current, unsafe, inconvenience or other potential accidents caused by service-entrance wire entering into bare copper bar directly, but also cuts down the cost of metering box. It can be divided into single-pole(1P), single-phase(2P), three-phase three-wire(3P), three-phase four-wire(4P) according to the pole number; it can be divided into one-outlet, two-outlet, three-outlet, four-outlet...twenty-four-outlet and so on according to the outlet wire condition.









四、主要技术指标 Main technial indexes













- | | |
|---|---|
| 1. 绝缘电压: 660V 50HZ(60HZ) | 1. Insulation voltage:660V 50HZ(60HZ) |
| 2. 进户线电流(A/截面mm ²): 100/25、150/50、250/120、300/150、400/240 | 2. Service-entrance conductor current(A/section mm ²):100/25,150/50,250/120,300/150 and 400/240 |
| 3. 进表线电(A/截面mm ²): 60-125/10-25(每路出线) | 3. Meter-entrance conductor current(A/section mm ²):60-125/10-25(wire outgoing to each circuit) |
| 4. 工频耐压: 3000V/1min | 4. Power frequency withstand voltage:3,000V/1min |
| 5. 工作温度: -40℃~+160℃ | 5. Work temp: -40℃~+160℃ |
| 6. 端子间及绝缘电阻 > 40MΩ | 6. Terminal-to-terminal/insulation resistance: > 40MΩ |















五、接线举例 Wiring example



















产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHT-2501	
	单极一进一出 Single-pole one-inlet one-outlet	
	订货号Order No.150212	
	FJ6/JHT-3001	
	单极一进一出 Single-pole one-inlet one-outlet	
	订货号Order No.150213	
	FJ6/JHT-4001	
	单极一进一出 Single-pole one-inlet one-outlet	
	订货号Order No.150214	
	FJ6/JHT-2501/2	
	单极一进二出 Single-pole one-inlet two-outlet	
	订货号Order No.150215	
	FJ6/JHT-2501/3	
	单极一进三出 Single-pole one-inlet three-outlet	
	订货号Order No.150216	
	FJ6/JHT-2501/4	
	单极一进四出 Single-pole one-inlet four-outlet	
	订货号Order No.150217	
	FJ6/JHT-3001/5	
	单极一进五出 Single-pole one-inlet five-outlet	
	订货号Order No.150218	
	FJ6/JHT-4001/6	
	单极一进六出 Single-pole one-inlet six-outlet	
	订货号Order No.150219	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHT-2501/6	
	单相一进六出 Single-pole one-inlet six-outlet	
	订货号Order No.150220	
	FJ6/JHT-2501/8	
	单相一进八出 Single-pole one-inlet eight-outlet	
	订货号Order No.150221	
	FJ6/JHT-2501/12	
	单相一进十二出 Single-pole one-inlet twelve-outlet	
	订货号Order No.150222	
	FJ6/JHT-3001/10	
	单相一进十出 Single-pole one-inlet ten-outlet	
	订货号Order No.150223	
	FJ6/JHT-4001/12	
	单相一进十二出 Single-pole one-inlet twelve-outlet	
	订货号Order No.150224	
	FJ6/JHT-3001/15	
	单相一进十五出 Single-pole one-inlet fifteen-outlet	
	订货号Order No.150225	
	FJ6/JHT-4001/18	
	单相一进十八出 Single-pole one-inlet eighteen-outlet	
	订货号Order No.150226	
	FJ6/JHT-2502	
	单相一进一出 Single-phase one-inlet one-outlet	
	订货号Order No.150227	





产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHT-3002	
	单相一进一出 Single-phase one-inlet one-outlet	
	订货号Order No.150228	
	FJ6/JHT-2502/2	
	单相二表户 Single-phase two-meter household	
	订货号Order No.150229	
	FJ6/JHT-2502/3	
	单相三表户 Single-phase three-meter household	
	订货号Order No.150230	
	FJ6/JHT-2502/4	
	单相四表户 Single-phase four-meter household	
	订货号Order No.150231	
	FJ6/JHT-3002/5	
	单相五表户 Single-phase five-meter household	
	订货号Order No.150232	
	FJ6/JHT-2502/6	
	单相六表户 Single-phase six-meter household	
	订货号Order No.150233	
	FJ6/JHT-2502/8	
	单相八表户 Single-phase eight-meter household	
	订货号Order No.150234	
	FJ6/JHT-3002/10	
	单相十表户 Single-phase ten-meter household	
	订货号Order No.150235	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHT-2502/12	
	单相十二表户 Single-phase twelve-meter household	
	订货号Order No.150236	
	FJ6/JHT-3002/15	
	单相十五表户 Single-phase fifteen-meter household	
	订货号Order No.150237	
	FJ6/JHT-2503	
	三相三线一进一出 Three-phase three-wire one-inlet one-outlet	
	订货号Order No.150238	
	FJ6/JHT-3003	
	三相三线一进一出 Three-phase three-wire one-inlet one-outlet	
	订货号Order No.150239	
	FJ6/JHT-2503/2	
	三相三线二表户 Three-phase three-wire two-meter household	
	订货号Order No.150240	
	FJ6/JHT-2503/3	
	三相三线三表户 Three-phase three-wire three-meter household	
	订货号Order No.150241	
	FJ6/JHT-2503/4	
	三相三线四表户 Three-phase three-wire four-meter household	
	订货号Order No.150242	
	FJ6/JHT-3003/5	
	三相三线五表户 Three-phase three-wire five-meter household	
	订货号Order No.150243	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHT-2503/6	
	三相三线六表户 Three-phase three-wire six-meter household	
	订货号Order No.150244	
	FJ6/JHT-2503/8	
	三相三线八表户 Three-phase three-wire eight-meter household	
	订货号Order No.150245	
	FJ6/JHT-3003/10	
	三相三线十表户 Three-phase three-wire ten-meter household	
	订货号Order No.150246	
	FJ6/JHT-2503/12	
	三相三线十二表户 Three-phase three-wire twelve-meter household	
	订货号Order No.150247	
	FJ6/JHT-3003/15	
	三相三线十五表户 Three-phase three-wire fifteen-meter household	
	订货号Order No.150248	
	FJ6/JHT-2504	
	三相四线四进四出 Three-phase four-wire four-inlet four-outlet	
	订货号Order No.150249	
	FJ6/JHT-3004	
	三相四线四进四出 Three-phase four-wire four-inlet four-outlet	
	订货号Order No.150250	
	FJ6/JHT-2504/2	
	三相四线二表户 Three-phase four-wire two-meter household	
	订货号Order No.150251	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/JHT-2504/3	
	三相四线三表户 Three-phase four-wire three-meter household	
	订货号Order No.150252	
	FJ6/JHT-2504/4	
	三相四线四表户 Three-phase four-wire four-meter household	
	订货号Order No.150253	
	FJ6/JHT-3004/5	
	三相四线五表户 Three-phase four-wire five-meter household	
	订货号Order No.150254	
	FJ6/JHT-2504/6	
	三相四线六表户 Three-phase four-wire six-meter household	
	订货号Order No.150255	
	FJ6/JHT-2504/8	
	三相四线八表户 Three-phase four-wire eight-meter household	
	订货号Order No.150256	
	FJ6/JHT-3004/10	
	三相四线十表户 Three-phase four-wire ten-meter household	
	订货号Order No.150257	
	FJ6/JHT-2504/12	
	三相四线十二表户 Three-phase four-wire twelve-meter household	
	订货号Order No.150258	
	FJ6/JHT-3004/15	
	三相四线十五表户 Three-phase four-wire fifteen-meter household	
	订货号Order No.150259	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	电表架160型(塑料) Type 160 electric meter bracket (plastic)	
	订货号Order No.150260	
	电表架200型(塑料) Type 200 electric meter bracket (plastic)	
	订货号Order No.150261	
	电表架200型(树脂) Type 200 electric meter bracket (resin)	
	订货号Order No.150262	
	电表架270型(塑料) Type 270 electric meter bracket (plastic)	
	订货号Order No.150263	
	电表架290型(塑料) Type 290 electric meter bracket (plastic)	
	订货号Order No.150264	
	电表架270型(锌合金) Type 270 electric meter bracket (Zinc alloy)	
	订货号Order No.150265	
	电表架300型(锌合金) Type 300 electric meter bracket (Zinc alloy)	
	订货号Order No.150266	
	电表架350型(锌合金) Type 350 electric meter bracket (Zinc alloy)	
	订货号Order No.150267	

产品样式 Product style	产品名称/型号/订货号 Product name/model/order number	产品外型及安装尺寸 Outline and mounting dimension
	FJ6/CM1-15 四方 square	
	小型母线架 Mini busbar frame	
	订货号 Order No. 150268	
	FJ6/CM1-20 四方 square	
	小型母线架 Mini busbar frame	
	订货号 Order No. 150269	
	FJ6/CM1-15 扁向 flat	
	小型母线架 Mini busbar frame	
	订货号 Order No. 150270	
	FJ6/CM1-20 扁向 flat	
	小型母线架 Mini busbar frame	
	订货号 Order No. 150271	

一、产品概述 General

FJ6/JTS2系列多用途接线端子系专为各类电控配电设备，成套装置及组合式终端电器箱中配线而设计。产品的额定绝缘电压690V，额定工作电压380V，进线端连接导线的最大截面为120mm²，出线端按连接回路数的多少以及接线方式的不同，分别可连接导线的截面为2.5-120mm²。该产品结构新颖独特；接线牢固可靠；使用灵活方便。可作各类电气装置中母线排、大电流端子、接零、接地端子、等电位端子之用。

FJ6/JTS2 series terminal block is designed for wiring in electric control distribution equipment, complete equipment and terminal apparatus, etc.. The product is of rated insulation voltage 690V, rated working voltage 380V, max section of inlet terminal conductor 120mm². According to different circuit number and connection ways, the section of outlet terminal reaches 2.5-120mm². This product structure has advantages of original structure, firm connection and flexible operation. In addition, it can also serve as electric equipment busbar, heavy-current terminal block, neutral terminal, grounding terminal, equipotential terminal, etc..

二、结构特点 Structural features

FJ6/JTS2多用途端子由导电件、绝缘座和防护罩组成，体积小，结构可靠，其进线端既可以将导线直接接入(筒式连接)、也可用OT端头(线鼻子)连接(板式连接)，亦可接入宽度≤30mm的铜排，其出线端则统一为筒式连接。压线螺钉的底部为特制的球形压线时不仅不伤导线，而求uudui导线具有足够大的挤压力，接触更可靠。

FJ6/JTS2 series terminal block is composed of conductive part, insulator foot and protective cover, with compact volume and reliable structure. Through its inlet terminal, the conductor can be connected directly (simple connection), or connected with OT lug (panel connection), in addition, this inlet terminal also allows the copper busbar not exceeding 30mm to enter, and all connections at the outlet terminal are of the barrel type. The bottom of crimping screw is spherical shape, which takes no damage over the conductor when crimping, and even brings big enough extrusion force over the conductor and have more reliable contact.

三、安装与使用 Installation & Use

本系列产品提供了两种安装方式：1、直接在底板上打孔安装(仅限外形尺寸为78×63×36，安装螺钉为M5)；2、安装在TH-35导轨(顶帽轨)上。接入导线建议使用多芯线，导线插入盲孔时要确认插到底后方能往下拧螺钉，以防误接。当接入导线截面较小，且导线绝缘能塞进接线孔时，在确保导体接触可靠的前提下，允许绝缘进入接线孔。当使用时或线路进行维护需要打开防护罩时，只需在防护罩的搭勾处向内用手轻捏便可取下，亦可用螺丝刀从搭勾处插入，轻轻旋转即可取下。装防护罩时要在四个搭勾处向下施压，确保每个搭勾全部卡在孔内方可。

There are two ways to install this product: 1. Drill a hole in the bottom plate directly and install (only for the product whose outline size is 78×63×36, and mounting screw is M5); 2. Install it on TH-35 rail (top-hat rail). It is suggested that multi-core wire should be used for connecting conductors. And only the conductor is inserted into the bottom of blind hole thoroughly, could the screw be tightened down to prevent wrong connection. When conductor section is small, and conductor insulator can be stuffed into the connection hole, the insulator is allowed to enter into the connection hole on the premise of reliable contact of conductor. If the protective cover is required to open, pinch the lap of protective cover inward slightly, inset a screwdriver into the lap, then rotate it slightly. When to assemble the protective cover, apply the pressure to four laps, and make sure every lap into the hole.

四、订货须知 Notification of order


订货时请注明型号(或订货号)和数量即可。

FJ6/JTS2系列端子，可定制非标各种进线和出线平方线数。

When ordering, please indicate the model (or order No.) and quantity.

The inlet and outlet wire size of FJ6/JTS2 series terminal block can be customized.

五、安装尺寸 Mounting dimension




导轨式安装
Rail mounting
78(宽H) × 63(高W) × 21(厚T)
订货号Order No. 150272




导轨式安装
Rail mounting
78(宽H) × 63(高W) × 36(厚T)
订货号Order No. 150273




螺丝式安装
Screw mounting
100(宽H) × 63(高W) × 50(厚T)
订货号Order No. 150274




导轨式安装
Rail mounting
78(宽H) × 63(高W) × 28(厚T)
订货号Order No. 150275




78(宽H) × 63(高W) × 36(厚T)




100(宽H) × 63(高W) × 50(厚T)



78(宽H) × 63(高W) × 45(厚T)



117(宽H) × 73(高W) × 62(厚T)



152(宽H) × 95(高W) × 84(厚T)



型号: FJ6/JTS2-50B(M8外六角螺丝)
结构: 一路进, 一路出, 大电流端子
截面: 进线16-50mm²(板式接线)
外形尺寸: 78(宽) × 63(高) × 25(厚)
订货号 150276

Model:FJ6/JTS2-50B(M8 outer-hexagonal screw)
Structure:One-inlet,one-outlet
Section:Inlet wire 16-50mm²(Panel connection)
Outline size:78(W) × 63(H) × 25(T)
Order no.150276



型号: FJ6/JTS2-120B(M10外六角螺丝)
结构: 一路进, 一路出, 大电流端子
截面: 进线70-120mm²(板式接线)
外形尺寸: 78(宽) × 63(高) × 36(厚)
订货号 150277

Model:FJ6/JTS2-120B(M10 outer-hexagonal screw)
Structure:One-inlet,one-outlet
Section:Inlet wire 70-120mm²(Panel connection)
Outline size:78(W) × 63(H) × 36(T)
Order no.150277



型号: FJ6/JTS2-185B(M12外六角螺丝)
结构: 一路进, 一路出, 大电流端子
截面: 进线70-185mm²(板式接线)
外形尺寸: 100(宽) × 63(高) × 50(厚)
订货号 150278

Model:FJ6/JTS2-185B(M12 outer-hexagonal screw)
Structure:One-inlet,one-outlet
Section:Inlet wire 70-185mm²(Panel connection)
Outline size:100(W) × 63(H) × 50(T)
Order no.150278



型号: FJ6/JTS2-300B(M14外六角螺丝)
结构: 一路进, 一路出, 大电流端子
截面: 进线185-300mm²(板式接线)
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150279

Model:FJ6/JTS2-300B(M14 outer-hexagonal screw)
Structure:One-inlet,one-outlet
Section:Inlet wire 185-300mm²(Panel connection)
Outline size:117(W) × 73(H) × 62(T)
Order no.150279



型号: FJ6/JTS2-35B/2 × 10
结构: 一路进, 二路出, 分线端子
截面: 进线10-35mm², 出线2.5-10mm²
外形尺寸: 78(宽) × 63(高) × 21(厚)
订货号 150280

Model:FJ6/JTS2-35B/2 × 10
Structure:One-inlet,two-outlet
Section:Inlet wire 10-35mm²
Outlet wire 2.5-10mm²
Outline size:78(W) × 63(H) × 21(T)
Order no.150280



型号: FJ6/JTS2-35B/2 × 25
结构: 一路进, 二路出, 分线端子
截面: 进线16-35mm², 出线6-25mm²
外形尺寸: 78(宽) × 63(高) × 21(厚)
订货号 150281

Model:FJ6/JTS2-35B/2 × 25
Structure:One-inlet,two-outlet
Section:Inlet wire 16-35mm²
Outlet wire 6-25mm²
Outline size:78(W) × 63(H) × 21(T)
Order no.150281



型号: FJ6/JTS2-50B/2 × 35
结构: 一路进, 二路出, 分线端子
截面: 进线20-50mm², 出线6-35mm²
外形尺寸: 78(宽) × 63(高) × 25(厚)
订货号 150282

Model:FJ6/JTS2-50B/2 × 35
Structure:One-inlet,two-outlet
Section:Inlet wire 20-50mm²
Outlet wire 6-35mm²
Outline size:78(W) × 63(H) × 25(T)
Order no.150282



型号: FJ6/JTS2-120B/2 × 70
结构: 一路进, 二路出, 分线端子
截面: 进线50-120mm², 出线25-70mm²
外形尺寸: 78(宽) × 63(高) × 36(厚)
订货号 150283

Model:FJ6/JTS2-120B/2 × 70
Structure:One-inlet,two-outlet
Section:Inlet wire 25-120mm²
Outlet wire 25-70mm²
Outline size:78(W) × 63(H) × 36(T)
Order no.150283



型号: FJ6/JTS2-185B/2 × 95
结构: 一路进, 二路出, 分线端子
截面: 进线70-185mm², 出线35-95mm²
外形尺寸: 100(宽) × 63(高) × 50(厚)
订货号 150284

Model:FJ6/JTS2-185B/2 × 95
Structure:One-inlet,two-outlet
Section:Inlet wire 70-185mm²
Outlet wire 35-95mm²
Outline size:100(W) × 63(H) × 50(T)
Order no.150284



型号: FJ6/JTS2-300B/2 × 120
结构: 一路进, 二路出, 分线端子
截面: 进线150-300mm², 出线35-120mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150285

Model:FJ6/JTS2-300B/2 × 120
Structure:One-inlet,two-outlet
Section:Inlet wire 150-300mm²
Outlet wire 35-120mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150285



型号: FJ6/JTS2-300B/2 × 240
结构: 一路进, 二路出, 分线端子
截面: 进线95-300mm², 出线70-240mm²
外形尺寸: 152(宽) × 95(高) × 84(厚)
订货号 150286

Model:FJ6/JTS2-300B/2 × 240
Structure:One-inlet,two-outlet
Section:Inlet wire 95-300mm²
Outlet wire 70-240mm²
Outline size:152(W) × 95(H) × 84(T)
Order no.150286



型号: FJ6/JTS2-35B/2 × 16
结构: 一路进, 三路出, 分线端子
截面: 进线16-35mm², 出线4-16mm²
外形尺寸: 78(宽) × 63(高) × 21(厚)
订货号 150287

Model:FJ6/JTS2-35B/2 × 16
Structure:One-inlet,three-outlet
Section:Inlet wire 16-35mm²
Outlet wire 4-16mm²
Outline size:78(W) × 63(H) × 21(T)
Order no.150287



<p>型号: FJ6/JTS2-120B/3 × 25 结构: 一路进, 三路出, 分线端子 截面: 进线70-120mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150288 Model:FJ6/JTS2-120B/3 × 25 Structure:One-inlet,three-outlet Section:Inlet wire 70-120mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 36(T) Order no.150288</p>	<p>型号: FJ6/JTS2-120B/3 × 35 结构: 一路进, 三路出, 分线端子 截面: 进线70-120mm², 出线10-35mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150289 Model:FJ6/JTS2-120B/3 × 35 Structure:One-inlet,three-outlet Section:Inlet wire 70-120mm² Outlet wire 10-35mm² Outline size:78(W) × 63(H) × 36(T) Order no.150289</p>	<p>型号: FJ6/JTS2-150B/3 × 50 结构: 一路进, 三路出, 分线端子 截面: 进线70-150mm², 出线16-50mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150290 Model:FJ6/JTS2-150B/3 × 50 Structure:One-inlet,three-outlet Section:Inlet wire 70-150mm² Outlet wire 16-50mm² Outline size:78(W) × 63(H) × 45(T) Order no.150290</p>	<p>型号: FJ6/JTS2-185B/3 × 50 结构: 一路进, 三路出, 分线端子 截面: 进线70-185mm², 出线16-50mm² 外形尺寸: 78(宽) × 63(高) × 50(厚) 订货号 150291 Model:FJ6/JTS2-185B/3 × 50 Structure:One-inlet,three-outlet Section:Inlet wire 70-185mm² Outlet wire 16-50mm² Outline size:78(W) × 63(H) × 50(T) Order no.150291</p>
--	--	--	--



<p>型号: FJ6/JTS2-240B/3 × 70 结构: 一路进, 三路出, 分线端子 截面: 进线95-240mm², 出线35-70mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150292 Model:FJ6/JTS2-240B/3 × 70 Structure:One-inlet,three-outlet Section:Inlet wire 95-240mm² Outlet wire 35-70mm² Outline size:117(W) × 73(H) × 62(T) Order no.150292</p>	<p>型号: FJ6/JTS2-300B/3 × 150 结构: 一路进, 三路出, 分线端子 截面: 进线95-300mm², 出线70-150mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150293 Model:FJ6/JTS2-300B/3 × 150 Structure:One-inlet,three-outlet Section:Inlet wire 95-300mm² Outlet wire 70-150mm² Outline size:152(W) × 95(H) × 84(T) Order no.150293</p>	<p>型号: FJ6/JTS2-35B/4 × 10 结构: 一路进, 四路出, 分线端子 截面: 进线16-35mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150294 Model:FJ6/JTS2-35B/4 × 10 Structure:One-inlet,four-outlet Section:Inlet wire 16-35mm² Outlet wire 2.5-10mm² Outline size:78(W) × 63(H) × 21(T) Order no.150294</p>	<p>型号: FJ6/JTS2-50B/4 × 25 结构: 一路进, 四路出, 分线端子 截面: 进线25-50mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150295 Model:FJ6/JTS2-50B/4 × 25 Structure:One-inlet,four-outlet Section:Inlet wire 25-50mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 25(T) Order no.150295</p>
--	--	---	---



<p>型号: FJ6/JTS2-120B/4 × 25 结构: 一路进, 四路出, 分线端子 截面: 进线70-120mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150296 Model:FJ6/JTS2-120B/4 × 25 Structure:One-inlet,four-outlet Section:Inlet wire 70-120mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 36(T) Order no.150296</p>	<p>型号: FJ6/JTS2-150B/4 × 35 结构: 一路进, 四路出, 分线端子 截面: 进线70-150mm², 出线10-35mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150297 Model:FJ6/JTS2-150B/4 × 35 Structure:One-inlet,four-outlet Section:Inlet wire 70-150mm² Outlet wire 10-35mm² Outline size:78(W) × 63(H) × 45(T) Order no.150297</p>	<p>型号: FJ6/JTS2-185B/4 × 50 结构: 一路进, 四路出, 分线端子 截面: 进线95-185mm², 出线16-50mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150298 Model:FJ6/JTS2-185B/4 × 50 Structure:One-inlet,four-outlet Section:Inlet wire 95-185mm² Outlet wire 16-50mm² Outline size:100(W) × 63(H) × 50(T) Order no.150298</p>	<p>型号: FJ6/JTS2-240B/4 × 70 结构: 一路进, 四路出, 分线端子 截面: 进线95-240mm², 出线35-70mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150299 Model:FJ6/JTS2-240B/4 × 70 Structure:One-inlet,four-outlet Section:Inlet wire 95-240mm² Outlet wire 35-70mm² Outline size:117(W) × 73(H) × 62(T) Order no.150299</p>
---	---	---	---



<p>型号: FJ6/JTS2-300B/4 × 95 结构: 一路进, 四路出, 分线端子 截面: 进线90-300mm², 出线50-95mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150300 Model:FJ6/JTS2-300B/4 × 95 Structure:One-inlet,four-outlet Section:Inlet wire 90-300mm² Outlet wire 50-95mm² Outline size:152(W) × 95(H) × 84(T) Order no.150300</p>	<p>型号: FJ6/JTS2-35B/6 × 6 结构: 一路进, 六路出, 分线端子 截面: 进线10-35mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150301 Model:FJ6/JTS2-35B/6 × 6 Structure:One-inlet,six-outlet Section:Inlet wire 10-35mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 21(T) Order no.150301</p>	<p>型号: FJ6/JTS2-70B/6 × 10 结构: 一路进, 六路出, 分线端子 截面: 进线35-70mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 28(厚) 订货号 150302 Model:FJ6/JTS2-70B/6 × 10 Structure:One-inlet,six-outlet Section:Inlet wire 35-70mm² Outlet wire 2.5-10mm² Outline size:78(W) × 63(H) × 28(T) Order no.150302</p>	<p>型号: FJ6/JTS2-120B/6 × 16 结构: 一路进, 六路出, 分线端子 截面: 进线70-120mm², 出线2.5-16mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150303 Model:FJ6/JTS2-120B/6 × 16 Structure:One-inlet,six-outlet Section:Inlet wire 70-120mm² Outlet wire 2.5-16mm² Outline size:78(W) × 63(H) × 36(T) Order no.150303</p>
---	--	--	--



<p>型号: FJ6/JTS2-120B/6 × 25 结构: 一路进, 六路出, 分线端子 截面: 进线70-120mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150304 Model:FJ6/JTS2-120B/6 × 25 Structure:One-inlet,six-outlet Section:Inlet wire 70-120mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 36(T) Order no.150304</p>	<p>型号: FJ6/JTS2-185B/6 × 50 结构: 一路进, 六路出, 分线端子 截面: 进线95-185mm², 出线16-50mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150305 Model:FJ6/JTS2-185B/6 × 50 Structure:One-inlet,six-outlet Section:Inlet wire 95-185mm² Outlet wire 16-50mm² Outline size:100(W) × 63(H) × 50(T) Order no.150305</p>	<p>型号: FJ6/JTS2-300B/6 × 70 结构: 一路进, 六路出, 分线端子 截面: 进线95-300mm², 出线35-70mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150306 Model:FJ6/JTS2-300B/6 × 70 Structure:One-inlet,six-outlet Section:Inlet wire 95-300mm² Outlet wire 35-70mm² Outline size:152(W) × 95(H) × 84(T) Order no.150306</p>	<p>型号: FJ6/JTS2-120B/8 × 10 结构: 一路进, 八路出, 分线端子 截面: 进线70-120mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150307 Model:FJ6/JTS2-120B/8 × 10 Structure:One-inlet,eight-outlet Section:Inlet wire 70-120mm² Outlet wire 2.5-10mm² Outline size:78(W) × 63(H) × 36(T) Order no.150307</p>
--	--	--	--



<p>型号: FJ6/JTS2-150B/8 × 25 结构: 一路进, 八路出, 分线端子 截面: 进线70-150mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150308 Model:FJ6/JTS2-150B/8 × 25 Structure:One-inlet,eight-outlet Section:Inlet wire 70-150mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 45(T) Order no.150308</p>	<p>型号: FJ6/JTS2-185B/8 × 25 结构: 一路进, 八路出, 分线端子 截面: 进线70-185mm², 出线6-25mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150309 Model:FJ6/JTS2-185B/8 × 25 Structure:One-inlet,eight-outlet Section:Inlet wire 70-185mm² Outlet wire 6-25mm² Outline size:100(W) × 63(H) × 50(T) Order no.150309</p>	<p>型号: FJ6/JTS2-300B/8 × 50 结构: 一路进, 八路出, 分线端子 截面: 进线95-300mm², 出线25-50mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150310 Model:FJ6/JTS2-300B/8 × 50 Structure:One-inlet,eight-outlet Section:Inlet wire 95-300mm² Outlet wire 25-50mm² Outline size:152(W) × 95(H) × 84(T) Order no.150310</p>	<p>型号: FJ6/JTS2-35B/9 × 6 结构: 一路进, 九路出, 分线端子 截面: 进线10-35mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150311 Model:FJ6/JTS2-35B/9 × 6 Structure:One-inlet,nine-outlet Section:Inlet wire 10-35mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 21(T) Order no.150311</p>
--	--	--	---



<p>型号: FJ6/JTS2-50B/9 × 6 结构: 一路进, 九路出, 分线端子 截面: 进线25-50mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150312 Model: FJ6/JTS2-50B/9 × 6 Structure: One-inlet, nine-outlet Section: Inlet wire 25-50mm² Outlet wire 1.5-6mm² Outline size: 78(W) × 63(H) × 25(T) Order no. 150312</p>	<p>型号: FJ6/JTS2-120B/10 × 6 结构: 一路进, 十路出, 分线端子 截面: 进线70-120mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150313 Model: FJ6/JTS2-120B/10 × 6 Structure: One-inlet, ten-outlet Section: Inlet wire 70-120mm² Outlet wire 1.5-6mm² Outline size: 78(W) × 63(H) × 36(T) Order no. 150313</p>	<p>型号: FJ6/JTS2-150B/10 × 10 结构: 一路进, 十路出, 分线端子 截面: 进线70-150mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150314 Model: FJ6/JTS2-150B/10 × 10 Structure: One-inlet, ten-outlet Section: Inlet wire 70-150mm² Outlet wire 2.5-10mm² Outline size: 78(W) × 63(H) × 45(T) Order no. 150314</p>	<p>型号: FJ6/JTS2-240B/10 × 25 结构: 一路进, 十路出, 分线端子 截面: 进线95-240mm², 出线6-25mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150315 Model: FJ6/JTS2-240B/10 × 25 Structure: One-inlet, ten-outlet Section: Inlet wire 95-240mm² Outlet wire 6-25mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150315</p>
---	--	--	--



<p>型号: FJ6/JTS2-300B/10 × 35 结构: 一路进, 十路出, 分线端子 截面: 进线120-300mm², 出线10-35mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150316 Model: FJ6/JTS2-300B/10 × 35 Structure: One-inlet, ten-outlet Section: Inlet wire 120-300mm² Outlet wire 10-35mm² Outline size: 152(W) × 95(H) × 84(T) Order no. 150316</p>	<p>型号: FJ6/JTS2-120B/12 × 6 结构: 一路进, 十二路出, 分线端子 截面: 进线70-120mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150317 Model: FJ6/JTS2-120B/12 × 6 Structure: One-inlet, twelve-outlet Section: Inlet wire 70-120mm² Outlet wire 1.5-6mm² Outline size: 78(W) × 63(H) × 36(T) Order no. 150317</p>	<p>型号: FJ6/JTS2-150B/12 × 10 结构: 一路进, 十二路出, 分线端子 截面: 进线70-150mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150318 Model: FJ6/JTS2-150B/12 × 10 Structure: One-inlet, twelve-outlet Section: Inlet wire 70-150mm² Outlet wire 2.5-10mm² Outline size: 78(W) × 63(H) × 45(T) Order no. 150318</p>	<p>型号: FJ6/JTS2-185B/12 × 25 结构: 一路进, 十二路出, 分线端子 截面: 进线70-185mm², 出线6-25mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150319 Model: FJ6/JTS2-185B/12 × 25 Structure: One-inlet, twelve-outlet Section: Inlet wire 70-185mm² Outlet wire 6-25mm² Outline size: 100(W) × 63(H) × 50(T) Order no. 150319</p>
--	--	--	--



<p>型号: FJ6/JTS2-300B/12 × 35 结构: 一路进, 十二路出, 分线端子 截面: 进线95-300mm², 出线10-35mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150320 Model: FJ6/JTS2-300B/12 × 35 Structure: One-inlet, twelve-outlet Section: Inlet wire 95-300mm² Outlet wire 10-35mm² Outline size: 152(W) × 95(H) × 84(T) Order no. 150320</p>	<p>型号: FJ6/JTS2-150B/15 × 6 结构: 一路进, 十五路出, 分线端子 截面: 进线70-150mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150321 Model: FJ6/JTS2-150B/15 × 6 Structure: One-inlet, fifteen-outlet Section: Inlet wire 70-150mm² Outlet wire 1.5-6mm² Outline size: 78(W) × 63(H) × 45(T) Order no. 150321</p>	<p>型号: FJ6/JTS2-185B/15 × 16 结构: 一路进, 十五路出, 分线端子 截面: 进线95-185mm², 出线6-16mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150322 Model: FJ6/JTS2-185B/15 × 16 Structure: One-inlet, fifteen-outlet Section: Inlet wire 95-185mm² Outlet wire 6-16mm² Outline size: 100(W) × 63(H) × 50(T) Order no. 150322</p>	<p>型号: FJ6/JTS2-240B/15 × 25 结构: 一路进, 十五路出, 分线端子 截面: 进线95-240mm², 出线6-25mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150323 Model: FJ6/JTS2-240B/15 × 25 Structure: One-inlet, fifteen-outlet Section: Inlet wire 95-240mm² Outlet wire 6-25mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150323</p>
--	---	---	---



<p>型号: FJ6/JTS2-240B/18 × 10 结构: 一路进, 十八路出, 分线端子 截面: 进线95-240mm², 出线2.5-10mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150324 Model: FJ6/JTS2-240B/18 × 10 Structure: One-inlet, eighteen-outlet Section: Inlet wire 95-240mm² Outlet wire 2.5-10mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150324</p>	<p>型号: FJ6/JTS2-300B/18 × 25 结构: 一路进, 十八路出, 分线端子 截面: 进线95-300mm², 出线6-25mm² 外形尺寸: 152(宽) × 75(高) × 84(厚) 订货号 150325 Model: FJ6/JTS2-300B/18 × 25 Structure: One-inlet, eighteen-outlet Section: Inlet wire 95-300mm² Outlet wire 6-25mm² Outline size: 152(W) × 75(H) × 84(T) Order no. 150325</p>	<p>型号: FJ6/JTS2-240B/21 × 6 结构: 一路进, 二十一路出, 分线端子 截面: 进线95-240mm², 出线2.5-6mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150326 Model: FJ6/JTS2-240B/21 × 6 Structure: One-inlet, twenty-one-outlet Section: Inlet wire 95-240mm² Outlet wire 2.5-6mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150326</p>	<p>型号: FJ6/JTS2-300B/21 × 16 结构: 一路进, 二十一路出, 分线端子 截面: 进线95-300mm², 出线4-16mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150327 Model: FJ6/JTS2-300B/21 × 16 Structure: One-inlet, twenty-one-outlet Section: Inlet wire 95-300mm² Outlet wire 4-16mm² Outline size: 152(W) × 95(H) × 84(T) Order no. 150327</p>
--	--	---	---



<p>型号: FJ6/JTS2-240B/24 × 6 结构: 一路进, 二十四路出, 分线端子 截面: 进线95-240mm², 出线1.5-6mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150328 Model: FJ6/JTS2-240B/24 × 6 Structure: One-inlet, twenty-four-outlet Section: Inlet wire 95-240mm² Outlet wire 1.5-6mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150328</p>	<p>型号: FJ6/JTS2-300B/24 × 10 结构: 一路进, 二十四路出, 分线端子 截面: 进线95-300mm², 出线1.5-10mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150329 Model: FJ6/JTS2-300B/24 × 10 Structure: One-inlet, twenty-four-outlet Section: Inlet wire 95-300mm² Outlet wire 1.5-10mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150329</p>	<p>型号: FJ6/JTS2-300B/24 × 16 结构: 一路进, 二十四路出, 分线端子 截面: 进线95-300mm², 出线6-16mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150330 Model: FJ6/JTS2-300B/24 × 16 Structure: One-inlet, twenty-four-outlet Section: Inlet wire 95-300mm² Outlet wire 6-16mm² Outline size: 152(W) × 95(H) × 84(T) Order no. 150330</p>	<p>型号: FJ6/JTS2-35 结构: 一路进, 一路出, 大电流端子 截面: 进线10-35mm²(筒式出线) 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150331 Model: FJ6/JTS2-35 Structure: One-inlet, one-outlet Section: Inlet wire 10-35mm²(Barrel outlet) Outline size: 78(W) × 63(H) × 21(T) Order no. 150331</p>
--	--	--	---



<p>型号: FJ6/JTS2-70 结构: 一路进, 一路出, 大电流端子 截面: 进线35-70mm²(筒式出线) 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150332 Model: FJ6/JTS2-70 Structure: One-inlet, one-outlet Section: Inlet wire 35-70mm²(Barrel outlet) Outline size: 78(W) × 63(H) × 21(T) Order no. 150332</p>	<p>型号: FJ6/JTS2-95 结构: 一路进, 一路出, 大电流端子 截面: 进线50-95mm²(筒式出线) 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150333 Model: FJ6/JTS2-95 Structure: One-inlet, one-outlet Section: Inlet wire 50-95mm²(Barrel outlet) Outline size: 78(W) × 63(H) × 25(T) Order no. 150333</p>	<p>型号: FJ6/JTS2-150 结构: 一路进, 一路出, 大电流端子 截面: 进线95-150mm²(筒式出线) 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150334 Model: FJ6/JTS2-150 Structure: One-inlet, one-outlet Section: Inlet wire 95-150mm²(Barrel outlet) Outline size: 100(W) × 63(H) × 50(T) Order no. 150334</p>	<p>型号: FJ6/JTS2-185 结构: 一路进, 一路出, 大电流端子 截面: 进线95-185mm²(筒式出线) 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150335 Model: FJ6/JTS2-185 Structure: One-inlet, one-outlet Section: Inlet wire 95-185mm²(Barrel outlet) Outline size: 117(W) × 73(H) × 62(T) Order no. 150335</p>
---	---	---	---




<p>型号: FJ6/JTS2-240 结构: 一路进, 一路出, 大电流端子 截面: 进线120-240mm²(筒式出线) 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150336 Model: FJ6/JTS2-240 Structure: One-inlet, one-outlet Section: Inlet wire 120-240mm²(Barrel outlet) Outline size: 152(W) × 95(H) × 84(T) Order no. 150336</p>	<p>型号: FJ6/JTS2-35/2 × 10 结构: 一路进, 二路出, 分线端子 截面: 进线10-35mm², 出线1.5-10mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150337 Model: FJ6/JTS2-35/2 × 10 Structure: One-inlet, two-outlet Section: Inlet wire 10-35mm² Outlet wire 1.5-10mm² Outline size: 78(W) × 63(H) × 21(T) Order no. 150337</p>	<p>型号: FJ6/JTS2-70/2 × 25 结构: 一路进, 二路出, 分线端子 截面: 进线35-70mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150338 Model: FJ6/JTS2-70/2 × 25 Structure: One-inlet, two-outlet Section: Inlet wire 35-70mm² Outlet wire 6-25mm² Outline size: 78(W) × 63(H) × 21(T) Order no. 150338</p>	<p>型号: FJ6/JTS2-70/2 × 35 结构: 一路进, 二路出, 分线端子 截面: 进线35-70mm², 出线10-35mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150339 Model: FJ6/JTS2-70/2 × 35 Structure: One-inlet, two-outlet Section: Inlet wire 35-70mm² Outlet wire 10-35mm² Outline size: 78(W) × 63(H) × 25(T) Order no. 150339</p>
---	--	--	--



<p>型号: FJ6/JTS2-95/2 × 70 结构: 一路进, 二路出, 分线端子 截面: 进线35-95mm², 出线25-70mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150340 Model: FJ6/JTS2-95/2 × 70 Structure: One-inlet, two-outlet Section: Inlet wire 35-95mm² Outlet wire 25-70mm² Outline size: 78(W) × 63(H) × 36(T) Order no. 150340</p>	<p>型号: FJ6/JTS2-95/2 × 95 结构: 一路进, 二路出, 分线端子 截面: 进线35-95mm², 出线35-95mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150341 Model: FJ6/JTS2-95/2 × 95 Structure: One-inlet, two-outlet Section: Inlet wire 35-95mm² Outlet wire 35-95mm² Outline size: 78(W) × 63(H) × 45(T) Order no. 150341</p>	<p>型号: FJ6/JTS2-185/2 × 95 结构: 一路进, 二路出, 分线端子 截面: 进线95-185mm², 出线50-95mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150342 Model: FJ6/JTS2-185/2 × 95 Structure: One-inlet, two-outlet Section: Inlet wire 95-185mm² Outlet wire 50-95mm² Outline size: 100(W) × 63(H) × 50(T) Order no. 150342</p>	<p>型号: FJ6/JTS2-185/2 × 120 结构: 一路进, 二路出, 分线端子 截面: 进线95-185mm², 出线50-120mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150343 Model: FJ6/JTS2-185/2 × 120 Structure: One-inlet, two-outlet Section: Inlet wire 95-185mm² Outlet wire 50-120mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150343</p>
--	--	--	--



<p>型号: FJ6/JTS2-240/2 × 185 结构: 一路进, 二路出, 分线端子 截面: 进线95-240mm², 出线95-185mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150344 Model: FJ6/JTS2-240/2 × 185 Structure: One-inlet, two-outlet Section: Inlet wire 95-240mm² Outlet wire 95-185mm² Outline size: 152(W) × 95(H) × 84(T) Order no. 150344</p>	<p>型号: FJ6/JTS2-35/3 × 10 结构: 一路进, 三路出, 分线端子 截面: 进线10-35mm², 出线1.5-10mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150345 Model: FJ6/JTS2-35/3 × 10 Structure: One-inlet, three-outlet Section: Inlet wire 10-35mm² Outlet wire 1.5-10mm² Outline size: 78(W) × 63(H) × 21(T) Order no. 150345</p>	<p>型号: FJ6/JTS2-70/3 × 16 结构: 一路进, 三路出, 分线端子 截面: 进线35-70mm², 出线4-16mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150346 Model: FJ6/JTS2-70/3 × 16 Structure: One-inlet, three-outlet Section: Inlet wire 35-70mm² Outlet wire 4-16mm² Outline size: 78(W) × 63(H) × 21(T) Order no. 150346</p>	<p>型号: FJ6/JTS2-70/3 × 25 结构: 一路进, 三路出, 分线端子 截面: 进线35-70mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150347 Model: FJ6/JTS2-70/3 × 25 Structure: One-inlet, three-outlet Section: Inlet wire 35-70mm² Outlet wire 6-25mm² Outline size: 78(W) × 63(H) × 25(T) Order no. 150347</p>
--	--	--	--



<p>型号: FJ6/JTS2-70/3 × 35 结构: 一路进, 三路出, 分线端子 截面: 进线35-70mm², 出线6-35mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150348 Model: FJ6/JTS2-70/3 × 35 Structure: One-inlet, three-outlet Section: Inlet wire 35-70mm² Outlet wire 6-35mm² Outline size: 78(W) × 63(H) × 36(T) Order no. 150348</p>	<p>型号: FJ6/JTS2-95/3 × 50 结构: 一路进, 三路出, 分线端子 截面: 进线35-95mm², 出线16-50mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150349 Model: FJ6/JTS2-95/3 × 50 Structure: One-inlet, three-outlet Section: Inlet wire 35-95mm² Outlet wire 16-50mm² Outline size: 78(W) × 63(H) × 45(T) Order no. 150349</p>	<p>型号: FJ6/JTS2-185/3 × 50 结构: 一路进, 三路出, 分线端子 截面: 进线70-185mm², 出线16-50mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150350 Model: FJ6/JTS2-185/3 × 50 Structure: One-inlet, three-outlet Section: Inlet wire 70-185mm² Outlet wire 16-50mm² Outline size: 100(W) × 63(H) × 50(T) Order no. 150350</p>	<p>型号: FJ6/JTS2-185/3 × 70 结构: 一路进, 三路出, 分线端子 截面: 进线70-185mm², 出线35-70mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150351 Model: FJ6/JTS2-185/3 × 70 Structure: One-inlet, three-outlet Section: Inlet wire 70-185mm² Outlet wire 35-70mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150351</p>
--	--	--	--



<p>型号: FJ6/JTS2-240/3 × 120 结构: 一路进, 三路出, 分线端子 截面: 进线70-240mm², 出线50-120mm² 外形尺寸: 152(宽) × 94(高) × 84(厚) 订货号 150352 Model: FJ6/JTS2-240/3 × 120 Structure: One-inlet, three-outlet Section: Inlet wire 70-240mm² Outlet wire 50-120mm² Outline size: 152(W) × 94(H) × 84(T) Order no. 150352</p>	<p>型号: FJ6/JTS2-35/4 × 10 结构: 一路进, 四路出, 分线端子 截面: 进线10-35mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150353 Model: FJ6/JTS2-35/4 × 10 Structure: One-inlet, four-outlet Section: Inlet wire 10-35mm² Outlet wire 2.5-10mm² Outline size: 78(W) × 63(H) × 21(T) Order no. 150353</p>	<p>型号: FJ6/JTS2-70/4 × 10 结构: 一路进, 四路出, 分线端子 截面: 进线35-70mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150354 Model: FJ6/JTS2-70/4 × 10 Structure: One-inlet, four-outlet Section: Inlet wire 35-70mm² Outlet wire 2.5-10mm² Outline size: 78(W) × 63(H) × 21(T) Order no. 150354</p>	<p>型号: FJ6/JTS2-70/4 × 25 结构: 一路进, 四路出, 分线端子 截面: 进线35-70mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150355 Model: FJ6/JTS2-70/4 × 25 Structure: One-inlet, four-outlet Section: Inlet wire 35-70mm² Outlet wire 6-25mm² Outline size: 78(W) × 63(H) × 25(T) Order no. 150355</p>
--	---	---	---



<p>型号: FJ6/JTS2-95/4 × 25 结构: 一路进, 四路出, 分线端子 截面: 进线35-95mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150356 Model: FJ6/JTS2-95/4 × 25 Structure: One-inlet, four-outlet Section: Inlet wire 35-95mm² Outlet wire 6-25mm² Outline size: 78(W) × 63(H) × 36(T) Order no. 150356</p>	<p>型号: FJ6/JTS2-95/4 × 35 结构: 一路进, 四路出, 分线端子 截面: 进线35-95mm², 出线10-35mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150357 Model: FJ6/JTS2-95/4 × 35 Structure: One-inlet, four-outlet Section: Inlet wire 35-95mm² Outlet wire 10-35mm² Outline size: 78(W) × 63(H) × 45(T) Order no. 150357</p>	<p>型号: FJ6/JTS2-185/4 × 50 结构: 一路进, 四路出, 分线端子 截面: 进线70-185mm², 出线16-50mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150358 Model: FJ6/JTS2-185/4 × 50 Structure: One-inlet, four-outlet Section: Inlet wire 70-185mm² Outlet wire 16-50mm² Outline size: 100(W) × 63(H) × 50(T) Order no. 150358</p>	<p>型号: FJ6/JTS2-185/4 × 70 结构: 一路进, 四路出, 分线端子 截面: 进线95-185mm², 出线16-70mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150359 Model: FJ6/JTS2-185/4 × 70 Structure: One-inlet, four-outlet Section: Inlet wire 95-185mm² Outlet wire 16-70mm² Outline size: 117(W) × 73(H) × 62(T) Order no. 150359</p>
---	---	---	---



<p>型号: FJ6/JTS2-240/4 × 95 结构: 一路进, 四路出, 分线端子 截面: 进线95-240mm², 出线35-95mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150360 Model:FJ6/JTS2-240/4 × 95 Structure:One-inlet,four-outlet Section:Inlet wire 95-240mm² Outlet wire 35-95mm² Outline size:152(W) × 95(H) × 84(T) Order no.150360</p>	<p>型号: FJ6/JTS2-35/6 × 6 结构: 一路进, 六路出, 分线端子 截面: 进线10-35mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150361 Model:FJ6/JTS2-35/6 × 6 Structure:One-inlet,six-outlet Section:Inlet wire 10-35mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 21(T) Order no.150361</p>	<p>型号: FJ6/JTS2-70/6 × 6 结构: 一路进, 六路出, 分线端子 截面: 进线35-70mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150362 Model:FJ6/JTS2-70/6 × 6 Structure:One-inlet,six-outlet Section:Inlet wire 35-70mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 21(T) Order no.150362</p>	<p>型号: FJ6/JTS2-70/6 × 10 结构: 一路进, 六路出, 分线端子 截面: 进线35-70mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 28(厚) 订货号 150363 Model:FJ6/JTS2-70/6 × 10 Structure:One-inlet,six-outlet Section:Inlet wire 35-70mm² Outlet wire 2.5-10mm² Outline size:78(W) × 63(H) × 28(T) Order no.150363</p>
---	--	--	--



<p>型号: FJ6/JTS2-70/6 × 16 结构: 一路进, 六路出, 分线端子 截面: 进线35-70mm², 出线2.5-16mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150364 Model:FJ6/JTS2-70/6 × 16 Structure:One-inlet,six-outlet Section:Inlet wire 35-70mm² Outlet wire 2.5-16mm² Outline size:78(W) × 63(H) × 36(T) Order no.150364</p>	<p>型号: FJ6/JTS2-95/6 × 25 结构: 一路进, 六路出, 分线端子 截面: 进线50-95mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150365 Model:FJ6/JTS2-95/6 × 25 Structure:One-inlet,six-outlet Section:Inlet wire 50-95mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 36(T) Order no.150365</p>	<p>型号: FJ6/JTS2-185/6 × 50 结构: 一路进, 六路出, 分线端子 截面: 进线70-185mm², 出线16-50mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150366 Model:FJ6/JTS2-185/6 × 50 Structure:One-inlet,six-outlet Section:Inlet wire 70-185mm² Outlet wire 16-50mm² Outline size:100(W) × 63(H) × 50(T) Order no.150366</p>	<p>型号: FJ6/JTS2-185/6 × 70 结构: 一路进, 六路出, 分线端子 截面: 进线70-185mm², 出线25-70mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150367 Model:FJ6/JTS2-185/6 × 70 Structure:One-inlet,six-outlet Section:Inlet wire 70-185mm² Outlet wire 25-70mm² Outline size:117(W) × 73(H) × 62(T) Order no.150367</p>
--	--	--	--



<p>型号: FJ6/JTS2-240/6 × 95 结构: 一路进, 六路出, 分线端子 截面: 进线95-240mm², 出线25-95mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150368 Model:FJ6/JTS2-240/6 × 95 Structure:One-inlet,six-outlet Section:Inlet wire 95-240mm² Outlet wire 25-95mm² Outline size:152(W) × 95(H) × 84(T) Order no.150368</p>	<p>型号: FJ6/JTS2-70/8 × 10 结构: 一路进, 八路出, 分线端子 截面: 进线35-70mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150369 Model:FJ6/JTS2-70/8 × 10 Structure:One-inlet,eight-outlet Section:Inlet wire 35-70mm² Outlet wire 2.5-10mm² Outline size:78(W) × 63(H) × 36(T) Order no.150369</p>	<p>型号: FJ6/JTS2-95/8 × 25 结构: 一路进, 八路出, 分线端子 截面: 进线35-95mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150370 Model:FJ6/JTS2-95/8 × 25 Structure:One-inlet,eight-outlet Section:Inlet wire 35-95mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 45(T) Order no.150370</p>	<p>型号: FJ6/JTS2-185/8 × 35 结构: 一路进, 八路出, 分线端子 截面: 进线70-185mm², 出线10-35mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150371 Model:FJ6/JTS2-185/8 × 35 Structure:One-inlet,eight-outlet Section:Inlet wire 70-185mm² Outlet wire 10-35mm² Outline size:117(W) × 73(H) × 62(T) Order no.150371</p>
--	--	--	--



<p>型号: FJ6/JTS2-185/8 × 50 结构: 一路进, 八路出, 分线端子 截面: 进线95-185mm², 出线10-50mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150372 Model:FJ6/JTS2-185/8 × 50 Structure:One-inlet,eight-outlet Section:Inlet wire 95-185mm² Outlet wire 10-50mm² Outline size:152(W) × 95(H) × 84(T) Order no.150372</p>	<p>型号: FJ6/JTS2-240/8 × 70 结构: 一路进, 八路出, 分线端子 截面: 进线95-240mm², 出线25-70mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150373 Model:FJ6/JTS2-240/8 × 70 Structure:One-inlet,eight-outlet Section:Inlet wire 95-240mm² Outlet wire 25-70mm² Outline size:152(W) × 95(H) × 84(T) Order no.150373</p>	<p>型号: FJ6/JTS2-35/9 × 6 结构: 一路进, 九路出, 分线端子 截面: 进线10-35mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150374 Model:FJ6/JTS2-35/9 × 6 Structure:One-inlet,nine-outlet Section:Inlet wire 10-35mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 21(T) Order no.150374</p>	<p>型号: FJ6/JTS2-70/9 × 6 结构: 一路进, 九路出, 分线端子 截面: 进线35-70mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150375 Model:FJ6/JTS2-70/9 × 6 Structure:One-inlet,nine-outlet Section:Inlet wire 35-70mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 21(T) Order no.150375</p>
--	--	---	---



<p>型号: FJ6/JTS2-95/9 × 6 结构: 一路进, 九路出, 分线端子 截面: 进线35-95mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150376 Model:FJ6/JTS2-95/9 × 6 Structure:One-inlet,nine-outlet Section:Inlet wire 35-95mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 25(T) Order no.150376</p>	<p>型号: FJ6/JTS2-185/9 × 25 结构: 一路进, 九路出, 分线端子 截面: 进线70-185mm², 出线6-25mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150377 Model:FJ6/JTS2-185/9 × 25 Structure:One-inlet,nine-outlet Section:Inlet wire 70-185mm² Outlet wire 6-25mm² Outline size:100(W) × 63(H) × 50(T) Order no.150377</p>	<p>型号: FJ6/JTS2-95/10 × 10 结构: 一路进, 十路出, 分线端子 截面: 进线35-95mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150378 Model:FJ6/JTS2-95/10 × 10 Structure:One-inlet,ten-outlet Section:Inlet wire 35-95mm² Outlet wire 2.5-10mm² Outline size:78(W) × 63(H) × 45(T) Order no.150378</p>	<p>型号: FJ6/JTS2-185/10 × 25 结构: 一路进, 十路出, 分线端子 截面: 进线70-185mm², 出线6-25mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150379 Model:FJ6/JTS2-185/10 × 25 Structure:One-inlet,ten-outlet Section:Inlet wire 70-185mm² Outlet wire 6-25mm² Outline size:117(W) × 73(H) × 62(T) Order no.150379</p>
---	---	--	--



<p>型号: FJ6/JTS2-240/10 × 50 结构: 一路进, 十路出, 分线端子 截面: 进线95-240mm², 出线16-50mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150380 Model:FJ6/JTS2-240/10 × 50 Structure:One-inlet,ten-outlet Section:Inlet wire 95-240mm² Outlet wire 16-50mm² Outline size:152(W) × 95(H) × 84(T) Order no.150380</p>	<p>型号: FJ6/JTS2-70/12 × 6 结构: 一路进, 十二路出, 分线端子 截面: 进线35-70mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150381 Model:FJ6/JTS2-70/12 × 6 Structure:One-inlet,twelve-outlet Section:Inlet wire 35-70mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 36(T) Order no.150381</p>	<p>型号: FJ6/JTS2-95/12 × 10 结构: 一路进, 十二路出, 分线端子 截面: 进线35-95mm², 出线2.5-10mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150382 Model:FJ6/JTS2-95/12 × 10 Structure:One-inlet,twelve-outlet Section:Inlet wire 35-95mm² Outlet wire 2.5-10mm² Outline size:78(W) × 63(H) × 45(T) Order no.150382</p>	<p>型号: FJ6/JTS2-185/12 × 25 结构: 一路进, 十二路出, 分线端子 截面: 进线70-185mm², 出线6-25mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150383 Model:FJ6/JTS2-185/12 × 25 Structure:One-inlet,twelve-outlet Section:Inlet wire 70-185mm² Outlet wire 6-25mm² Outline size:100(W) × 63(H) × 50(T) Order no.150383</p>
--	--	--	--



<p>型号: FJ6/JTS2-185/2 × 35 结构: 一路进, 十二路出, 分线端子 截面: 进线70-185mm², 出线10-35mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150384 Model:FJ6/JTS2-185/2 × 35 Stucture:One-inlet,twelve-outlet Section:Inlet wire 70-185mm² Outlet wire 10-35mm² Outline size:117(W) × 73(H) × 62(T) Order no.150384</p>	<p>型号: FJ6/JTS2-240/12 × 50 结构: 一路进, 十二路出, 分线端子 截面: 进线95-240mm², 出线16-50mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150385 Model:FJ6/JTS2-240/12 × 50 Stucture:One-inlet,twelve-outlet Section:Inlet wire 95-240mm² Outlet wire 16-50mm² Outline size:152(W) × 95(H) × 84(T) Order no.150385</p>	<p>型号: FJ6/JTS2-95/15 × 6 结构: 一路进, 十五路出, 分线端子 截面: 进线35-95mm², 出线1.5-6mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150386 Model:FJ6/JTS2-95/15 × 6 Stucture:One-inlet,fifteen-outlet Section:Inlet wire 35-95mm² Outlet wire 1.5-6mm² Outline size:78(W) × 63(H) × 45(T) Order no.150386</p>	<p>型号: FJ6/JTS2-185/15 × 16 结构: 一路进, 十五路出, 分线端子 截面: 进线70-185mm², 出线6-16mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150387 Model:FJ6/JTS2-185/15 × 16 Stucture:One-inlet,fifteen-outlet Section:Inlet wire 70-185mm² Outlet wire 6-16mm² Outline size:100(W) × 63(H) × 50(T) Order no.150387</p>
---	---	--	--



<p>型号: FJ6/JTS2-185/15 × 25 结构: 一路进, 十五路出, 分线端子 截面: 进线70-185mm², 出线6-25mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150388 Model:FJ6/JTS2-185/15 × 25 Stucture:One-inlet,fifteen-outlet Section:Inlet wire 70-185mm² Outlet wire 6-25mm² Outline size:117(W) × 73(H) × 62(T) Order no.150388</p>	<p>型号: FJ6/JTS2-240/15 × 35 结构: 一路进, 十五路出, 分线端子 截面: 进线95-240mm², 出线6-35mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150389 Model:FJ6/JTS2-240/15 × 35 Stucture:One-inlet,fifteen-outlet Section:Inlet wire 95-240mm² Outlet wire 6-35mm² Outline size:152(W) × 95(H) × 84(T) Order no.150389</p>	<p>型号: FJ6/JTS2-185/18 × 10 结构: 一路进, 十八路出, 分线端子 截面: 进线70-185mm², 出线2.5-10mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150390 Model:FJ6/JTS2-185/18 × 10 Stucture:One-inlet,eighteen-outlet Section:Inlet wire 70-185mm² Outlet wire 2.5-10mm² Outline size:117(W) × 73(H) × 62(T) Order no.150390</p>	<p>型号: FJ6/JTS2-240/18 × 25 结构: 一路进, 十八路出, 分线端子 截面: 进线95-240mm², 出线6-25mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150391 Model:FJ6/JTS2-240/18 × 25 Stucture:One-inlet,eighteen-outlet Section:Inlet wire 95-240mm² Outlet wire 6-25mm² Outline size:152(W) × 95(H) × 84(T) Order no.150391</p>
--	--	---	---



<p>型号: FJ6/JTS2-185/21 × 6 结构: 一路进, 二十一路出, 分线端子 截面: 进线70-185mm², 出线1.5-6mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150392 Model:FJ6/JTS2-185/21 × 6 Stucture:One-inlet,twenty-one-outlet Section:Inlet wire 70-185mm² Outlet wire 1.5-6mm² Outline size:117(W) × 73(H) × 62(T) Order no.150392</p>	<p>型号: FJ6/JTS2-240/21 × 16 结构: 一路进, 二十一路出, 分线端子 截面: 进线95-240mm², 出线2.5-16mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150393 Model:FJ6/JTS2-240/21 × 16 Stucture:One-inlet,twenty-one-outlet Section:Inlet wire 95-240mm² Outlet wire 2.5-16mm² Outline size:152(W) × 95(H) × 84(T) Order no.150393</p>	<p>型号: FJ6/JTS2-185/24 × 6 结构: 一路进, 二十四路出, 分线端子 截面: 进线70-185mm², 出线1.5-6mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150394 Model:FJ6/JTS2-185/24 × 6 Stucture:One-inlet,twenty-four-outlet Section:Inlet wire 70-185mm² Outlet wire 1.5-6mm² Outline size:117(W) × 73(H) × 62(T) Order no.150394</p>	<p>型号: FJ6/JTS2-240/24 × 16 结构: 一路进, 二十四路出, 分线端子 截面: 进线95-240mm², 出线2.5-16mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150395 Model:FJ6/JTS2-240/24 × 16 Stucture:One-inlet,twenty-four-outlet Section:Inlet wire 95-240mm² Outlet wire 2.5-16mm² Outline size:152(W) × 95(H) × 84(T) Order no.150395</p>
--	--	---	---



<p>型号: FJ6/JTS2-2 × 25/2 × 25 结构: 二路进, 二路出, 分线端子 截面: 进线6-25mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150396 Model:FJ6/JTS2-2 × 25/2 × 25 Stucture:Two-inlet,two-outlet Section:Inlet wire 6-25mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 21(T) Order no.150396</p>	<p>型号: FJ6/JTS2-2 × 35/2 × 35 结构: 二路进, 二路出, 分线端子 截面: 进线6-35mm², 出线6-35mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150397 Model:FJ6/JTS2-2 × 35/2 × 35 Stucture:Two-inlet,two-outlet Section:Inlet wire 6-35mm² Outlet wire 6-35mm² Outline size:78(W) × 63(H) × 25(T) Order no.150397</p>	<p>型号: FJ6/JTS2-2 × 70/2 × 70 结构: 二路进, 二路出, 分线端子 截面: 进线35-70mm², 出线35-70mm² 外形尺寸: 78(宽) × 63(高) × 36(厚) 订货号 150398 Model:FJ6/JTS2-2 × 70/2 × 70 Stucture:Two-inlet,two-outlet Section:Inlet wire 35-70mm² Outlet wire 35-70mm² Outline size:78(W) × 63(H) × 36(T) Order no.150398</p>	<p>型号: FJ6/JTS2-2 × 95/2 × 95 结构: 二路进, 二路出, 分线端子 截面: 进线35-95mm², 出线35-95mm² 外形尺寸: 78(宽) × 63(高) × 45(厚) 订货号 150399 Model:FJ6/JTS2-2 × 95/2 × 95 Stucture:Two-inlet,two-outlet Section:Inlet wire 35-95mm² Outlet wire 35-95mm² Outline size:78(W) × 63(H) × 45(T) Order no.150399</p>
---	---	---	---



<p>型号: FJ6/JTS2-2 × 95/2 × 95 结构: 二路进, 二路出, 分线端子 截面: 进线35-95mm², 出线35-95mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150400 Model:FJ6/JTS2-2 × 95/2 × 95 Stucture:Two-inlet,two-outlet Section:Inlet wire 35-95mm² Outlet wire 35-95mm² Outline size:100(W) × 63(H) × 50(T) Order no.150400</p>	<p>型号: FJ6/JTS2-2 × 120/2 × 120 结构: 二路进, 二路出, 分线端子 截面: 进线70-120mm², 出线70-120mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150401 Model:FJ6/JTS2-2 × 120/2 × 120 Stucture:Two-inlet,two-outlet Section:Inlet wire 70-120mm² Outlet wire 70-120mm² Outline size:117(W) × 73(H) × 62(T) Order no.150401</p>	<p>型号: FJ6/JTS2-2 × 240/2 × 240 结构: 二路进, 二路出, 分线端子 截面: 进线70-240mm², 出线70-240mm² 外形尺寸: 152(宽) × 95(高) × 84(厚) 订货号 150402 Model:FJ6/JTS2-2 × 240/2 × 240 Stucture:Two-inlet,two-outlet Section:Inlet wire 70-240mm² Outlet wire 70-240mm² Outline size:152(W) × 95(H) × 84(T) Order no.150402</p>	<p>型号: FJ6/JTS2-2 × 35/3 × 25 结构: 二路进, 二路出, 分线端子 截面: 进线10-35mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150403 Model:FJ6/JTS2-2 × 35/3 × 25 Stucture:Two-inlet,two-outlet Section:Inlet wire 10-35mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 25(T) Order no.150403</p>
---	---	---	---



<p>型号: FJ6/JTS2-2 × 95/3 × 50 结构: 二路进, 三路出, 分线端子 截面: 进线35-95mm², 出线16-50mm² 外形尺寸: 100(宽) × 63(高) × 50(厚) 订货号 150404 Model:FJ6/JTS2-2 × 95/3 × 50 Stucture:Two-inlet,three-outlet Section:Inlet wire 35-95mm² Outlet wire 16-50mm² Outline size:100(W) × 63(H) × 50(T) Order no.150404</p>	<p>型号: FJ6/JTS2-2 × 120/3 × 70 结构: 二路进, 三路出, 分线端子 截面: 进线50-120mm², 出线25-70mm² 外形尺寸: 117(宽) × 73(高) × 62(厚) 订货号 150405 Model:FJ6/JTS2-2 × 120/3 × 70 Stucture:Two-inlet,three-outlet Section:Inlet wire 50-120mm² Outlet wire 25-70mm² Outline size:117(W) × 73(H) × 62(T) Order no.150405</p>	<p>型号: FJ6/JTS2-2 × 25/4 × 10 结构: 二路进, 四路出, 分线端子 截面: 进线6-25mm², 出线4-10mm² 外形尺寸: 78(宽) × 63(高) × 21(厚) 订货号 150406 Model:FJ6/JTS2-2 × 25/4 × 10 Stucture:Two-inlet,four-outlet Section:Inlet wire 6-25mm² Outlet wire 4-10mm² Outline size:78(W) × 63(H) × 21(T) Order no.150406</p>	<p>型号: FJ6/JTS2-2 × 35/4 × 25 结构: 二路进, 四路出, 分线端子 截面: 进线10-35mm², 出线6-25mm² 外形尺寸: 78(宽) × 63(高) × 25(厚) 订货号 150407 Model:FJ6/JTS2-2 × 35/4 × 25 Stucture:Two-inlet,four-outlet Section:Inlet wire 10-35mm² Outlet wire 6-25mm² Outline size:78(W) × 63(H) × 25(T) Order no.150407</p>
---	---	--	--



型号: FJ6/JTS2-2 × 70/4 × 25
结构: 二路进, 四路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) × 63(高) × 36(厚)
订货号 150408

Model:FJ6/JTS2-2 × 70/4 × 25
Structure:Two-inlet,four-outlet
Section:Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size:78(W) × 63(H) × 36(T)
Order no.150408

型号: FJ6/JTS2-2 × 95/4 × 35
结构: 二路进, 四路出, 分线端子
截面: 进线35-95mm², 出线16-35mm²
外形尺寸: 78(宽) × 63(高) × 45(厚)
订货号 150409

Model:FJ6/JTS2-2 × 95/4 × 35
Structure:Two-inlet,four-outlet
Section:Inlet wire 35-95mm²
Outlet wire 16-35mm²
Outline size:78(W) × 63(H) × 45(T)
Order no.150409

型号: FJ6/JTS2-2 × 95/4 × 50
结构: 二路进, 四路出, 分线端子
截面: 进线35-95mm², 出线16-50mm²
外形尺寸: 100(宽) × 63(高) × 50(厚)
订货号 150410

Model:FJ6/JTS2-2 × 95/4 × 50
Structure:Two-inlet,four-outlet
Section:Inlet wire 35-95mm²
Outlet wire 16-50mm²
Outline size:100(W) × 63(H) × 50(T)
Order no.150410

型号: FJ6/JTS2-2 × 120/4 × 70
结构: 二路进, 四路出, 分线端子
截面: 进线70-120mm², 出线35-70mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150411

Model:FJ6/JTS2-2 × 120/4 × 70
Structure:Two-inlet,four-outlet
Section:Inlet wire 70-120mm²
Outlet wire 35-70mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150411



型号: FJ6/JTS2-2 × 240/4 × 95
结构: 二路进, 四路出, 分线端子
截面: 进线70-240mm², 出线50-95mm²
外形尺寸: 152(宽) × 92(高) × 84(厚)
订货号 150412

Model:FJ6/JTS2-2 × 240/4 × 95
Structure:Two-inlet,four-outlet
Section:Inlet wire 70-240mm²
Outlet wire 50-95mm²
Outline size:152(W) × 92(H) × 84(T)
Order no.150412

型号: FJ6/JTS2-2 × 25/6 × 6
结构: 二路进, 六路出, 分线端子
截面: 进线6-25mm², 出线1.5-6mm²
外形尺寸: 78(宽) × 63(高) × 21(厚)
订货号 150413

Model:FJ6/JTS2-2 × 25/6 × 6
Structure:Two-inlet,six-outlet
Section:Inlet wire 6-25mm²
Outlet wire 1.5-6mm²
Outline size:78(W) × 63(H) × 21(T)
Order no.150413

型号: FJ6/JTS2-35/6 × 10
结构: 二路进, 六路出, 分线端子
截面: 进线10-35mm², 出线2.5-10mm²
外形尺寸: 78(宽) × 63(高) × 28(厚)
订货号 150414

Model:FJ6/JTS2-35/6 × 10
Structure:Two-inlet,six-outlet
Section:Inlet wire 10-35mm²
Outlet wire 2.5-10mm²
Outline size:78(W) × 63(H) × 28(T)
Order no.150414

型号: FJ6/JTS2-2 × 70/6 × 25
结构: 二路进, 六路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) × 63(高) × 36(厚)
订货号 150415

Model:FJ6/JTS2-2 × 70/6 × 25
Structure:Two-inlet,six-outlet
Section:Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size:78(W) × 63(H) × 36(T)
Order no.150415



型号: FJ6/JTS2-2 × 120/6 × 50
结构: 二路进, 六路出, 分线端子
截面: 进线70-120mm², 出线16-50mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150416

Model:FJ6/JTS2-2 × 120/6 × 50
Structure:Two-inlet,six-outlet
Section:Inlet wire 70-120mm²
Outlet wire 16-50mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150416

型号: FJ6/JTS2-2 × 70/8 × 10
结构: 二路进, 八路出, 分线端子
截面: 进线35-70mm², 出线2.5-10mm²
外形尺寸: 78(宽) × 63(高) × 36(厚)
订货号 150417

Model:FJ6/JTS2-2 × 70/8 × 10
Structure:Two-inlet,eight-outlet
Section:Inlet wire 35-70mm²
Outlet wire 2.5-10mm²
Outline size:78(W) × 63(H) × 36(T)
Order no.150417

型号: FJ6/JTS2-2 × 95/8 × 25
结构: 二路进, 八路出, 分线端子
截面: 进线35-95mm², 出线6-25mm²
外形尺寸: 100(宽) × 63(高) × 45(厚)
订货号 150418

Model:FJ6/JTS2-2 × 95/8 × 25
Structure:Two-inlet,eight-outlet
Section:Inlet wire 35-95mm²
Outlet wire 6-25mm²
Outline size:100(W) × 63(H) × 45(T)
Order no.150418

型号: FJ6/JTS2-2 × 95/8 × 25
结构: 二路进, 八路出, 分线端子
截面: 进线35-95mm², 出线6-25mm²
外形尺寸: 100(宽) × 63(高) × 50(厚)
订货号 150419

Model:FJ6/JTS2-2 × 95/8 × 25
Structure:Two-inlet,eight-outlet
Section:Inlet wire 35-95mm²
Outlet wire 6-25mm²
Outline size:100(W) × 63(H) × 50(T)
Order no.150419



型号: FJ6/JTS2-2 × 25/9 × 6
结构: 二路进, 九路出, 分线端子
截面: 进线6-25mm², 出线1.5-6mm²
外形尺寸: 78(宽) × 63(高) × 21(厚)
订货号 150420

Model:FJ6/JTS2-2 × 25/9 × 6
Structure:Two-inlet,nine-outlet
Section:Inlet wire 6-25mm²
Outlet wire 1.5-6mm²
Outline size:78(W) × 63(H) × 21(T)
Order no.150420

型号: FJ6/JTS2-2 × 95/10 × 10
结构: 二路进, 十路出, 分线端子
截面: 进线35-95mm², 出线2.5-10mm²
外形尺寸: 78(宽) × 63(高) × 45(厚)
订货号 150421

Model:FJ6/JTS2-2 × 95/10 × 10
Structure:Two-inlet,ten-outlet
Section:Inlet wire 35-95mm²
Outlet wire 2.5-10mm²
Outline size:78(W) × 63(H) × 45(T)
Order no.150421

型号: FJ6/JTS2-2 × 120/10 × 25
结构: 二路进, 十路出, 分线端子
截面: 进线70-120mm², 出线6-25mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150422

Model:FJ6/JTS2-2 × 120/10 × 25
Structure:Two-inlet,ten-outlet
Section:Inlet wire 70-120mm²
Outlet wire 6-25mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150422

型号: FJ6/JTS2-2 × 70/12 × 6
结构: 二路进, 十二路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) × 63(高) × 36(厚)
订货号 150423

Model:FJ6/JTS2-2 × 70/12 × 6
Structure:Two-inlet,twelve-outlet
Section:Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size:78(W) × 63(H) × 36(T)
Order no.150423



型号: FJ6/JTS2-2 × 95/12 × 10
结构: 二路进, 十二路出, 分线端子
截面: 进线35-95mm², 出线2.5-10mm²
外形尺寸: 78(宽) × 63(高) × 45(厚)
订货号 150424

Model:FJ6/JTS2-2 × 95/12 × 10
Structure:Two-inlet,twelve-outlet
Section:Inlet wire 35-95mm²
Outlet wire 2.5-10mm²
Outline size:78(W) × 63(H) × 45(T)
Order no.150424

型号: FJ6/JTS2-2 × 95/12 × 25
结构: 二路进, 十二路出, 分线端子
截面: 进线35-95mm², 出线6-25mm²
外形尺寸: 100(宽) × 63(高) × 50(厚)
订货号 150425

Model:FJ6/JTS2-2 × 95/12 × 25
Structure:Two-inlet,twelve-outlet
Section:Inlet wire 35-95mm²
Outlet wire 6-25mm²
Outline size:100(W) × 63(H) × 50(T)
Order no.150425

型号: FJ6/JTS2-2 × 120/12 × 25
结构: 二路进, 十二路出, 分线端子
截面: 进线70-120mm², 出线6-25mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150426

Model:FJ6/JTS2-2 × 120/12 × 25
Structure:Two-inlet,twelve-outlet
Section:Inlet wire 70-120mm²
Outlet wire 6-25mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150426

型号: FJ6/JTS2-2 × 95/15 × 16
结构: 二路进, 十五路出, 分线端子
截面: 进线35-95mm², 出线4-16mm²
外形尺寸: 100(宽) × 63(高) × 36(厚)
订货号 150427

Model:FJ6/JTS2-2 × 95/15 × 16
Structure:Two-inlet,fifteen-outlet
Section:Inlet wire 35-95mm²
Outlet wire 4-16mm²
Outline size:100(W) × 63(H) × 36(T)
Order no.150427



型号: FJ6/JTS2-2 × 120/18 × 10
结构: 二路进, 十八路出, 分线端子
截面: 进线70-120mm², 出线2.5-10mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150428

Model:FJ6/JTS2-2 × 120/18 × 10
Structure:Two-inlet,eighteen-outlet
Section:Inlet wire 70-120mm²
Outlet wire 2.5-10mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150428

型号: FJ6/JTS2-2 × 120/21 × 6
结构: 二路进, 十二路出, 分线端子
截面: 进线70-120mm², 出线1.5-6mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150429

Model:FJ6/JTS2-2 × 120/21 × 6
Structure:Two-inlet,twenty-four-outlet
Section:Inlet wire 70-120mm²
Outlet wire 1.5-6mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150429

型号: FJ6/JTS2-2 × 120/24 × 6
结构: 二路进, 二十四路出, 分线端子
截面: 进线70-120mm², 出线1.5-6mm²
外形尺寸: 117(宽) × 73(高) × 62(厚)
订货号 150430

Model:FJ6/JTS2-2 × 120/24 × 6
Structure:Two-inlet,twenty-four-outlet
Section:Inlet wire 70-120mm²
Outlet wire 1.5-6mm²
Outline size:117(W) × 73(H) × 62(T)
Order no.150430

型号: FJ6/JTS2-2 × 150/24 × 16
结构: 二路进, 二十四路出, 分线端子
截面: 进线70-150mm², 出线4-16mm²
外形尺寸: 152(宽) × 95(高) × 84(厚)
订货号 150431

Model:FJ6/JTS2-2 × 150/24 × 16
Structure:Two-inlet,twenty-four-outlet
Section:Inlet wire 70-150mm²
Outlet wire 4-16mm²
Outline size:152(W) × 95(H) × 84(T)
Order no.150431



<p>型号: FJ6/JTS2C-25B 结构: 一路进, 一路出, 大电流端子 截面: 进线10-25mm²(板式接线) 外形尺寸: 78(宽)×54(高)×21(厚) 订货号 150432 Model:FJ6/JTS2C-25B Structure:One-inlet,one-outlet Section:Inlet wire 10-25mm² Panel connection Outline size:78(W)×54(H)×21(T) Order no.150432</p>	<p>型号: FJ6/JTS2C-35B 结构: 一路进, 一路出, 大电流端子 截面: 进线10-35mm²(板式接线) 外形尺寸: 78(宽)×54(高)×25(厚) 订货号 150433 Model:FJ6/JTS2C-35B Structure:One-inlet,one-outlet Section:Inlet wire 10-35mm² Panel connection Outline size:78(W)×54(H)×25(T) Order no.150433</p>	<p>型号: FJ6/JTS2C-50B 结构: 一路进, 一路出, 大电流端子 截面: 进线25-50mm²(板式接线) 外形尺寸: 78(宽)×54(高)×28(厚) 订货号 150434 Model:FJ6/JTS2C-50B Structure:One-inlet,one-outlet Section:Inlet wire 25-50mm² Panel connection Outline size:78(W)×54(H)×28(T) Order no.150434</p>	<p>型号: FJ6/JTS2C-120B 结构: 一路进, 一路出, 大电流端子 截面: 进线25-120mm²(板式接线) 外形尺寸: 78(宽)×61(高)×36(厚) 订货号 150435 Model:FJ6/JTS2C-120B Structure:One-inlet,one-outlet Section:Inlet wire 25-120mm² Panel connection Outline size:78(W)×61(H)×36(T) Order no.150435</p>
---	---	---	---



<p>型号: FJ6/JTS2C-150B 结构: 一路进, 一路出, 大电流端子 截面: 进线50-150mm²(板式接线) 外形尺寸: 78(宽)×61(高)×45(厚) 订货号 150436 Model:FJ6/JTS2C-150B Structure:One-inlet,one-outlet Section:Inlet wire 50-150mm² Panel connection Outline size:78(W)×61(H)×45(T) Order no.150436</p>	<p>型号: FJ6/JTS2C-35B/2×10 结构: 一路进, 二路出, 分线端子 截面: 进线10-35mm², 出线2.5-10mm² 外形尺寸: 78(宽)×54(高)×21(厚) 订货号 150437 Model:FJ6/JTS2C-35B/2×10 Structure:One-inlet,two-outlet Section:Inlet wire 10-35mm² Outlet wire 2.5-10mm² Outline size:78(W)×54(H)×21(T) Order no.150437</p>	<p>型号: FJ6/JTS2C-35B/2×25 结构: 一路进, 二路出, 分线端子 截面: 进线10-35mm², 出线6-25mm² 外形尺寸: 78(宽)×54(高)×21(厚) 订货号 150438 Model:FJ6/JTS2C-35B/2×25 Structure:One-inlet,two-outlet Section:Inlet wire 10-35mm² Outlet wire 6-25mm² Outline size:78(W)×54(H)×21(T) Order no.150438</p>	<p>型号: FJ6/JTS2C-35B/2×35 结构: 一路进, 二路出, 分线端子 截面: 进线10-35mm², 出线6-35mm² 外形尺寸: 78(宽)×54(高)×25(厚) 订货号 150439 Model:FJ6/JTS2C-35B/2×35 Structure:One-inlet,two-outlet Section:Inlet wire 10-35mm² Outlet wire 6-35mm² Outline size:78(W)×54(H)×25(T) Order no.150439</p>
---	--	--	--



<p>型号: FJ6/JTS2C-50B/2×35 结构: 一路进, 二路出, 分线端子 截面: 进线25-50mm², 出线16-35mm² 外形尺寸: 78(宽)×54(高)×28(厚) 订货号 150440 Model:FJ6/JTS2C-50B/2×35 Structure:One-inlet,two-outlet Section:Inlet wire 25-50mm² Outlet wire 16-35mm² Outline size:78(W)×54(H)×28(T) Order no.150440</p>	<p>型号: FJ6/JTS2C-120B/2×70 结构: 一路进, 二路出, 分线端子 截面: 进线50-120mm², 出线25-70mm² 外形尺寸: 78(宽)×61(高)×36(厚) 订货号 150441 Model:FJ6/JTS2C-120B/2×70 Structure:One-inlet,two-outlet Section:Inlet wire 50-120mm² Outlet wire 25-70mm² Outline size:78(W)×61(H)×36(T) Order no.150441</p>	<p>型号: FJ6/JTS2C-150B/2×95 结构: 一路进, 二路出, 分线端子 截面: 进线70-150mm², 出线50-95mm² 外形尺寸: 78(宽)×61(高)×45(厚) 订货号 150442 Model:FJ6/JTS2C-150B/2×95 Structure:One-inlet,two-outlet Section:Inlet wire 70-150mm² Outlet wire 50-95mm² Outline size:78(W)×61(H)×45(T) Order no.150442</p>	<p>型号: FJ6/JTS2C-35B/3×6 结构: 一路进, 三路出, 分线端子 截面: 进线10-35mm², 出线1.5-6mm² 外形尺寸: 78(宽)×54(高)×21(厚) 订货号 150443 Model:FJ6/JTS2C-35B/3×6 Structure:One-inlet,three-outlet Section:Inlet wire 10-35mm² Outlet wire 1.5-6mm² Outline size:78(W)×54(H)×21(T) Order no.150443</p>
--	--	--	--



<p>型号: FJ6/JTS2C-35B/3×10 结构: 一路进, 三路出, 分线端子 截面: 进线10-35mm², 出线2.5-10mm² 外形尺寸: 78(宽)×54(高)×21(厚) 订货号 150444 Model:FJ6/JTS2C-35B/3×10 Structure:One-inlet,three-outlet Section:Inlet wire 10-35mm² Outlet wire 2.5-10mm² Outline size:78(W)×54(H)×21(T) Order no.150444</p>	<p>型号: FJ6/JTS2C-35B/3×25 结构: 一路进, 三路出, 分线端子 截面: 进线10-35mm², 出线6-25mm² 外形尺寸: 78(宽)×54(高)×25(厚) 订货号 150445 Model:FJ6/JTS2C-35B/3×25 Structure:One-inlet,three-outlet Section:Inlet wire 10-35mm² Outlet wire 6-25mm² Outline size:78(W)×54(H)×25(T) Order no.150445</p>	<p>型号: FJ6/JTS2C-50B/3×25 结构: 一路进, 三路出, 分线端子 截面: 进线16-50mm², 出线6-25mm² 外形尺寸: 78(宽)×54(高)×28(厚) 订货号 150446 Model:FJ6/JTS2C-50B/3×25 Structure:One-inlet,three-outlet Section:Inlet wire 16-50mm² Outlet wire 6-25mm² Outline size:78(W)×54(H)×28(T) Order no.150446</p>	<p>型号: FJ6/JTS2C-120B/3×25 结构: 一路进, 三路出, 分线端子 截面: 进线70-120mm², 出线6-25mm² 外形尺寸: 78(宽)×61(高)×36(厚) 订货号 150447 Model:FJ6/JTS2C-120B/3×25 Structure:One-inlet,three-outlet Section:Inlet wire 70-120mm² Outlet wire 6-25mm² Outline size:78(W)×61(H)×36(T) Order no.150447</p>
--	--	--	--



<p>型号: FJ6/JTS2C-120B/3×35 结构: 一路进, 三路出, 分线端子 截面: 进线50-120mm², 出线10-35mm² 外形尺寸: 78(宽)×61(高)×36(厚) 订货号 150448 Model:FJ6/JTS2C-120B/3×35 Structure:One-inlet,three-outlet Section:Inlet wire 50-120mm² Outlet wire 10-35mm² Outline size:78(W)×61(H)×36(T) Order no.150448</p>	<p>型号: FJ6/JTS2C-150B/3×50 结构: 一路进, 三路出, 分线端子 截面: 进线50-150mm², 出线16-50mm² 外形尺寸: 78(宽)×61(高)×45(厚) 订货号 150449 Model:FJ6/JTS2C-150B/3×50 Structure:One-inlet,three-outlet Section:Inlet wire 50-150mm² Outlet wire 16-50mm² Outline size:78(W)×61(H)×45(T) Order no.150449</p>	<p>型号: FJ6/JTS2C-35B/4×10 结构: 一路进, 四路出, 分线端子 截面: 进线10-35mm², 出线2.5-10mm² 外形尺寸: 78(宽)×54(高)×21(厚) 订货号 150450 Model:FJ6/JTS2C-35B/4×10 Structure:One-inlet,four-outlet Section:Inlet wire 10-35mm² Outlet wire 2.5-10mm² Outline size:78(W)×54(H)×21(T) Order no.150450</p>	<p>型号: FJ6/JTS2C-35B/4×35 结构: 一路进, 四路出, 分线端子 截面: 进线10-35mm², 出线6-35mm² 外形尺寸: 78(宽)×54(高)×25(厚) 订货号 150451 Model:FJ6/JTS2C-35B/4×35 Structure:One-inlet,four-outlet Section:Inlet wire 10-35mm² Outlet wire 6-35mm² Outline size:78(W)×54(H)×25(T) Order no.150451</p>
--	--	---	---



<p>型号: FJ6/JTS2C-50B/4×25 结构: 一路进, 四路出, 分线端子 截面: 进线25-50mm², 出线6-25mm² 外形尺寸: 78(宽)×54(高)×28(厚) 订货号 150452 Model:FJ6/JTS2C-50B/4×25 Structure:One-inlet,four-outlet Section:Inlet wire 25-50mm² Outlet wire 6-25mm² Outline size:78(W)×54(H)×28(T) Order no.150452</p>	<p>型号: FJ6/JTS2C-120B/4×25 结构: 一路进, 四路出, 分线端子 截面: 进线70-120mm², 出线6-25mm² 外形尺寸: 78(宽)×61(高)×36(厚) 订货号 150453 Model:FJ6/JTS2C-120B/4×25 Structure:One-inlet,four-outlet Section:Inlet wire 70-120mm² Outlet wire 6-25mm² Outline size:78(W)×61(H)×36(T) Order no.150453</p>	<p>型号: FJ6/JTS2C-150B/4×95 结构: 一路进, 四路出, 分线端子 截面: 进线50-150mm², 出线10-35mm² 外形尺寸: 78(宽)×61(高)×45(厚) 订货号 150454 Model:FJ6/JTS2C-150B/4×95 Structure:One-inlet,four-outlet Section:Inlet wire 50-150mm² Outlet wire 10-35mm² Outline size:78(W)×61(H)×45(T) Order no.150454</p>	<p>型号: FJ6/JTS2C-35B/6×6 结构: 一路进, 六路出, 分线端子 截面: 进线10-35mm², 出线1.5-6mm² 外形尺寸: 78(宽)×54(高)×21(厚) 订货号 150455 Model:FJ6/JTS2C-35B/6×6 Structure:One-inlet,six-outlet Section:Inlet wire 10-35mm² Outlet wire 1.5-6mm² Outline size:78(W)×54(H)×21(T) Order no.150455</p>
---	---	---	--



型号: FJ6/JTS2C-50B/6 x 10
结构: 一路进, 六路出, 分线端子
截面: 进线25-50mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150456
Model: FJ6/JTS2C-50B/6 x 10
Structure: One-inlet, six-outlet
Section: Inlet wire 25-50mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150456



型号: FJ6/JTS2C-120B/6 x 16
结构: 一路进, 六路出, 分线端子
截面: 进线70-120mm², 出线2.5-16mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150457
Model: FJ6/JTS2C-120B/6 x 16
Structure: One-inlet, six-outlet
Section: Inlet wire 70-120mm²
Outlet wire 2.5-16mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150457



型号: FJ6/JTS2C-120B/6 x 25
结构: 一路进, 六路出, 分线端子
截面: 进线70-120mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150458
Model: FJ6/JTS2C-120B/6 x 25
Structure: One-inlet, six-outlet
Section: Inlet wire 70-120mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150458



型号: FJ6/JTS2C-50B/8 x 6
结构: 一路进, 八路出, 分线端子
截面: 进线25-50mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150459
Model: FJ6/JTS2C-50B/8 x 6
Structure: One-inlet, eight-outlet
Section: Inlet wire 25-50mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150459



型号: FJ6/JTS2C-120B/8 x 10
结构: 一路进, 八路出, 分线端子
截面: 进线70-120mm², 出线1.5-10mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150460
Model: FJ6/JTS2C-120B/8 x 10
Structure: One-inlet, eight-outlet
Section: Inlet wire 70-120mm²
Outlet wire 1.5-10mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150460



型号: FJ6/JTS2C-150B/8 x 25
结构: 一路进, 八路出, 分线端子
截面: 进线70-150mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150461
Model: FJ6/JTS2C-150B/8 x 25
Structure: One-inlet, eight-outlet
Section: Inlet wire 70-150mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150461



型号: FJ6/JTS2C-35B/9 x 6
结构: 一路进, 九路出, 分线端子
截面: 进线10-35mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150462
Model: FJ6/JTS2C-35B/9 x 6
Structure: One-inlet, nine-outlet
Section: Inlet wire 10-35mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150462



型号: FJ6/JTS2C-50B/9 x 6
结构: 一路进, 九路出, 分线端子
截面: 进线10-50mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150463
Model: FJ6/JTS2C-50B/9 x 6
Structure: One-inlet, nine-outlet
Section: Inlet wire 10-50mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150463



型号: FJ6/JTS2C-120B/10 x 6
结构: 一路进, 十路出, 分线端子
截面: 进线70-120mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150464
Model: FJ6/JTS2C-120B/10 x 6
Structure: One-inlet, ten-outlet
Section: Inlet wire 70-120mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150464



型号: FJ6/JTS2C-150B/10 x 10
结构: 一路进, 十路出, 分线端子
截面: 进线50-150mm², 出线1.5-10mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150465
Model: FJ6/JTS2C-150B/10 x 10
Structure: One-inlet, ten-outlet
Section: Inlet wire 50-150mm²
Outlet wire 1.5-10mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150465



型号: FJ6/JTS2C-150B/10 x 25
结构: 一路进, 十路出, 分线端子
截面: 进线50-150mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150466
Model: FJ6/JTS2C-150B/10 x 25
Structure: One-inlet, ten-outlet
Section: Inlet wire 50-150mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150466



型号: FJ6/JTS2C-120B/12 x 6
结构: 一路进, 十二路出, 分线端子
截面: 进线70-120mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150467
Model: FJ6/JTS2C-120B/12 x 6
Structure: One-inlet, twelve-outlet
Section: Inlet wire 70-120mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150467



型号: FJ6/JTS2C-150B/12 x 10
结构: 一路进, 十二路出, 分线端子
截面: 进线70-150mm², 出线1.5-10mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150468
Model: FJ6/JTS2C-150B/12 x 10
Structure: One-inlet, twelve-outlet
Section: Inlet wire 70-150mm²
Outlet wire 1.5-10mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150468



型号: FJ6/JTS2C-150B/12 x 10
结构: 一路进, 十二路出, 分线端子
截面: 进线50-150mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150469
Model: FJ6/JTS2C-150B/12 x 10
Structure: One-inlet, twelve-outlet
Section: Inlet wire 50-150mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150469



型号: FJ6/JTS2C-150B/15 x 10
结构: 一路进, 十五路出, 分线端子
截面: 进线50-150mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150470
Model: FJ6/JTS2C-150B/15 x 10
Structure: One-inlet, fifteen-outlet
Section: Inlet wire 50-150mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150470



型号: FJ6/JTS2C-150B/18 x 6
结构: 一路进, 十八路出, 分线端子
截面: 进线50-150mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150471
Model: FJ6/JTS2C-150B/18 x 6
Structure: One-inlet, eighteen-outlet
Section: Inlet wire 50-150mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150471



型号: FJ6/JTS2C-16/16
结构: 一路进, 一路出, 大电流端子
截面: 进线2.5-16mm², 出线2.5-16mm²
外形尺寸: 78(宽) x 44(高) x 21(厚)
订货号 150472
Model: FJ6/JTS2C-16/16
Structure: One-inlet, one-outlet
Section: Inlet wire 2.5-16mm²
Outlet wire 2.5-16mm²
Outline size: 78(W) x 44(H) x 21(T)
Order no. 150472



型号: FJ6/JTS2C-25/25
结构: 一路进, 一路出, 大电流端子
截面: 进线6-25mm², 出线6-25mm²
外形尺寸: 78(宽) x 44(高) x 21(厚)
订货号 150473
Model: FJ6/JTS2C-25/25
Structure: One-inlet, one-outlet
Section: Inlet wire 6-25mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 44(H) x 21(T)
Order no. 150473



型号: FJ6/JTS2C-35/35
结构: 一路进, 一路出, 大电流端子
截面: 进线10-35mm², 出线10-35mm²
外形尺寸: 78(宽) x 44(高) x 21(厚)
订货号 150474
Model: FJ6/JTS2C-35/35
Structure: One-inlet, one-outlet
Section: Inlet wire 10-35mm²
Outlet wire 10-35mm²
Outline size: 78(W) x 44(H) x 21(T)
Order no. 150474



型号: FJ6/JTS2C-70/70
结构: 一路进, 一路出, 大电流端子
截面: 进线35-70mm², 出线35-70mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150475
Model: FJ6/JTS2C-70/70
Structure: One-inlet, one-outlet
Section: Inlet wire 35-70mm²
Outlet wire 35-70mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150475



型号: FJ6/JTS2C-95/95
结构: 一路进, 一路出, 大电流端子
截面: 进线35-95mm², 出线35-95mm²
外形尺寸: 78(宽) x 54(高) x 25(厚)
订货号 150476
Model: FJ6/JTS2C-95/95
Structure: One-inlet, one-outlet
Section: Inlet wire 35-95mm²
Outlet wire 35-95mm²
Outline size: 78(W) x 54(H) x 25(T)
Order no. 150476



型号: FJ6/JTS2C-35/2 x 10
结构: 一路进, 二路出, 分线端子
截面: 进线10-35mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 44(高) x 21(厚)
订货号 150477
Model: FJ6/JTS2C-35/2 x 10
Structure: One-inlet, two-outlet
Section: Inlet wire 10-35mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 44(H) x 21(T)
Order no. 150477



型号: FJ6/JTS2C-35/2 x 25
结构: 一路进, 二路出, 分线端子
截面: 进线10-35mm², 出线6-25mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150478
Model: FJ6/JTS2C-35/2 x 25
Structure: One-inlet, two-outlet
Section: Inlet wire 10-35mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150478



型号: FJ6/JTS2C-70/2 x 25
结构: 一路进, 二路出, 分线端子
截面: 进线35-70mm², 出线10-25mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150479
Model: FJ6/JTS2C-70/2 x 25
Structure: One-inlet, two-outlet
Section: Inlet wire 35-70mm²
Outlet wire 10-25mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150479



型号: FJ6/JTS2C-70/2 x 35
结构: 一路进, 二路出, 分线端子
截面: 进线35-70mm², 出线10-35mm²
外形尺寸: 78(宽) x 54(高) x 25(厚)
订货号 150480
Model: FJ6/JTS2C-70/2 x 35
Structure: One-inlet, two-outlet
Section: Inlet wire 35-70mm²
Outlet wire 10-35mm²
Outline size: 78(W) x 54(H) x 25(T)
Order no. 150480



型号: FJ6/JTS2C-95/2 x 35
结构: 一路进, 二路出, 分线端子
截面: 进线35-95mm², 出线16-35mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150481
Model: FJ6/JTS2C-95/2 x 35
Structure: One-inlet, two-outlet
Section: Inlet wire 35-95mm²
Outlet wire 16-35mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150481



型号: FJ6/JTS2C-95/2 x 70
结构: 一路进, 二路出, 分线端子
截面: 进线35-95mm², 出线35-70mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150482
Model: FJ6/JTS2C-95/2 x 70
Structure: One-inlet, two-outlet
Section: Inlet wire 35-95mm²
Outlet wire 35-70mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150482



型号: FJ6/JTS2C-95/2 x 95
结构: 一路进, 二路出, 分线端子
截面: 进线35-95mm², 出线35-95mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150483
Model: FJ6/JTS2C-95/2 x 95
Structure: One-inlet, two-outlet
Section: Inlet wire 35-95mm²
Outlet wire 35-95mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150483



型号: FJ6/JTS2C-25/3 x 6
结构: 一路进, 三路出, 分线端子
截面: 进线6-25mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 44(高) x 21(厚)
订货号 150484
Model: FJ6/JTS2C-25/3 x 6
Structure: One-inlet, three-outlet
Section: Inlet wire 6-25mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 44(H) x 21(T)
Order no. 150484



型号: FJ6/JTS2C-35/3 x 10
结构: 一路进, 三路出, 分线端子
截面: 进线10-35mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150485
Model: FJ6/JTS2C-35/3 x 10
Structure: One-inlet, three-outlet
Section: Inlet wire 10-35mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150485



型号: FJ6/JTS2C-70/3 x 10
结构: 一路进, 三路出, 分线端子
截面: 进线35-70mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150486
Model: FJ6/JTS2C-70/3 x 10
Structure: One-inlet, three-outlet
Section: Inlet wire 35-70mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150486



型号: FJ6/JTS2C-70/3 x 6
结构: 一路进, 三路出, 分线端子
截面: 进线35-70mm², 出线4-16mm²
外形尺寸: 78(宽) x 54(高) x 25(厚)
订货号 150487
Model: FJ6/JTS2C-70/3 x 6
Structure: One-inlet, three-outlet
Section: Inlet wire 35-70mm²
Outlet wire 4-16mm²
Outline size: 78(W) x 54(H) x 25(T)
Order no. 150487



型号: FJ6/JTS2C-70/3 x 25
结构: 一路进, 三路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150488
Model: FJ6/JTS2C-70/3 x 25
Structure: One-inlet, three-outlet
Section: Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150488



型号: FJ6/JTS2C-35/3 x 25
结构: 一路进, 三路出, 分线端子
截面: 进线10-35mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150489
Model: FJ6/JTS2C-35/3 x 25
Structure: One-inlet, three-outlet
Section: Inlet wire 10-35mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150489



型号: FJ6/JTS2C-70/3 x 25
结构: 一路进, 三路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150490
Model: FJ6/JTS2C-70/3 x 25
Structure: One-inlet, three-outlet
Section: Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150490



型号: FJ6/JTS2C-70/3 x 35
结构: 一路进, 三路出, 分线端子
截面: 进线35-70mm², 出线10-35mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150491
Model: FJ6/JTS2C-70/3 x 35
Structure: One-inlet, three-outlet
Section: Inlet wire 35-70mm²
Outlet wire 10-35mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150491



型号: FJ6/JTS2C-93/3 x 50
结构: 一路进, 三路出, 分线端子
截面: 进线35-95mm², 出线16-50mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150492
Model: FJ6/JTS2C-93/3 x 50
Structure: One-inlet, three-outlet
Section: Inlet wire 35-95mm²
Outlet wire 16-50mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150492



型号: FJ6/JTS2C-35/4 x 10
结构: 一路进, 四路出, 分线端子
截面: 进线10-35mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150493
Model: FJ6/JTS2C-35/4 x 10
Structure: One-inlet, four-outlet
Section: Inlet wire 10-35mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150493



型号: FJ6/JTS2C-70/4 x 10
结构: 一路进, 四路出, 分线端子
截面: 进线35-70mm², 出线1.5-10mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150494
Model: FJ6/JTS2C-70/4 x 10
Structure: One-inlet, four-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-10mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150494



型号: FJ6/JTS2C-70/4 x 25
结构: 一路进, 四路出, 分线端子
截面: 进线35-70mm², 出线1.5-25mm²
外形尺寸: 78(宽) x 54(高) x 25(厚)
订货号 150495
Model: FJ6/JTS2C-70/4 x 25
Structure: One-inlet, four-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-25mm²
Outline size: 78(W) x 54(H) x 25(T)
Order no. 150495



型号: FJ6/JTS2C-70/4 x 25
结构: 一路进, 四路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150496
Model: FJ6/JTS2C-70/4 x 25
Structure: One-inlet, four-outlet
Section: Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150496



型号: FJ6/JTS2C-95/4 x 25
结构: 一路进, 四路出, 分线端子
截面: 进线35-95mm², 出线6-25mm²
外形尺寸: 78(宽) x 54(高) x 36(厚)
订货号 150497
Model: FJ6/JTS2C-95/4 x 25
Structure: One-inlet, four-outlet
Section: Inlet wire 35-95mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 54(H) x 36(T)
Order no. 150497



型号: FJ6/JTS2C-95/4 x 35
结构: 一路进, 四路出, 分线端子
截面: 进线50-95mm², 出线10-36mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150498
Model: FJ6/JTS2C-95/4 x 35
Structure: One-inlet, four-outlet
Section: Inlet wire 50-95mm²
Outlet wire 10-36mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150498



型号: FJ6/JTS2C-95/4 x 35
结构: 一路进, 四路出, 分线端子
截面: 进线50-95mm², 出线10-35mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150499
Model: FJ6/JTS2C-95/4 x 35
Structure: One-inlet, four-outlet
Section: Inlet wire 50-95mm²
Outlet wire 10-35mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150499



型号: FJ6/JTS2C-35/6 x 6
结构: 一路进, 六路出, 分线端子
截面: 进线10-35mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150500
Model: FJ6/JTS2C-35/6 x 6
Structure: One-inlet, six-outlet
Section: Inlet wire 10-35mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150500



型号: FJ6/JTS2C-70/6 x 6
结构: 一路进, 六路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150501
Model: FJ6/JTS2C-70/6 x 6
Structure: One-inlet, six-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150501



型号: FJ6/JTS2C-35/6 x 10
结构: 一路进, 六路出, 分线端子
截面: 进线10-35mm², 出线4-10mm²
外形尺寸: 78(宽) x 61(高) x 28(厚)
订货号 150502
Model: FJ6/JTS2C-35/6 x 10
Structure: One-inlet, six-outlet
Section: Inlet wire 10-35mm²
Outlet wire 4-10mm²
Outline size: 78(W) x 61(H) x 28(T)
Order no. 150502



型号: FJ6/JTS2C-70/6 x 10
结构: 一路进, 六路出, 分线端子
截面: 进线35-70mm², 出线4-10mm²
外形尺寸: 78(宽) x 61(高) x 28(厚)
订货号 150503
Model: FJ6/JTS2C-70/6 x 10
Structure: One-inlet, six-outlet
Section: Inlet wire 35-70mm²
Outlet wire 4-10mm²
Outline size: 78(W) x 61(H) x 28(T)
Order no. 150503



型号: FJ6/JTS2C-70/6 x 16
结构: 一路进, 六路出, 分线端子
截面: 进线35-70mm², 出线4-16mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150504
Model: FJ6/JTS2C-70/6 x 16
Structure: One-inlet, six-outlet
Section: Inlet wire 35-70mm²
Outlet wire 4-16mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150504

型号: FJ6/JTS2C-70/6 x 25
结构: 一路进, 六路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150505
Model: FJ6/JTS2C-70/6 x 25
Structure: One-inlet, six-outlet
Section: Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150505

型号: FJ6/JTS2C-35/8 x 6
结构: 一路进, 八路出, 分线端子
截面: 进线10-35mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150506
Model: FJ6/JTS2C-35/8 x 6
Structure: One-inlet, eight-outlet
Section: Inlet wire 10-35mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150506

型号: FJ6/JTS2C-70/8 x 6
结构: 一路进, 八路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150507
Model: FJ6/JTS2C-70/8 x 6
Structure: One-inlet, eight-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150507



型号: FJ6/JTS2C-35/8 x 10
结构: 一路进, 八路出, 分线端子
截面: 进线10-35mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150508
Model: FJ6/JTS2C-35/8 x 10
Structure: One-inlet, eight-outlet
Section: Inlet wire 10-35mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150508

型号: FJ6/JTS2C-70/8 x 10
结构: 一路进, 八路出, 分线端子
截面: 进线35-70mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150509
Model: FJ6/JTS2C-70/8 x 10
Structure: One-inlet, eight-outlet
Section: Inlet wire 35-70mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150509

型号: FJ6/JTS2C-70/8 x 25
结构: 一路进, 八路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150510
Model: FJ6/JTS2C-70/8 x 25
Structure: One-inlet, eight-outlet
Section: Inlet wire 10-35mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150510

型号: FJ6/JTS2C-35/9 x 6
结构: 一路进, 九路出, 分线端子
截面: 进线10-35mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150511
Model: FJ6/JTS2C-35/9 x 6
Structure: One-inlet, nine-outlet
Section: Inlet wire 10-35mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150511



型号: FJ6/JTS2C-70/9 x 6
结构: 一路进, 九路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150512
Model: FJ6/JTS2C-70/9 x 6
Structure: One-inlet, nine-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150512

型号: FJ6/JTS2C-70/9 x 6
结构: 一路进, 九路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 25(厚)
订货号 150513
Model: FJ6/JTS2C-70/9 x 6
Structure: One-inlet, nine-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 25(T)
Order no. 150513

型号: FJ6/JTS2C-70/9 x 10
结构: 一路进, 九路出, 分线端子
截面: 进线35-70mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150514
Model: FJ6/JTS2C-70/9 x 10
Structure: One-inlet, nine-outlet
Section: Inlet wire 35-70mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150514

型号: FJ6/JTS2C-35/10 x 6
结构: 一路进, 十路出, 分线端子
截面: 进线10-35mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150515
Model: FJ6/JTS2C-35/10 x 6
Structure: One-inlet, ten-outlet
Section: Inlet wire 10-35mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150515



型号: FJ6/JTS2C-70/10 x 6
结构: 一路进, 十路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150516
Model: FJ6/JTS2C-70/10 x 6
Structure: One-inlet, ten-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150516

型号: FJ6/JTS2C-70/10 x 10
结构: 一路进, 十路出, 分线端子
截面: 进线35-70mm², 出线1.5-10mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150517
Model: FJ6/JTS2C-70/10 x 10
Structure: One-inlet, ten-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-10mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150517

型号: FJ6/JTS2C-95/10 x 25
结构: 一路进, 十路出, 分线端子
截面: 进线35-95mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150518
Model: FJ6/JTS2C-95/10 x 25
Structure: One-inlet, ten-outlet
Section: Inlet wire 35-95mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150518

型号: FJ6/JTS2C-70/12 x 6
结构: 一路进, 十二路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150519
Model: FJ6/JTS2C-70/12 x 6
Structure: One-inlet, twelve-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150519



型号: FJ6/JTS2C-95/12 x 10
结构: 一路进, 十二路出, 分线端子
截面: 进线35-95mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150520
Model: FJ6/JTS2C-95/12 x 10
Structure: One-inlet, twelve-outlet
Section: Inlet wire 35-95mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150520

型号: FJ6/JTS2C-95/15 x 6
结构: 一路进, 十五路出, 分线端子
截面: 进线35-95mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150521
Model: FJ6/JTS2C-95/15 x 6
Structure: One-inlet, fifteen-outlet
Section: Inlet wire 35-95mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150521

型号: FJ6/JTS2C-95/15 x 10
结构: 一路进, 十五路出, 分线端子
截面: 进线35-95mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150522
Model: FJ6/JTS2C-95/15 x 10
Structure: One-inlet, fifteen-outlet
Section: Inlet wire 35-95mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150522

型号: FJ6/JTS2C-95/18 x 6
结构: 一路进, 十八路出, 分线端子
截面: 进线35-95mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150523
Model: FJ6/JTS2C-95/18 x 6
Structure: One-inlet, eighteen-outlet
Section: Inlet wire 35-95mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150523



型号: FJ6/JTS2C-2 x 16/2 x 16
结构: 二路进, 二路出, 分线端子
截面: 进线4-16mm², 出线4-16mm²
外形尺寸: 78(宽) x 44(高) x 21(厚)
订货号 150524
Model: FJ6/JTS2C-2 x 16/2 x 16
Structure: Two-inlet, two-outlet
Section: Inlet wire 4-16mm²
Outlet wire 4-16mm²
Outline size: 78(W) x 44(H) x 21(T)
Order no. 150524

型号: FJ6/JTS2C-2 x 25/2 x 25
结构: 二路进, 二路出, 分线端子
截面: 进线6-25mm², 出线6-25mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150525
Model: FJ6/JTS2C-2 x 25/2 x 25
Structure: Two-inlet, two-outlet
Section: Inlet wire 6-25mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150525

型号: FJ6/JTS2C-2 x 35/2 x 35
结构: 二路进, 二路出, 分线端子
截面: 进线10-35mm², 出线10-35mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150526
Model: FJ6/JTS2C-2 x 35/2 x 35
Structure: Two-inlet, two-outlet
Section: Inlet wire 10-35mm²
Outlet wire 10-35mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150526

型号: FJ6/JTS2C-2 x 70/2 x 70
结构: 二路进, 二路出, 分线端子
截面: 进线35-70mm², 出线35-70mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150527
Model: FJ6/JTS2C-2 x 70/2 x 70
Structure: Two-inlet, two-outlet
Section: Inlet wire 35-70mm²
Outlet wire 35-70mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150527



型号: FJ6/JTS2C-2 x 95/2 x 95
结构: 二路进, 二路出, 分线端子
截面: 进线35-95mm², 出线35-95mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150528
Model: FJ6/JTS2C-2 x 95/2 x 95
Structure: Two-inlet, two-outlet
Section: Inlet wire 35-95mm²
Outlet wire 35-95mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150528



型号: FJ6/JTS2C-2 x 25/3 x 10
结构: 二路进, 三路出, 分线端子
截面: 进线6-25mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150529
Model: FJ6/JTS2C-2 x 25/3 x 10
Structure: Two-inlet, three-outlet
Section: Inlet wire 6-25mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150529



型号: FJ6/JTS2C-2 x 70/3 x 25
结构: 二路进, 三路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150530
Model: FJ6/JTS2C-2 x 70/3 x 25
Structure: Two-inlet, three-outlet
Section: Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150530



型号: FJ6/JTS2C-2 x 70/3 x 35
结构: 二路进, 三路出, 分线端子
截面: 进线35-70mm², 出线10-35mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150531
Model: FJ6/JTS2C-2 x 70/3 x 35
Structure: Two-inlet, three-outlet
Section: Inlet wire 35-70mm²
Outlet wire 10-35mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150531



型号: FJ6/JTS2C-2 x 95/3 x 50
结构: 二路进, 三路出, 分线端子
截面: 进线35-95mm², 出线16-50mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150532
Model: FJ6/JTS2C-2 x 95/3 x 50
Structure: Two-inlet, three-outlet
Section: Inlet wire 35-95mm²
Outlet wire 16-50mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150532



型号: FJ6/JTS2C-2 x 25/4 x 10
结构: 二路进, 四路出, 分线端子
截面: 进线6-25mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150533
Model: FJ6/JTS2C-2 x 25/4 x 10
Structure: Two-inlet, four-outlet
Section: Inlet wire 6-25mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150533



型号: FJ6/JTS2C-2 x 70/4 x 25
结构: 二路进, 四路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150534
Model: FJ6/JTS2C-2 x 70/4 x 25
Structure: Two-inlet, four-outlet
Section: Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150534



型号: FJ6/JTS2C-2 x 95/4 x 35
结构: 二路进, 四路出, 分线端子
截面: 进线35-95mm², 出线10-35mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150535
Model: FJ6/JTS2C-2 x 95/4 x 35
Structure: Two-inlet, four-outlet
Section: Inlet wire 35-95mm²
Outlet wire 10-35mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150535



型号: FJ6/JTS2C-2 x 25/6 x 6
结构: 二路进, 六路出, 分线端子
截面: 进线6-25mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 22(厚)
订货号 150536
Model: FJ6/JTS2C-2 x 25/6 x 6
Structure: Two-inlet, six-outlet
Section: Inlet wire 6-25mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 22(T)
Order no. 150536



型号: FJ6/JTS2C-2 x 35/6 x 10
结构: 二路进, 六路出, 分线端子
截面: 进线10-35mm², 出线1.5-10mm²
外形尺寸: 78(宽) x 54(高) x 28(厚)
订货号 150537
Model: FJ6/JTS2C-2 x 35/6 x 10
Structure: Two-inlet, six-outlet
Section: Inlet wire 10-35mm²
Outlet wire 1.5-10mm²
Outline size: 78(W) x 54(H) x 28(T)
Order no. 150537



型号: FJ6/JTS2C-2 x 35/6 x 16
结构: 二路进, 六路出, 分线端子
截面: 进线10-35mm², 出线4-16mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150538
Model: FJ6/JTS2C-2 x 35/6 x 16
Structure: Two-inlet, six-outlet
Section: Inlet wire 10-35mm²
Outlet wire 4-16mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150538



型号: FJ6/JTS2C-2 x 70/6 x 16
结构: 二路进, 六路出, 分线端子
截面: 进线35-70mm², 出线4-16mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150539
Model: FJ6/JTS2C-2 x 70/6 x 16
Structure: Two-inlet, six-outlet
Section: Inlet wire 35-70mm²
Outlet wire 4-16mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150539



型号: FJ6/JTS2C-2 x 70/6 x 25
结构: 二路进, 六路出, 分线端子
截面: 进线35-70mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150540
Model: FJ6/JTS2C-2 x 70/6 x 25
Structure: Two-inlet, six-outlet
Section: Inlet wire 35-70mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150540



型号: FJ6/JTS2C-2 x 35/8 x 10
结构: 二路进, 八路出, 分线端子
截面: 进线10-35mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150541
Model: FJ6/JTS2C-2 x 35/8 x 10
Structure: Two-inlet, eight-outlet
Section: Inlet wire 10-35mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150541



型号: FJ6/JTS2C-2 x 70/8 x 10
结构: 二路进, 八路出, 分线端子
截面: 进线35-70mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150542
Model: FJ6/JTS2C-2 x 70/8 x 10
Structure: Two-inlet, eight-outlet
Section: Inlet wire 35-70mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150542



型号: FJ6/JTS2C-2 x 95/8 x 25
结构: 二路进, 八路出, 分线端子
截面: 进线35-95mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150543
Model: FJ6/JTS2C-2 x 95/8 x 25
Structure: Two-inlet, eight-outlet
Section: Inlet wire 35-95mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150543



型号: FJ6/JTS2C-2 x 25/9 x 6
结构: 二路进, 九路出, 分线端子
截面: 进线6-25mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 54(高) x 21(厚)
订货号 150544
Model: FJ6/JTS2C-2 x 25/9 x 6
Structure: Two-inlet, nine-outlet
Section: Inlet wire 6-25mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 54(H) x 21(T)
Order no. 150544



型号: FJ6/JTS2C-2 x 70/10 x 6
结构: 二路进, 十路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150545
Model: FJ6/JTS2C-2 x 70/10 x 6
Structure: Two-inlet, ten-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150545



型号: FJ6/JTS2C-2 x 95/10 x 10
结构: 二路进, 十路出, 分线端子
截面: 进线35-95mm², 出线1.5-10mm²
外形尺寸: 78(宽) x 61(高) x 45(厚)
订货号 150546
Model: FJ6/JTS2C-2 x 95/10 x 10
Structure: Two-inlet, ten-outlet
Section: Inlet wire 35-95mm²
Outlet wire 1.5-10mm²
Outline size: 78(W) x 61(H) x 45(T)
Order no. 150546



型号: FJ6/JTS2C-2 x 95/10 x 25
结构: 二路进, 十路出, 分线端子
截面: 进线35-95mm², 出线6-25mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150547
Model: FJ6/JTS2C-2 x 95/10 x 25
Structure: Two-inlet, ten-outlet
Section: Inlet wire 35-95mm²
Outlet wire 6-25mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150547



型号: FJ6/JTS2C-2 x 70/12 x 6
结构: 二路进, 十二路出, 分线端子
截面: 进线35-70mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 36(厚)
订货号 150548
Model: FJ6/JTS2C-2 x 70/12 x 6
Structure: Two-inlet, twelve-outlet
Section: Inlet wire 35-70mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 36(T)
Order no. 150548



型号: FJ6/JTS2C-2 x 95/12 x 10
结构: 二路进, 十二路出, 分线端子
截面: 进线35-95mm², 出线6-10mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150549
Model: FJ6/JTS2C-2 x 95/12 x 10
Structure: Two-inlet, twelve-outlet
Section: Inlet wire 35-95mm²
Outlet wire 6-10mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150549



型号: FJ6/JTS2C-2 x 95/15 x 10
结构: 二路进, 十五路出, 分线端子
截面: 进线35-95mm², 出线2.5-10mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150550
Model: FJ6/JTS2C-2 x 95/15 x 10
Structure: Two-inlet, fifteen-outlet
Section: Inlet wire 35-95mm²
Outlet wire 2.5-10mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150550



型号: FJ6/JTS2C-2 x 95/18 x 6
结构: 二路进, 十八路出, 分线端子
截面: 进线35-95mm², 出线1.5-6mm²
外形尺寸: 78(宽) x 61(高) x 51(厚)
订货号 150551
Model: FJ6/JTS2C-2 x 95/18 x 6
Structure: Two-inlet, eighteen-outlet
Section: Inlet wire 35-95mm²
Outlet wire 1.5-6mm²
Outline size: 78(W) x 61(H) x 51(T)
Order no. 150551

T型线夹 T-type connector

	T型线夹 T-type connector 三通 Three-way 主线Main line 16 ² -70 ² 出线Outlet 6 ² -35 ² 订货号Order No. 150552		T型线夹 T-type connector 三通 Three-way 主线Main line 50 ² -120 ² 出线Outlet 35 ² -70 ² 订货号Order No. 150553
	T型线夹 T-type connector 三通 Three-way 主线Main line 120 ² -240 ² 出线Outlet 50 ² -95 ² 订货号Order No. 150554		T型线夹 T-type connector 四通 Four-way 主线Main line 16 ² -70 ² 出线Outlet 6 ² -35 ² 订货号Order No. 150555



型号: 8孔
外形尺寸: 总长107 铜长77 高30 孔5.3
安装尺寸: 95 螺丝 M4 x 8
铜条尺寸: 6 x 9
订货号 150556
Model: 8-hole
Outline size: Overall length 107 Copper length 77
Height 30 Hole 5.3
Mounting size: 95 Screw M4 x 8
Copper bar: 6 x 9
Order no.:150556

型号: 12孔
外形尺寸: 总长130 铜长100 高30 孔5.3
安装尺寸: 118 螺丝 M4 x 8
铜条尺寸: 6 x 9
订货号 150557
Model: 12-hole
Outline size: Overall length 130 Copper length 100
Height 30 Hole 5.3
Mounting size: 118 Screw M4 x 8
Copper bar: 6 x 9
Order no.:150557

型号: 14孔
外形尺寸: 总长150 铜长120 高30 孔5.3
安装尺寸: 138 螺丝 M4 x 8
铜条尺寸: 6 x 9
订货号 150558
Model: 14-hole
Outline size: Overall length 150 Copper length 120
Height 30 Hole 5.3
Mounting size: 138 Screw M4 x 8
Copper bar: 6 x 9
Order no.:150558




型号: 16孔
外形尺寸: 总长164 铜长134 高30 孔5.3
安装尺寸: 152 螺丝 M4 x 8
铜条尺寸: 6 x 9
订货号 150559
Model: 16-hole
Outline size: Overall length 164 Copper length 134
Height 30 Hole 5.3
Mounting size: 152 Screw M4 x 8
Copper bar: 6 x 9
Order no.:150559

型号: 18孔
外形尺寸: 总长178 铜长148 高30 孔5.3
安装尺寸: 166 螺丝 M4 x 8
铜条尺寸: 6 x 9
订货号 150560
Model: 18-hole
Outline size: Overall length 178 Copper length 148
Height 30 Hole 5.3
Mounting size: 166 Screw M4 x 8
Copper bar: 6 x 9
Order no.:150560

型号: 22孔
外形尺寸: 总长205 铜长175 高30 孔5.3
安装尺寸: 193 螺丝 M4 x 8
铜条尺寸: 6 x 9
订货号 150561
Model: 22-hole
Outline size: Overall length 205 Copper length 175
Height 30 Hole 5.3
Mounting size: 193 Screw M4 x 8
Copper bar: 6 x 9
Order no.:150561


一、特点 Feature

- 1、绝缘材料采用阻燃增强工程塑料制造,绝缘性能好、机械强度高、耐高温,连续使用温度达120℃。
 - 2、良好导电性能,接触时电压降不超过3.2mV,断开时具有定位及限位功能,即直观又安全可靠。
 - 3、按安装尺寸开孔后,可安装紧固于安装板上,厚度1mm以上(如铁板)切换片适用于交流50Hz(或60Hz)660V,直流440V,电流24A及以下的继电保护屏,控制柜等电气设备中,用以进行回电路的接通或断开的切换。
- 1、The insulation parts are made of engineering plastic which has excellent insulation and mechanical strength.They can bear high temperature up to 120℃
 - 2、It has good conductive performance.Its voltage drops can exceed 3.2mV when contacting. When it is disconnected, it can keep and limit space. It is visible, safe and reliable.
 - 3、It can be fastened on a mounting plate(such as iron plates)with a thickness ≥ 1mm.It can be used to switch on and off the circuit(50or60Hz, 600VAC or 440V, 24ADC)in relay protection panels or control cabinet etc.




JY1-2 订货号 Order no.:150562
额定电压 Rated Voltage 660V
额定电流 Rated current 24A
额定截面 Rated cross-section 2.5mm²


JY1-3 订货号 Order no.:150563
额定电压 Rated Voltage 660V
额定电流 Rated current 24A
额定截面 Rated cross-section 2.5mm²




JL1-2.5/2 订货号 Order no.:150564
额定电压 Rated Voltage 660V
额定电流 Rated current 24A
额定截面 Rated cross-section 2.5mm²



JL1-2.5/3 订货号 Order no.:150565
额定电压 Rated Voltage 660V
额定电流 Rated current 24A
额定截面 Rated cross-section 2.5mm²




YY1-S 订货号 Order no.:150566
额定电压 Rated Voltage 660V
额定电流 Rated current 24A
额定截面 Rated cross-section 2.5mm²



YY1-D 订货号 Order no.:150567
额定电压 Rated Voltage 660V
额定电流 Rated current 24A
额定截面 Rated cross-section 2.5mm²



SD-10S(试验型单链接 Test type single connection)
订货号 Order no.:150568




SD-10S(试验型双链接 Test type double connection)
订货号 Order no.:150569

FJ6/JHD-8系列自升计量箱接线盒
FJ6/JHD-8 series terminal blocks for measuring box
一、产品概述 General




FJ6/JHD-8系列自升计量箱输出接线盒符合安全防护、美观、接线方便、安装稳固等要求，使用于额定电压660V，频率50Hz或60Hz，输出连接导线为0.75-16mm²。本产品采用自升螺钉压线夹直接压接方式。在压线夹与螺钉之间形成自锁，在震动条件下也不会松动脱落，在长时间的使用过程中给您带来免维护的方便。

FJ6/JHD-8 series terminal block for measuring box reaches the requirements of safe protection, gracefulness, convenience connection stable installation etc. It is suitable for the circuit of rated voltage 660V, frequency 50Hz or 60Hz, and outlet connection conductor up to 0.75~16mm². It employs direct crimping way by self-elevating screw clip that forms a self-locking structure between clamp and screw. This structure enables it not to loose under a shock.



最通用的连接技术，无需压接端头，高接触压力，宽范围线径，对震动电线压紧和温度变化的保护，具有很好的抗拉性和优秀的电气接触。

FJ6/JHG-8导轨式(固定式)接线端子
(1mm²-16mm²)
FJ6/JHG-8 rail type (fixed type) terminal block(1mm²-16mm²)








FJ6/JHD-8/a
二进二出(二档)Two-inlet two-outlet(2-gear)
订货号Order number:150571

FJ6/JHD-8/B
四进四出(四档)Four-inlet Four-outlet(4-gear)
订货号Order number:150572

FJ6/JHD-8/C
八进八出(八档)Eight-inlet eight-outlet(8-gear)
订货号Order number:150573

FJ6/JHD-8/D
十二进十二出(十二档)Twelve-inlet twelve-outlet(12-gear)
订货号Order number:150574


FJ6/JHD-8/E
十六进十六出(十六档)Sixteen-inlet sixteen-outlet(16-gear)
订货号Order number:150575




一、产品概述 General

FJ6/JHD-6系列自升计量箱接线盒，符合安全防护、美观、接线方便、安装稳固等要求，使用于额定电压660V，频率50Hz或60Hz，进线端连接导线的最大截面为2.5-50(70)mm²，出线端连接导线为0.75-16mm²。本产品采用自升螺钉压线夹直接压接方式。在压线夹与螺钉之间形成自锁，在震动条件下也不会松动脱落，在长时间的使用过程中给您带来免维护的方便。

FJ6/JHD-6 series terminal block for measuring box reaches the requirements of safe protection, gracefulness, convenience connection stable installation etc. It is suitable for the circuit of rated voltage 660V, frequency 50Hz or 60Hz, and connection conductor at inlet terminal up to 2.5~50(70)mm² max and outlet terminal up to 0.75~16mm². It employs direct crimping way by self-elevating screw clip that forms a self-locking structure between clamp and screw. This structure enables the terminal block not to loose under a shock.






最通用的连接技术，无需压接端头，高接触压力，宽范围线径，对震动电线压紧和温度变化的保护，具有很好的抗拉性和优秀的电气接触。



FJ6/JHD-6/a
二进八出(四表户)Two-inlet eight-outlet(four-meter household)
订货号Order number:150576

FJ6/JHD-6/B
二进十二出(六表户)Two-inlet twelve-outlet(six-meter household)
订货号Order number:150577


FJ6/JHD-6/C
二进十六出(八表户)Two-inlet sixteen-outlet(eight-meter household)
订货号Order number:150578




一、产品概述 General

FJ6/JDG-8系列自升计量箱输出接线盒符合安全防护、美观、接线方便、安装稳固等要求。使用于额定电压660V，频率50Hz或60Hz，输出连接导线0.75-16mm²。本产品适用自升螺钉压线夹直接压接方式，在压线夹与螺钉之间形成自锁，在震动条件下也不会松动脱落，在长时间的使用过程中给您带来免维护的方便。









FJ6/JDG-8 series terminal block for measuring box reaches the requirements of safe protection, gracefulness, convenience connection stable installation etc. It is suitable for the circuit of rated voltage 660V, frequency 50Hz or 60Hz, and outlet connection conductor up to 0.75~16mm². It employs direct crimping way by self-elevating screw clip that forms a self-locking structure between clamp and screw. This structure enables it not to loose under a shock.



最通用的连接技术，无需压接端头，高接触压力，宽范围线径，对震动电线压紧和温度变化的保护，具有很好的抗拉性和优秀的电气接触。



- 本系列产品提供了两种安装方式：
- 1、固定式直接在底板上打孔安装，安装螺钉为M5；
 - 2、卡轨式安装在TH-35导轨上。

	FJ6/JDG-8/a 二进二出(二档)Two-inlet two-outlet(2-gear) 订货号Order number:150579	
	FJ6/JDG-8/B 四进四出(四档)Four-inlet Four-outlet(4-gear) 订货号Order number:150580	
	FJ6/JDG-8/C 八进八出(八档)Eight-inlet eight-outlet(8-gear) 订货号Order number:150581	
	FJ6/JDG-8/D 十二进十二出(十二档)Twelve-inlet twelve-outlet(12-gear) 订货号Order number:150582	
	FJ6/JDG-8/E 十六进十六出(十六档)Sixteen-inlet sixteen-outlet(16-gear) 订货号Order number:150583	

一、产品概述 General

FJ6/JDG-6系列自升计量箱接线盒，符合安全防护、美观、接线方便、安装稳固等要求。使用于额定电压660V，频率50Hz或60Hz，进线端连接导线的最大截面为4-50(70)mm²，出线端连接导线为0.75-16mm²。本产品采用自升螺钉压线夹直接压接方式。在压线夹与螺钉之间形成自锁，在震动条件下也不会松动脱落，在长时间的使用过程中给您带来免维护的方便。









FJ6/JDG-6 series terminal block for measuring box reaches the requirements of safe protection, gracefulness, convenience connection stable installation etc. It is suitable for the circuit of rated voltage 660V, frequency 50Hz or 60Hz, and connection conductor at inlet terminal up to 4~50(70)mm² max and outlet terminal up to 0.75~16mm². It employs direct crimping way by self-elevating screw clip that forms a self-locking structure between clamp and screw. This structure enables the terminal block not to loose under ashock.



- 本系列产品提供了两种安装方式：
- 1、固定式直接在底板上打孔安装，安装螺钉为M5；
 - 2、卡轨式安装在TH-35导轨上。



最通用的连接技术，无需压接端头，高接触压力，宽范围线径，对震动电线压紧和温度变化的保护，具有很好的抗拉性和优秀的电气接触。


	FJ6/JDG-6/a 二进四出(二表户)Two-inlet Four-outlet 订货号Order number:150584	
	FJ6/JDG-6/B 二进八出(四表户)Two-inlet eight-outlet 订货号Order number:150585	
	FJ6/JDG-6/C 二进十二出(六表户)Two-inlet twelve-outlet 订货号Order number:150586	
	FJ6/JDG-6/D 二进十六出(八表户)Two-inlet sixteen-outlet 订货号Order number:150587	
	FJ6/JDG-6/E 适用丁型、C型或L型安装导轨 订货号Order number:150588	

FJ6D-35/10-2、FJ6D-35/10-4系列组合式接线盒
FJ6D-35/10-2, FJ6D-35/10-4 series combined terminal blocks(two-inlet multi-outlet)

一、产品概述 General


FJ6D10-35/2、FJ6D10-35/4系列组合式接线盒，使用于交流50Hz或60Hz，额定电压660V，额定电流125A电路中导线间的连接之用，在各种接线盒结构中采用组合板式连接结构是一种久经实践考验，且通过相邻之间的可以根据用户的需要组合成回路接线，组合板式压线接线直观、方便、牢固可靠。

FJ6D35/10-2、GFJ6D10-35/4 series combined terminal block is suitable for the circuit of AC 50Hz or 60Hz, rated voltage 660V and rated current 125A Among terminal blocks, the combined structure is more visual convenient, firm and reliable. Multi-circuit connections can be formed between two adjacent slots according to customer's demands.




FJ6D-35/10-2


FJ6D-35/10-2系列组合式接线盒(一进多出)
FJ6D-35/10-2 series combined terminal blocks(one-inlet multi-outlet)




FJ6D-10/10-2/a
一进一出One-inlet one-outlet
订货号Order number: 150589



FJ6D-35/10-2/B
一进二出One-inlet two-outlet
订货号Order number: 150590




FJ6D-35/10-2/C
一进三出One-inlet three-outlet
订货号Order number: 150591




FJ6D-35/10-2/D
一进四出One-inlet four-outlet
订货号Order number: 150592

FJ6D-35/10-2系列组合式接线盒(二进多出)
FJ6D-35/10-2 series combined terminal blocks(two-inlet multi-outlet)




FJ6D-35/10-2/E
二进四出Two-inlet four-outlet
订货号Order number: 150593




FJ6D-35/10-2/F
二进六出Two-inlet six-outlet
订货号Order number: 150594

FJ6D-35/10-2系列组合式接线盒(二进多出)
FJ6D-35/10-2 series combined terminal blocks(two-inlet multi-outlet)




FJ6D-35/10-2/G
二进八出Two-inlet eight-outlet
订货号Order number: 150595

FJ6D-35/10-2系列组合式接线盒(三进多出)
FJ6D-35/10-2 series combined terminal blocks (three-inlet multi-outlet)




FJ6D-35/10-2/H
三进六出Two-inlet six-outlet
订货号Order number: 150596

FJ6D-35/10-2系列组合式接线盒(三进多出)
FJ6D-35/10-2 series combined terminal blocks(three-inlet multi-outlet)




FJ6D-35/10-2/J
三进九出Three-inlet nine-outlet
订货号Order number: 150597




FJ6D-35/10-2/K
三进十二出Three-inlet twelve-outlet
订货号Order number: 150598

FJ6D-35/10-2系列组合式接线盒(四进多出)
FJ6D-35/10-2 series combined terminal blocks(four-inlet multi-outlet)




FJ6D-35/10-2/L
四进八出Four-inlet eight-outlet
订货号Order number: 150599



FJ6D-35/10-2/M
四进十二出Four-inlet twelve-outlet
订货号Order number: 150600


FJ6D-35/10-2系列组合式接线盒(四进多出)
FJ6D-35/10-2 series combined terminal blocks(four-inlet multi-outlet)



FJ6D-35/10-2/N
四进十六出Four-inlet sixteen-outlet
订货号Order number:150601


FJ6D-35/10-4

FJ6D-35/10-4系列组合式接线盒(一进多出)
FJ6D-35/10-4 series combined terminal blocks(one-inlet multi-outlet)



FJ6D-10/10-4/a
一进二出One-inlet two-outlet
订货号Order number:150602


FJ6D-35/10-4/B
一进四出One-inlet four-outlet
订货号Order number:150603



FJ6D-35/10-4/C
一进六出One-inlet six-outlet
订货号Order number:150604


FJ6D-35/10-4/D
一进八出One-inlet eight-outlet
订货号Order number:150605

FJ6D-35/10-4系列组合式接线盒(二进多出)
FJ6D-35/10-4 series combined terminal blocks(two-inlet multi-outlet)




FJ6D-35/10-4/E
二进八出Two-inlet eight-outlet
订货号Order number:150606

FJ6D-35/10-4/F
二进十二出Two-inlet twelve-outlet
订货号Order number:150607



FJ6D-35/10-4/G
二进十六出Two-inlet sixteen-outlet
订货号Order number:150608

FJ6D-35/10-4系列组合式接线盒(三进多出)
FJ6D-35/10-4 series combined terminal blocks(three-inlet multi-outlet)




FJ6D-35/10-4/H
三进十二出Three-inlet twelve-outlet
订货号Order number:150609

FJ6D-35/10-4/J
三进十八出Three-inlet eighteen-outlet
订货号Order number:150610




FJ6D-35/10-4/K
三进二十四出Three-inlet twenty-four-outlet
订货号Order number:150611


FJ6D-35/10-4系列组合式接线盒(四进多出)
FJ6D-35/10-4 series combined terminal blocks(four-inlet multi-outlet)



FJ6D-35/10-4L
四进十六出(Four-inlet sixteen-outlet)
订货号 Order number: 150612



FJ6D-35/10-4M
四进二十四出(Four-inlet twenty-four-outlet)
订货号 Order number: 150613




FJ6D-35/10-4N
四进三十二出(Four-inlet thirty-two-outlet)
订货号 Order number: 150614



FJ6D-10/10系列输出组合式接线盒
FJ6D-10/10 series combined terminal block




FJ6D-10/10-2/O
二进二出(二档)Two-inlet two-outlet(2-gear)
订货号 Order number: 150615




FJ6D-10/10-2/F
四进四出(四档)Four-inlet Four-outlet(4-gear)
订货号 Order number: 150616




FJ6D-10/10-2/Q
八进八出(八档)Eight-inlet eight-outlet(4-gear)
订货号 Order number: 150617




FJ6D-10/10-2/R
十进十二出(十二档)Twelve-inlet twelve-outlet(12-gear)
订货号 Order number: 150618




FJ6D-10/10-2/S
十六进十六出(十六档)Sixteen-inlet sixteen-outlet(16-gear)
订货号 Order number: 150619



FJ6D-10/10-2/T
二十进二十出(二十档)Twenty-inlet twenty-outlet(20-gear)
订货号 Order number: 150620



FJ6D-10/10-2/U
二十四进二十四出(二十四档)Twenty-four-inlet twenty-four-outlet(24-gear)
订货号 Order number: 150621



FJ6D-70/25-2系列组合式接线盒
FJ6D-70/25-2 series combined terminal blocks


一、产品概述 General

FJ6D-70/25-2系列组合大电流接线盒，采用聚碳酸酯阻燃塑料，导电板采用条铜块分线双孔螺钉压接技术，额定绝缘电压800V，一进二出分线连接截面20-60mm²，总线截面35-70mm²，适用于小型开关箱及电表箱的分线连接。TH35mm导轨安装。



FJ6D-70/25-2 series big current junction terminal, adopt polygon resistance plastics, the strap copper junction double hole screw crimp connection technology as electrical conduct board, rated insulation voltage 800V One input two-output junction connected cross section 20-60mm², The total wire section 35-70mm², suitable for branch connecting of mini switch box and meter meter. Guide rail installation is Th35mm.




FJ6D-70/25-2




FJ6D-70/25-2/a
一进二出 One-inlet two-outlet
订货号 Order number: 150622




FJ6D-70/25-2/B
二进四出 Two-inlet four-outlet
订货号 Order number: 150623



FJ6D-70/25-2/C
三进六出 Three-inlet six-outlet
订货号 Order number: 150624



FJ6D-70/25-2/D
四进八出 Four-inlet eight-outlet
订货号 Order number: 150625



一、产品概述 General

FJ6S系列多用途接线端子专为各类电控配电设备、成套装置、多回路电表箱及组合式终端电器箱中配线而设计。产品的额定绝缘电压690V，额定工作电压380V，最大额定工作电流为630A。进线端可连接导线截面为6mm²~185mm²出线端按连接回路数的多少以及接线方式的不同分别可连接导线的截面2.5mm²~185mm²。该产品结构新颖独特，接线牢固可靠，使用灵活方便。是各类电气装置中母线排(汇流排)，接地端子、零线端子排理想的替代产品。

FJ6S series terminal block (elaborate type) is specially designed for wiring in various electric control distribution equipment, complete sets, multi-circuit meter boxes and combined type terminal unit boxes. Its rated insulation voltage is 690V, rated operating voltage 380V, max rated operating current 630A. The inlet end can be connected with conductors of 6mm²~185mm² in sectional area, the outlet end 2.5mm²~185mm² in sectional area according to the circuit number and wiring mode. The product possesses advantages of novel structure reliable wiring convenient operation.

二、产品特点 Features

FJ6S系列多用途接线端子由导电体，绝缘座和防护罩组成，整体采用积木式接装组成，构思精巧，外形美观，结构可靠。其进线端既可以将导线直接接入(筒式安装)、也可用OT端子(线鼻子)引出进行板式连接。压线螺钉为高强度的紧定螺钉，底部为特制的球形，压线时对导线无损伤，而且对导线具有足够大的挤压力，接触更可靠。

FJ6S series terminal block is made up of electric conductor bench insulator and protective cover. The integrated body adopts building block system assembly mode, with elaborate construction elegant appearance and reliable structure. The inlet end can be connected with the conductor directly (simple installation) or outlet by OT terminal (line lug) and connected in plate wiring way. We adopt high strength set screw as press line screw, and use special spherical bottom, which guarantees enough pressure to the press line without damaging it and makes sure that there is a reliable touch.

三、安装与使用 Installation and operation

本系列产品提供了两种安装方式：1、固定式直接在底板上打孔安装，安装螺钉为M5；2、卡轨式安装在TH-35导轨(顶帽轨)上。接入导线建议使用多芯线，导线插入盲孔时要确认插到底后方能往下拧螺钉，以防误接。当接入导线截面较小，且导线绝缘能塞进接线孔时，在确保导体接触可靠的前提下，允许绝缘进入接线孔。当使用时或线路进行维护需要打开防护罩时，只需在防护罩的搭钩处向内用手轻捏便可取下，亦可用螺丝刀搭钩处插入，轻轻旋转即可取下。

This series of products provides two types of installation mode: 1. Fixed type, drill hole on the bottom plate and install directly. Mounting screw is M5; 2. Rail type mounting, install on TH-35 rail. We suggest using multi-core line as inlet wire, when inserting the conductor to blind hole, make sure that the conductor should be fully inserted that you can screw down the bolt, otherwise, you may make a wrong connection. When the sectional area of inlet wire is rather small but the wire insulation part can be squeezed into the connection hole, on the premise of reliable touch of conductor the insulation part is allowed to entry the connection hole. When wanting to open the protective cover for operating or maintaining, just pinch the latching part of protective cover by hand to take off the cover, or insert into the lapping part by screw driver and rotate lightly to take off the cover.

四、订货须知 Notification of order

订货时请注明型号(或订货号)和数量即可。FJ6S系列多用途端子，可定制非标各种进线和出线平方线数。

When placing an order, please indicate the model(or order No.) and quantity clearly. FJ6S series terminal block can be customized with various non-standard inlet and outlet wire size.



FJ6S-1/10-35系列多用途接线端子(一进多出)
FJ6S-1/10-35 series terminal block(one-inlet multi-outlet)




FJ6S-1/10-35/1 x 35
一路进, 一路出
进线: 16-35mm², 出线: 10-35mm²
One-inlet, one-outlet
Inlet wire: 16-35mm², outlet wire: 10-35mm²
订货号Order number: 150626



FJ6S-1/10-35/2 x 25
一路进, 二路出
进线: 10-35mm², 出线: 6-25mm²
One-inlet, two-outlet
Inlet wire: 16-35mm², outlet wire: 6-25mm²
订货号Order number: 150627



FJ6S-1/10-35/3 x 10
一路进, 三路出
进线: 10-35mm², 出线: 2.5-10mm²
One-inlet, three-outlet
Inlet wire: 16-35mm², outlet wire: 2.5-10mm²
订货号Order number: 150628



安装尺寸
Mounting size
FJ6S-1/10-35



FJ6S-1/10-35/4 x 10
一路进, 四路出
进线: 10-35mm², 出线: 2.5-10mm²
One-inlet, four-outlet
Inlet wire: 10-35mm², outlet wire: 2.5-10mm²
订货号Order number: 150629



FJ6S-1/10-35/6 x 6
一路进, 六路出
进线: 10-35mm², 出线: 1.5-6mm²
One-inlet, six-outlet
Inlet wire: 10-35mm², outlet wire: 1.5-6mm²
订货号Order number: 150630



FJ6S-1/10-35/9 x 6
一路进, 九路出
进线: 10-35mm², 出线: 1.5-6mm²
One-inlet, nine-outlet
Inlet wire: 10-35mm², outlet wire: 1.5-6mm²
订货号Order number: 150631

FJ6S-1/16-50系列多用途接线端子(一进多出)
FJ6S-1/16-50 series terminal block(one-inlet multi-outlet)




FJ6S-1/16-50/1 x 50
一路进, 一路出
进线: 16-50mm², 出线: 16-50mm²
One-inlet, one-outlet
Inlet wire: 16-50mm², outlet wire: 16-50mm²
订货号Order number: 150632



FJ6S-1/16-50/2 x 35
一路进, 二路出
进线: 16-50mm², 出线: 10-35mm²
One-inlet, two-outlet
Inlet wire: 10-50mm², outlet wire: 10-35mm²
订货号Order number: 150633



FJ6S-1/16-50/3 x 25
一路进, 三路出
进线: 16-50mm², 出线: 6-25mm²
One-inlet, three-outlet
Inlet wire: 16-50mm², outlet wire: 6-25mm²
订货号Order number: 150634



安装尺寸
Mounting size
FJ6S-1/16-50



FJ6S-1/16-50/4 x 25
一路进, 四路出
进线: 16-50mm², 出线: 6-25mm²
One-inlet, four-outlet
Inlet wire: 16-50mm², outlet wire: 6-25mm²
订货号Order number: 150635



FJ6S-1/16-50/6 x 16
一路进, 六路出
进线: 16-50mm², 出线: 6-16mm²
One-inlet, six-outlet
Inlet wire: 16-50mm², outlet wire: 6-16mm²
订货号Order number: 150636



FJ6S-1/16-50/9 x 10
一路进, 九路出
进线: 16-50mm², 出线: 2.5-10mm²
One-inlet, nine-outlet
Inlet wire: 16-50mm², outlet wire: 2.5-10mm²
订货号Order number: 150637



FJ6S-1/16-50/12 x 6
一路进, 十二路出
进线: 16-50mm², 出线: 1.5-6mm²
One-inlet, twelve-outlet
Inlet wire: 16-50mm², outlet wire: 1.5-6mm²
订货号Order number: 150638

FJ6S-1/25-70系列多用途接线端子(一进多出)
FJ6S-1/25-70 series terminal block(one-inlet multi-outlet)




FJ6S-1/25-70/1 x 70
一路进, 一路出
进线: 25-70mm², 出线: 25-70mm²
One-inlet, one-outlet
Inlet wire: 25-70mm², outlet wire: 25-70mm²
订货号Order number: 150639



FJ6S-1/25-70/2 x 70
一路进, 二路出
进线: 25-70mm², 出线: 25-70mm²
One-inlet, two-outlet
Inlet wire: 25-70mm², outlet wire: 25-70mm²
订货号Order number: 150640



FJ6S-1/25-70/3 x 35
一路进, 三路出
进线: 25-70mm², 出线: 6-35mm²
One-inlet, three-outlet
Inlet wire: 25-70mm², outlet wire: 6-35mm²
订货号Order number: 150641



安装尺寸
Mounting size
FJ6S-1/25-70



FJ6S-1/25-70/4 x 25
一路进, 四路出
进线: 25-70mm², 出线: 6-25mm²
One-inlet, four-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150642



FJ6S-1/25-70/6 x 25
一路进, 六路出
进线: 25-70mm², 出线: 6-25mm²
One-inlet, six-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150643



FJ6S-1/25-70/8 x 16
一路进, 八路出
进线: 25-70mm², 出线: 6-16mm²
One-inlet, eight-outlet
Inlet wire: 25-70mm², outlet wire: 6-16mm²
订货号Order number: 150644



FJ6S-1/25-70/10 x 6
一路进, 十路出
进线: 25-70mm², 出线: 6-16mm²
One-inlet, ten-outlet
Inlet wire: 25-70mm², outlet wire: 6-16mm²
订货号Order number: 150645



FJ6S-1/25-70/12 x 6
一路进, 十二路出
进线: 25-70mm², 出线: 1.5-6mm²
One-inlet, twelve-outlet
Inlet wire: 25-70mm², outlet wire: 1.5-6mm²
订货号Order number: 150646



FJ6S-1/25-70/13 x 6
一路进, 十三路出
进线: 25-70mm², 出线: 1.5-6mm²
One-inlet, thirteen-outlet
Inlet wire: 25-70mm², outlet wire: 1.5-6mm²
订货号Order number: 150647



FJ6S-1/25-70/14 x 6
一路进, 十四路出
进线: 25-70mm², 出线: 1.5-6mm²
One-inlet, fourteen-outlet
Inlet wire: 25-70mm², outlet wire: 1.5-6mm²
订货号Order number: 150648



FJ6S-1/25-70/15 x 6
一路进, 十五路出
进线: 25-70mm², 出线: 1.5-6mm²
One-inlet, fifteen-outlet
Inlet wire: 25-70mm², outlet wire: 1.5-6mm²
订货号Order number: 150649

FJ6S-1/70-185系列多用途接线端子(一进多出)
FJ6S-1/70-185 series terminal block(one-inlet multi-outlet)




FJ6S-1/70-185/1 x 185
一路进, 一路出
进线: 70-185mm², 出线: 70-185mm²
One-inlet, one-outlet
Inlet wire: 70-185mm², outlet wire: 70-185mm²
订货号Order number: 150650



FJ6S-1/70-185/2 x 120
一路进, 二路出
进线: 70-185mm², 出线: 50-120mm²
One-inlet, two-outlet
Inlet wire: 70-185mm², outlet wire: 50-120mm²
订货号Order number: 150651



FJ6S-1/70-185/3 x 50
一路进, 三路出
进线: 70-185mm², 出线: 16-50mm²
One-inlet, three-outlet
Inlet wire: 70-185mm², outlet wire: 16-50mm²
订货号Order number: 150652



安装尺寸
Mounting size
FJ6S-1/70-185

FJ6S-1/70-185系列多用途接线端子(一进多出)
FJ6S-1/70-185 series terminal block(one-inlet multi-outlet)



FJ6S-1/70-185/4 x 35
一路进, 四路出
进线: 70-185mm², 出线: 6-35mm²
One-inlet, four-outlet
Inlet wire: 70-185mm², outlet wire: 6-35mm²
订货号Order number: 150653



FJ6S-1/70-185/6 x 25
一路进, 六路出
进线: 70-185mm², 出线: 6-25mm²
One-inlet, six-outlet
Inlet wire: 70-185mm², outlet wire: 6-25mm²
订货号Order number: 150654



FJ6S-1/70-185/8 x 25
一路进, 八路出
进线: 70-185mm², 出线: 6-25mm²
One-inlet, eight-outlet
Inlet wire: 70-185mm², outlet wire: 6-25mm²
订货号Order number: 150655



FJ6S-1/70-185/10 x 16
一路进, 十路出
进线: 70-185mm², 出线: 6-16mm²
One-inlet, ten-outlet
Inlet wire: 70-185mm², outlet wire: 6-16mm²
订货号Order number: 150656



FJ6S-1/70-185/12 x 16
一路进, 十二路出
进线: 70-185mm², 出线: 6-16mm²
One-inlet, twelve-outlet
Inlet wire: 70-185mm², outlet wire: 6-16mm²
订货号Order number: 150657



FJ6S-1/70-185/15 x 16
一路进, 十五路出
进线: 70-185mm², 出线: 6-16mm²
One-inlet, fifteen-outlet
Inlet wire: 70-185mm², outlet wire: 6-16mm²
订货号Order number: 150658



FJ6S-1/70-185/18 x 10
一路进, 十八路出
进线: 70-185mm², 出线: 2.5-10mm²
One-inlet, eighteen-outlet
Inlet wire: 70-185mm², outlet wire: 2.5-10mm²
订货号Order number: 150659



FJ6S-1/70-185/21 x 6
一路进, 二十一路出
进线: 70-185mm², 出线: 1.5-6mm²
One-inlet, twenty-one-outlet
Inlet wire: 70-185mm², outlet wire: 1.5-6mm²
订货号Order number: 150660


FJ6S-2/6-25系列多用途接线端子(二进多出)
FJ6S-2/6-25 series terminal block(two-inlet multi-outlet)



FJ6S-2/6-25/2 x 25
二路进, 二路出
进线: 6-25mm², 出线: 6-25mm²
Two-inlet, two-outlet
Inlet wire: 6-25mm², outlet wire: 6-25mm²
订货号Order number: 150661



FJ6S-2/6-25/3 x 10
二路进, 三路出
进线: 6-25mm², 出线: 2.5-10mm²
Two-inlet, three-outlet
Inlet wire: 6-25mm², outlet wire: 2.5-10mm²
订货号Order number: 150662



FJ6S-2/6-25/4 x 10
二路进, 四路出
进线: 6-25mm², 出线: 2.5-10mm²
Two-inlet, four-outlet
Inlet wire: 6-25mm², outlet wire: 2.5-10mm²
订货号Order number: 150663



FJ6S-2/6-25/6 x 6
二路进, 六路出
进线: 6-25mm², 出线: 1.5-6mm²
Two-inlet, six-outlet
Inlet wire: 6-25mm², outlet wire: 1.5-6mm²
订货号Order number: 150664



FJ6S-2/6-25/9 x 6
二路进, 九路出
进线: 6-25mm², 出线: 1.5-6mm²
Two-inlet, nine-outlet
Inlet wire: 6-25mm², outlet wire: 1.5-6mm²
订货号Order number: 150665


FJ6S-2/10-35系列多用途接线端子(二进多出)
FJ6S-2/10-35 series terminal block(two-inlet multi-outlet)



FJ6S-2/10-35/2 x 35
二路进, 二路出
进线: 10-35mm², 出线: 10-35mm²
Two-inlet, two-outlet
Inlet wire: 10-35mm², outlet wire: 10-35mm²
订货号Order number: 150666



FJ6S-2/10-35/3 x 25
二路进, 三路出
进线: 10-35mm², 出线: 6-25mm²
Two-inlet, three-outlet
Inlet wire: 10-35mm², outlet wire: 6-25mm²
订货号Order number: 150667



FJ6S-2/10-35/4 x 25
二路进, 四路出
进线: 10-35mm², 出线: 6-25mm²
Two-inlet, four-outlet
Inlet wire: 10-35mm², outlet wire: 6-25mm²
订货号Order number: 150668



FJ6S-2/10-35/6 x 16
二路进, 六路出
进线: 10-35mm², 出线: 6-16mm²
Two-inlet, six-outlet
Inlet wire: 10-35mm², outlet wire: 6-16mm²
订货号Order number: 150669



FJ6S-2/10-35/9 x 10
二路进, 九路出
进线: 10-35mm², 出线: 2.5-10mm²
Two-inlet, nine-outlet
Inlet wire: 10-35mm², outlet wire: 2.5-10mm²
订货号Order number: 150670



FJ6S-2/10-35/12 x 6
二路进, 十二路出
进线: 10-35mm², 出线: 1.5-6mm²
Two-inlet, twelve-outlet
Inlet wire: 10-35mm², outlet wire: 1.5-6mm²
订货号Order number: 150671


FJ6S-2/25-70系列多用途接线端子(二进多出)
FJ6S-2/25-70 series terminal block(two-inlet multi-outlet)



FJ6S-2/25-70/2 x 70
二路进, 二路出
进线: 25-70mm², 出线: 25-70mm²
Two-inlet, two-outlet
Inlet wire: 25-70mm², outlet wire: 25-70mm²
订货号Order number: 150672



FJ6S-2/25-70/3 x 25
二路进, 三路出
进线: 25-70mm², 出线: 6-25mm²
Two-inlet, three-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150673



FJ6S-2/25-70/4 x 25
二路进, 四路出
进线: 25-70mm², 出线: 6-25mm²
Two-inlet, four-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150674



FJ6S-2/25-70/6 x 25
二路进, 六路出
进线: 25-70mm², 出线: 6-25mm²
Two-inlet, six-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150675



FJ6S-2/25-70/8 x 16
二路进, 八路出
进线: 25-70mm², 出线: 6-16mm²
Two-inlet, eight-outlet
Inlet wire: 25-70mm², outlet wire: 6-16mm²
订货号Order number: 150676



FJ6S-2/25-70/10 x 6
二路进, 十路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, ten-outlet
Inlet wire: 25-70mm², outlet wire: 1.5-6mm²
订货号Order number: 150677

FJ6DI-150-01 导轨式组合接线端子 (单极)
FJ6DI-150-01 rail type combined terminal (monopole)



FJ6DI-150-01/1 x 50(28L)
一路进, 一路出
进线: 10-50mm², 出线: 10-50mm²
One-inlet, one-outline
Inlet wire:10-50mm², outlet wire:10-50mm²
订货号Order number: 152311



FJ6DI-150-01/2 x 16(28L)
一路进, 二路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152312



FJ6DI-150-01/3 x 16(28L)
一路进, 三路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152313



FJ6DI-150-01/4 x 16(28L)
一路进, 四路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152314



FJ6DI-150-01/6 x 10(28L)
一路进, 六路出
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152315



FJ6DI-150-01/2 x 16(24L)
一路进, 二路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152316



FJ6DI-150-01/3 x 16(24L)
一路进, 三路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152317



FJ6DI-150-01/4 x 16(24L)
一路进, 四路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152318



FJ6DI-150-01/6 x 16(32L)
一路进, 六路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152319



FJ6DI-150-01/8 x 10(32L)
一路进, 八路出
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, eight-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152320



FJ6DI-150-01/9 x 16(32L)
一路进, 九路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, nine-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152321



FJ6DI-150-01/12 x 10(32L)
一路进, 十二路出
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twelve-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152322



FJ6DI-150-01/16 x 16(55L)
一路进, 十六路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, sixteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152323



FJ6DI-150-01/18 x 16(55L)
一路进, 十八路出
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, eighteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152324



FJ6DI-150-01/21 x 10(55L)
一路进, 二十一路出
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twenty-one-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152325



FJ6DI-150-01/24 x 6(55L)
一路进, 二十四路出
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twenty-four-outline
Inlet wire:10-50mm², outlet wire:10-10mm²
订货号Order number: 152326

FJ6DI-150-02 导轨式组合接线端子 (单相)
FJ6DI-150-02 rail type combined terminal (single phase)



FJ6DI-150-02/1 x 50(28L)
单相二进二出
进线: 10-50mm², 出线: 10-50mm²
One-inlet, one-outline
Inlet wire:10-50mm², outlet wire:10-50mm²
订货号Order number: 152327



FJ6DI-150-02/2 x 16(28L)
单相二表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152328



FJ6DI-150-02/3 x 16(28L)
单相三表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152329



FJ6DI-150-02/4 x 16(28L)
单相四表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152330



FJ6DI-150-02/6 x 10(28L)
单相六表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152331



FJ6DI-150-02/2 x 16(24L)
单相二表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152332



FJ6DI-150-02/3 x 16(24L)
单相三表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152333



FJ6DI-150-02/4 x 16(24L)
单相四表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152334



FJ6DI-150-02/6 x 10(32L)
单相六表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152335



FJ6DI-150-02/8 x 10(32L)
单相八表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, eight-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152336



FJ6DI-150-02/9 x 16(32L)
单相九表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, nine-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152337



FJ6DI-150-02/12 x 10(32L)
单相十二表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twelve-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152338



FJ6DI-150-02/16 x 16(55L)
单相十六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, sixteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152339



FJ6DI-150-02/18 x 16(55L)
单相十八表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, eighteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152340



FJ6DI-150-02/21 x 10(55L)
单相二十一表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twenty-one-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152341



FJ6DI-150-02/24 x 6(55L)
单相二十四表户
进线: 10-50mm², 出线: 1.5-6mm²
One-inlet, twenty-four-outline
Inlet wire:10-50mm², outlet wire:1.5-6mm²
订货号Order number: 152342

FJ6DI-150-03 导轨式组合接线端子 (三相三线)
FJ6DI-150-03 rail type combined terminal (Three-phase three-wire)



FJ6DI-150-03/1 x 50(28L)
三相三线三进三出
进线: 10-50mm², 出线: 10-50mm²
One-inlet, one-outline
Inlet wire:10-50mm², outlet wire:10-50mm²
订货号Order number: 152343



FJ6DI-150-03/2 x 16(28L)
三相三线二表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152344



FJ6DI-150-03/3 x 16(28L)
三相三线三表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152345



FJ6DI-150-03/4 x 16(28L)
三相三线四表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152346



FJ6DI-150-03/6 x 10(28L)
三相三线六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152347



FJ6DI-150-03/2 x 16(24L)
三相三线二表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152348



FJ6DI-150-03/3 x 16(24L)
三相三线三表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152349



FJ6DI-150-03/4 x 16(24L)
三相三线四表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152350



FJ6DI-150-03/6 x 16(32L)
三相三线六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152351



FJ6DI-150-03/8 x 10(32L)
三相三线八表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, eight-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152352



FJ6DI-150-03/9 x 16(32L)
三相三线九表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, nine-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152353



FJ6DI-150-03/12 x 10(32L)
三相三线十二表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twelve-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152354



FJ6DI-150-03/16 x 16(55L)
三相三线十六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, sixteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152355



FJ6DI-150-03/18 x 16(55L)
三相三线十八表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, eighteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152356



FJ6DI-150-03/21 x 10(55L)
三相三线二十一表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twenty-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152357



FJ6DI-150-03/24 x 6(55L)
三相三线二十四表户
进线: 10-50mm², 出线: 1.5-6mm²
One-inlet, twenty-four-outline
Inlet wire:10-50mm², outlet wire:1.5-6mm²
订货号Order number: 152358

FJ6DI-150-04 导轨式组合接线端子 (三相四线)
FJ6DI-150-04 rail type combined terminal (Three phases and four wires)



FJ6DI-150-04/1 x 50(28L)
三相四线三进三出
进线: 10-50mm², 出线: 10-50mm²
One-inlet, one-outline
Inlet wire:10-50mm², outlet wire:10-50mm²
订货号Order number: 152359



FJ6DI-150-04/2 x 16(28L)
三相四线二表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152360



FJ6DI-150-04/3 x 16(28L)
三相四线三表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152361



FJ6DI-150-04/4 x 16(28L)
三相四线四表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152362



FJ6DI-150-04/6 x 10(28L)
三相四线六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152363



FJ6DI-150-04/2 x 16(24L)
三相四线二表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, two-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152364



FJ6DI-150-04/3 x 16(24L)
三相四线三表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, three-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152365



FJ6DI-150-04/4 x 16(24L)
三相四线四表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, four-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152366



FJ6DI-150-04/6 x 16(32L)
三相四线六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, six-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152367



FJ6DI-150-04/8 x 10(32L)
三相四线八表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, eight-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152368



FJ6DI-150-04/9 x 16(32L)
三相四线九表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, nine-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152369



FJ6DI-150-04/12 x 10(32L)
三相四线十二表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twelve-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152370



FJ6DI-150-04/16 x 16(55L)
三相四线十六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, sixteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152371



FJ6DI-150-04/18 x 16(55L)
三相四线十八表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, eighteen-outline
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152372



FJ6DI-150-04/21 x 10(55L)
三相四线二十一表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twenty-outline
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152373



FJ6DI-150-04/24 x 6(55L)
三相四线二十四表户
进线: 10-50mm², 出线: 1.5-6mm²
One-inlet, twenty-four-outline
Inlet wire:10-50mm², outlet wire:1.5-6mm²
订货号Order number: 152374

FJ6DI-150-04 导轨式组合接线端子 (三相四线) 组合型
FJ6DI-150-04 rail type combined terminal (Three phases and four wires) Combined type



FJ6DI-150-04/4(24L)
三相四线四表户
进线: 10-50mm², 出线: 10-50mm²
One-inlet, four-outlet
Inlet wire:10-50mm², outlet wire:10-50mm²
订货号Order number: 152375



FJ6DI-150-04/6(24L/28L)
三相四线六表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, six-outlet
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152376



FJ6DI-150-04/9(28L/32L)
三相三线九表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, nine-outlet
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152377



FJ6DI-150-04/6(24L/32L)
三相三线六表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, six-outlet
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152378



FJ6DI-150-04/9(24L/32L)
三相三线九表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, nine-outlet
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152379



FJ6DI-150-04/12(24L/32L)
三相三线十二表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twelve-outlet
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152380



FJ6DI-150-04/12(24L/40L)
三相三线十二表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152381



FJ6DI-150-04/18(28L/55L)
三相三线十八表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152382



FJ6DI-150-04/18(32L/55L)
三相三线十八表户
进线: 10-50mm², 出线: 1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:10-50mm², outlet wire:1.5-16mm²
订货号Order number: 152383



FJ6DI-150-04/21(32L/55L)
三相三线二十一表户
进线: 10-50mm², 出线: 1.5-10mm²
One-inlet, twenty-outlet
Inlet wire:10-50mm², outlet wire:1.5-10mm²
订货号Order number: 152384

FJ6S-2/25-70 系列多用途接线端子 (二进多出)
FJ6S-2/25-70 series terminal block (two-inlet multi-outlet)



FJ6S-2/25-70/12 x 6
二路进, 十二路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, twelve-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number: 150678



FJ6S-2/25-70/13 x 6
二路进, 十三路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, thirteen-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number: 150679



FJ6S-2/25-70/14 x 6
二路进, 十四路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, fourteen-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number: 150680




FJ6S-2/25-70/15 x 6
二路进, 十五路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, fifteen-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number: 150681



FJ6S-2/50-120/2 x 120
二路进, 二路出
进线: 50-120mm², 出线: 50-120mm²
Two-inlet, two-outlet
Inlet wire:50-120mm², outlet wire:50-120mm²
订货号Order number: 150682



FJ6S-2/50-120/3 x 50
二路进, 三路出
进线: 50-120mm², 出线: 1.6-50mm²
Two-inlet, three-outlet
Inlet wire:50-120mm², outlet wire:1.6-50mm²
订货号Order number: 150683



安装尺寸
Mounting size
FJ6S-2/50-120



FJ6S-2/50-120/4 x 35
二路进, 四路出
进线: 50-120mm², 出线: 6-35mm²
Two-inlet, four-outlet
Inlet wire:50-120mm², outlet wire:6-35mm²
订货号Order number: 150684



FJ6S-2/50-120/6 x 25
二路进, 六路出
进线: 50-120mm², 出线: 6-25mm²
Two-inlet, six-outlet
Inlet wire:50-120mm², outlet wire:6-25mm²
订货号Order number: 150685



FJ6S-2/50-120/8 x 25
二路进, 八路出
进线: 50-120mm², 出线: 6-25mm²
Two-inlet, eight-outlet
Inlet wire:50-120mm², outlet wire:6-25mm²
订货号Order number: 150686



FJ6S-2/50-120/10 x 16
二路进, 十路出
进线: 50-120mm², 出线: 6-16mm²
Two-inlet, ten-outlet
Inlet wire:50-120mm², outlet wire:6-16mm²
订货号Order number: 150687



FJ6S-2/50-120/12 x 16
二路进, 十二路出
进线: 50-120mm², 出线: 6-16mm²
Two-inlet, twelve-outlet
Inlet wire:50-120mm², outlet wire:6-16mm²
订货号Order number: 150688



FJ6S-2/50-120/15 x 16
二路进, 十五路出
进线: 50-120mm², 出线: 6-16mm²
Two-inlet, fifteen-outlet
Inlet wire:50-120mm², outlet wire:6-16mm²
订货号Order number: 150689



FJ6S-2/50-120/18 x 10
二路进, 十八路出
进线: 50-120mm², 出线: 2.5-10mm²
Two-inlet, eighteen-outlet
Inlet wire:50-120mm², outlet wire:2.5-10mm²
订货号Order number: 150690



FJ6S-2/50-120/21 x 6
二路进, 二十一路出
进线: 50-120mm², 出线: 1.5-6mm²
Two-inlet, twenty-one-outlet
Inlet wire:50-120mm², outlet wire:1.5-6mm²
订货号Order number: 150691

FJ6S-3系列特殊型多用途接线端子(三进多出)
FJ6S-3 series terminal block(three-inlet multi-outlet)



安装尺寸
Mounting size
FJ6S-3/2.5-10

FJ6S-3/2.5-10/3 x 10
三路进2.5-10mm ² ,三路出2.5-10mm ²
Three-inlet 2.5-10mm ² , Three-outlet 2.5-10mm ²
订货号Order number:150692
FJ6S-4/2.5-10/4 x 10
三路进2.5-10mm ² ,四路出2.5-10mm ²
Three-inlet 2.5-10mm ² , Four-outlet 2.5-10mm ²
订货号Order number:150693
FJ6S-3/2.5-10/6 x 6
三路进2.5-10mm ² ,六路出1.5-6mm ²
Three-inlet 2.5-10mm ² , Six-outlet 1.5-6mm ²
订货号Order number:150694
FJ6S-3/2.5-10/9 x 6
三路进2.5-10mm ² ,九路出1.5-6mm ²
Three-inlet 2.5-10mm ² , Nine-outlet 1.5-6mm ²
订货号Order number:150695




安装尺寸
Mounting size
FJ6S-3/6-35

FJ6S-3/6-35/3 x 35	FJ6S-3/6-35/12 x 6
三路进6-35mm ² ,三路出6-35mm ²	三路进6-35mm ² ,十二路出1.5-6mm ²
Three-inlet 6-35mm ² , Three-outlet 6-35mm ²	Three-inlet 6-35mm ² , Twelve-outlet 1.5-6mm ²
订货号Order number:150696	订货号Order number:150701
FJ6S-3/6-35/4 x 25	FJ6S-3/6-35/13 x 6
三路进6-35mm ² ,四路出6-25mm ²	三路进6-35mm ² ,十三路出1.5-6mm ²
Three-inlet 6-35mm ² , Four-outlet 6-25mm ²	Three-inlet 6-35mm ² , Thirteen-outlet 1.5-6mm ²
订货号Order number:150697	订货号Order number:150702
FJ6S-3/6-35/6 x 25	FJ6S-3/6-35/14 x 6
三路进6-35mm ² ,六路出6-16mm ²	三路进6-35mm ² ,十四路出1.5-6mm ²
Three-inlet 6-35mm ² , Six-outlet 6-16mm ²	Three-inlet 6-35mm ² , Four-outlet 1.5-6mm ²
订货号Order number:150698	订货号Order number:150703
FJ6S-3/6-35/8 x 16	FJ6S-3/6-35/15 x 6
三路进6-35mm ² ,八路出6-16mm ²	三路进6-35mm ² ,十五路出1.5-6mm ²
Three-inlet 6-35mm ² , Eight-outlet 6-16mm ²	Three-inlet 6-35mm ² , Fifteen-outlet 1.5-6mm ²
订货号Order number:150699	订货号Order number:150704
FJ6S-3/6-35/10 x 16	
三路进6-35mm ² ,十路出6-16mm ²	
Three-inlet 6-35mm ² , Ten-outlet 6-16mm ²	
订货号Order number:150700	



安装尺寸
Mounting size
FJ6S-3/6-25

FJ6S-3/6-25/3 x 25
三路进6-25mm ² ,三路出6-25mm ²
Three-inlet 6-25mm ² , Three-outlet 6-25mm ²
订货号Order number:150705
FJ6S-3/6-25/4 x 25
三路进6-25mm ² ,四路出6-25mm ²
Three-inlet 6-25mm ² , Four-outlet 6-25mm ²
订货号Order number:150706
FJ6S-3/6-25/6 x 16
三路进6-25mm ² ,六路出6-16mm ²
Three-inlet 6-25mm ² , Six-outlet 6-16mm ²
订货号Order number:150707
FJ6S-3/6-25/9 x 10
三路进6-25mm ² ,九路出2.5-10mm ²
Three-inlet 6-25mm ² , Nine-outlet 2.5-10mm ²
订货号Order number:150708
FJ6S-3/6-25/12 x 6
三路进6-25mm ² ,十二路出1.5-6mm ²
Three-inlet 6-25mm ² , Twelve-outlet 1.5-6mm ²
订货号Order number:150709



安装尺寸
Mounting size
FJ6S-3/16-50


FJ6S-3/16-50/3 x 50	FJ6S-3/16-50/12 x 16
三路进16-50mm ² ,三路出16-50mm ²	三路进16-50mm ² ,十二路出6-16mm ²
Three-inlet 16-50mm ² , Three-outlet 16-50mm ²	Three-inlet 16-50mm ² , Twelve-outlet 6-16mm ²
订货号Order number:150710	订货号Order number:150715
FJ6S-3/16-50/4 x 35	FJ6S-3/16-50/15 x 16
三路进16-50mm ² ,四路出6-35mm ²	三路进16-50mm ² ,十五路出6-16mm ²
Three-inlet 16-50mm ² , Four-outlet 6-35mm ²	Three-inlet 16-50mm ² , Fifteen-outlet 6-16mm ²
订货号Order number:150711	订货号Order number:150716
FJ6S-3/16-50/6 x 25	FJ6S-3/16-50/18 x 10
三路进6-35mm ² ,六路出6-25mm ²	三路进16-50mm ² ,十八路出2.5-10mm ²
Three-inlet 6-35mm ² , Six-outlet 6-25mm ²	Three-inlet 16-50mm ² , Eighteen-outlet 2.5-10mm ²
订货号Order number:150712	订货号Order number:150717
FJ6S-3/16-50/8 x 25	FJ6S-3/16-50/21 x 6
三路进6-35mm ² ,八路出6-25mm ²	三路进16-50mm ² ,二十一路出1.5-6mm ²
Three-inlet 6-35mm ² , Eight-outlet 6-25mm ²	Three-inlet 16-50mm ² , Twenty-one-outlet 1.5-6mm ²
订货号Order number:150713	订货号Order number:150718
FJ6S-3/16-50/10 x 16	
三路进16-50mm ² ,十路出6-16mm ²	
Three-inlet 16-50mm ² , Ten-outlet 6-16mm ²	
订货号Order number:150714	

FJ6S-4系列特殊型多用途接线端子(四进多出)
FJ6S-4 series terminal block(four-inlet multi-outlet)



安装尺寸
Mounting size
FJ6S-4/2.5-10

FJ6S-4/2.5-10/4 x 10
四路进2.5-10mm ² ,四路出2.5-10mm ²
Four-inlet 2.5-10mm ² , Four-outlet 2.5-10mm ²
订货号Order number:150719
FJ6S-4/2.5-10/6 x 6
四路进2.5-10mm ² ,六路出1.5-6mm ²
Four-inlet 2.5-10mm ² , six-outlet 1.5-6mm ²
订货号Order number:150720
FJ6S-4/2.5-10/9 x 6
四路进2.5-10mm ² ,九路出1.5-6mm ²
Four-inlet 2.5-10mm ² , Nine-outlet 1.5-6mm ²
订货号Order number:150721




安装尺寸
Mounting size
FJ6S-4/6-25

FJ6S-4/6-25/4 x 25	FJ6S-4/6-25/12 x 6
四路进6-25mm ² ,四路出6-25mm ²	四路进6-25mm ² ,十二路出1.5-6mm ²
Four-inlet 6-25mm ² , Four-outlet 6-25mm ²	Four-inlet 6-25mm ² , Twelve-outlet 1.5-6mm ²
订货号Order number:150722	订货号Order number:150726
FJ6S-4/6-25/6 x 25	FJ6S-4/6-25/13 x 6
四路进6-25mm ² ,六路出6-25mm ²	四路进6-25mm ² ,十三路出1.5-6mm ²
Four-inlet 6-25mm ² , Six-outlet 6-25mm ²	Four-inlet 6-25mm ² , Thirteen-outlet 1.5-6mm ²
订货号Order number:150723	订货号Order number:150727
FJ6S-4/6-25/8 x 16	FJ6S-4/6-25/14 x 6
四路进6-50mm ² ,八路出6-16mm ²	四路进6-25mm ² ,十四路出1.5-6mm ²
Four-inlet 6-50mm ² , Eight-outlet 6-16mm ²	Four-inlet 6-25mm ² , Fourteen-outlet 1.5-6mm ²
订货号Order number:150724	订货号Order number:150728
FJ6S-4/6-25/10 x 6	FJ6S-4/6-25/15 x 6
四路进6-25mm ² ,十路出1.5-6mm ²	四路进6-25mm ² ,十五路出1.5-6mm ²
Four-inlet 6-25mm ² , Ten-outlet 1.5-6mm ²	Four-inlet 6-25mm ² , Fifteen-outlet 1.5-6mm ²
订货号Order number:150725	订货号Order number:150729



安装尺寸
Mounting size
FJ6S-4/6-25

FJ6S-4/6-25/4 x 25
四路进6-25mm ² ,四路出6-25mm ²
Four-inlet 6-25mm ² , Four-outlet 6-25mm ²
订货号Order number:150730
FJ6S-4/6-25/6 x 16
四路进6-25mm ² ,六路出6-16mm ²
Four-inlet 6-25mm ² , six-outlet 6-16mm ²
订货号Order number:150731
FJ6S-4/6-25/9 x 10
四路进6-25mm ² ,九路出2.5-10mm ²
Four-inlet 6-25mm ² , Nine-outlet 2.5-10mm ²
订货号Order number:150732
FJ6SF-4/6-25/12 x 6
四路进6-25mm ² ,十二路出1.5-6mm ²
Four-inlet 6-25mm ² , Twelve-outlet 1.5-6mm ²
订货号Order number:150733



安装尺寸
Mounting size
FJ6S-4/6-35

FJ6S-4/6-35/4 x 35	FJ6S-4/6-35/12 x 16
四路进6-35mm ² ,四路出6-35mm ²	四路进6-35mm ² ,十二路出6-16mm ²
Four-inlet 6-35mm ² , Four-outlet 6-35mm ²	Four-inlet 6-35mm ² , Twelve-outlet 6-16mm ²
订货号Order number:150734	订货号Order number:150738
FJ6S-4/6-35/6 x 25	FJ6S-4/6-35/15 x 16
四路进6-35mm ² ,六路出6-25mm ²	四路进6-35mm ² ,十五路出6-16mm ²
Four-inlet 6-35mm ² , Six-outlet 6-25mm ²	Four-inlet 6-35mm ² , Fifteen-outlet 6-16mm ²
订货号Order number:150735	订货号Order number:150739
FJ6S-4/6-35/8 x 25	FJ6S-4/6-35/18 x 10
四路进6-35mm ² ,八路出6-25mm ²	四路进6-35mm ² ,十八路出2.5-10mm ²
Four-inlet 6-35mm ² , Eight-outlet 6-25mm ²	Four-inlet 6-35mm ² , Eighteen-outlet 2.5-10mm ²
订货号Order number:150736	订货号Order number:150740
FJ6S-4/6-35/10 x 16	FJ6S-4/6-35/21 x 6
四路进6-35mm ² ,十路出6-16mm ²	四路进6-35mm ² ,二十一路出1.5-6mm ²
Four-inlet 6-35mm ² , Ten-outlet 6-16mm ²	Four-inlet 6-35mm ² , Twenty-one-outlet 1.5-6mm ²
订货号Order number:150737	订货号Order number:150741

FJ6S横进系列特殊型多用途接线端子
FJ6S series terminal block(Transverse-inlet)



FJ6S/10-35横进 Transverse inlet
进线10-35mm²
Inlte wire:10-35mm²
订货号Order number: 150742



FJ6S/16-50横进 Transverse inlet
进线10-50mm²
Inlte wire:10-50mm²
订货号Order number: 150743



FJ6S/25-70横进 Transverse inlet
进线25-70mm²
Inlte wire:25-70mm²
订货号Order number: 150744



FJ6S/70-185横进 Transverse inlet
进线70-185mm²
Inlte wire:70-185mm²
订货号Order number: 150745

FJ6S十字进系列特殊型多用途接线端子
FJ6S series terminal block(Cross-inlet)



FJ6S/10-35十字进 Cross inlet
进线10-35mm²
Inlte wire: 10-35mm²
订货号Order number:150746



FJ6S/16-50十字进 Cross inlet
进线16-50mm²
Inlte wire: 16-50mm²
订货号Order number:150747



FJ6S/25-70十字进 Cross inlet
进线25-70mm²
Inlte wire: 25-70mm²
订货号Order number:150748



FJ6S/70-185十字进 Cross inlet
进线70-185mm²
Inlte wire: 70-185mm²
订货号Order number:150749

FJ6SF横进系列特殊型多用途封闭式防窃电接线端子
FJ6SF series terminal block(Transverse-inlet)



FJ6SF/10-35横进 Transverse inlet
进线10-35mm²
Inlte wire: 10-35mm²
订货号Order number:150750



FJ6SF/16-50横进 Transverse inlet
进线10-50mm²
Inlte wire: 10-50mm²
订货号Order number:150751



FJ6SF/25-70横进 Transverse inlet
进线25-70mm²
Inlte wire: 25-70mm²
订货号Order number:150752



FJ6SF/70-185横进 Transverse inlet
进线70-185mm²
Inlte wire: 70-185mm²
订货号Order number:150753

FJ6SF十字进系列特殊型封闭式多用途接线端子
FJ6SF Series terminal block(Cross-inlet)



FJ6SF/10-35十字进 Cross inlet
进线10-35mm²
Inlte wire: 10-35mm²
订货号Order number:150754



FJ6SF/16-50十字进 Cross inlet
进线16-50mm²
Inlte wire: 16-50mm²
订货号Order number:150755



FJ6SF/25-70十字进 Cross inlet
进线25-70mm²
Inlte wire: 25-70mm²
订货号Order number:150756



FJ6SF/70-185十字进 Cross inlet
进线70-185mm²
Inlte wire: 70-185mm²
订货号Order number:150757

一、产品概述 General

FJ6SF系列多用途封闭式防窃电接线端子专为各类电控配电设备、成套装置、多回路电表箱及组合式终端电器箱中配电线而设计。产品的额定绝缘电压690V，额定工作电压380V，最大额定工作电流为630A。进线端可连接导线截面为6mm²~185mm²出线端按连接回路数的多少以及接线方式的不同分别可连接导线的截面2.5mm²~185mm²。该产品结构新颖独特，接线牢固可靠，使用灵活方便。是各类电气装置中母线排(汇流排)，接地端子、零线端子排理想的替代产品。

FJ6SF Setries terminal block (anti-electricity-theft) is specially designed for wire layouts in various electric control distribution equipment, complete sets, multi-circuit meter boxes a and combined type terminal unit boxes. Its rated insulation voltage is 69V rated operating voltage id 380V, maxrated operating current is 630A. The inlet end can be connected with conductors of 6mm²~185mm² in sectional area, the outlet end can be connected with conductors of 2.5mm²~185mm² in sectional area according to the circuit number and wiring mode.The product possesses advantages of novel structure, reliable wiring, convenient operation, it really is the ideal successor of bus bar, earth terminal and zero line terminal block.

二、产品特点 Features

FJ6SF 系列多用途封闭式防窃电接线端子由导电体，且有封闭式绝缘座和防护罩组成，带有防盗窃左右、右铅封装置，安装方便、构思精巧、外形美观、结构可靠。压线螺钉为高强度的紧定螺钉，底部为特制的球形，压线时对导线无损伤，而且对导线具有足够大的挤压力，接触更可靠。

FJ6SF series multi-purpose anti-electricity-theft connection terminal is made up of electric conductor enclosed type bench insulator and protective cover, with right and left anti-thert lead seal device, it is convenient in installation, and has exquislte structure, elegant appearance and rrellable construction. We adopt high strength set screw as press line screw, and use special spherical bottom, which guarantees enough pressure to the press line without damaging it, and makes sure that there is a reliable touch.

三、安装与使用 Installation and operation

本系列产品提供了两种安装方式：1、固定式直接在底板上打孔安装，安装螺钉为M5；2、卡轨式安装在TH-35导轨(顶帽轨)上。接入导线建议使用多芯线，导线插入育孔时要确认插到底后方能往下拧螺钉，以防误接。当接入导线截面较小，且导线绝缘能塞进接线孔时，在确保导体接触可靠的前提下，允许绝缘进入接线孔。当使用时或线路进行维护需要打开防护罩时，只需在防护罩的搭勾处向内用手轻捏便可取下，亦可用螺丝刀搭勾处插入，轻轻旋转即可取下。

This series of products provides two types of installation mode:1 Fixed type, drill hole on the bottom plate and install directly, mounting screw is M5; 2.Rail type mounting, install on TH-35rail We suggest using multi-core line as inlet wire, when inserting the conductor to blind hole, make sure that the conductor should be fully inserted that you can screw down the bolt, otherwise, you may make a wrong connetion.When the sectional area od inlet wire is rather small but the wire insulation part can be squeezed into the connection hole, on the premise of reliable touch of condutctor the insulation part is allowed to entry the connection hole. When wanting to open the protective cover for operating or maintaining, just pinch the laooing part of protective cover by hand to take off the cover, or insert into the lapping part by screw driver and rotate lightly to take off the cover.

四、订货须知 Nitification of order

订货时请注明型号(或订货号)和数量即可。FJ6SF 系列多用途端子，可定制非标各种进线和出线平方线数。When placing an order, please indicate the model(or order No.)and quantity clearly. FJ6SF series multi-purpose terminal can be customized with various non-standard inlet and outlet wire square number.




固定式
Fixed type

多回路
Multi-circuit

卡轨式
Rail type


FJ6SF-1/10-35系列多用途封闭式防窃电接线端子(一进多出)
FJ6SF-1/10-35 series terminal block(one-inlet multi-outlet)

 <p>FJ6SF-1/10-35/1 x 35 一路进，一路出 进线：16-35mm²，出线：10-35mm² One-inlet,one-outlet Inlet wire:16-35mm², outlet wire:10-35mm² 订货号Order number:150758</p>	 <p>FJ6SF-1/10-35/2 x 25 一路进，二路出 进线：10-35mm²，出线：6-25mm² One-inlet,two-outlet Inlet wire:10-35mm², outlet wire:6-25mm² 订货号Order number:150759</p>	 <p>FJ6SF-1/10-35/3 x 10 一路进，三路出 进线：10-35mm²，出线：2.5-10mm² One-inlet,three-outlet Inlet wire:10-35mm², outlet wire:2.5-10mm² 订货号Order number:150760</p>
 <p>FJ6SF-1/10-35/4 x 10 一路进，四路出 进线：10-35mm²，出线：2.5-10mm² One-inlet,four-outlet Inlet wire:10-35mm², outlet wire:2.5-10mm² 订货号Order number:150761</p>	 <p>FJ6SF-1/10-35/6 x 6 一路进，六路出 进线：10-35mm²，出线：1.5-6mm² One-inlet,six-outlet Inlet wire:10-35mm², outlet wire:1.5-6mm² 订货号Order number:150762</p>	 <p>FJ6SF-1/10-35/9 x 6 一路进，九路出 进线：10-35mm²，出线：1.5-6mm² One-inlet,nine-outlet Inlet wire:10-35mm², outlet wire:1.5-6mm² 订货号Order number:150763</p>





FJ6SF-1/16-50系列多用途封闭式防窃电接线端子(一进多出)
FJ6SF-1/16-50 series terminal block(one-inlet multi-outlet)

 <p>FJ6SF-1/16-50/1 x 50 一路进，一路出 进线：16-50mm²，出线：16-50mm² One-inlet,one-outlet Inlet wire:16-50mm², outlet wire:16-50mm² 订货号Order number:150764</p>	 <p>FJ6SF-1/16-50/2 x 35 一路进，二路出 进线：16-50mm²，出线：10-35mm² One-inlet,two-outlet Inlet wire:16-50mm², outlet wire:10-35mm² 订货号Order number:150765</p>	 <p>FJ6SF-1/16-50/3 x 25 一路进，三路出 进线：16-50mm²，出线：6-25mm² One-inlet,three-outlet Inlet wire:16-50mm², outlet wire:6-25mm² 订货号Order number:150766</p>	
 <p>FJ6SF-1/16-50/4 x 25 一路进，四路出 进线：16-50mm²，出线：6-25mm² One-inlet,four-outlet Inlet wire:16-50mm², outlet wire:6-25mm² 订货号Order number:150767</p>	 <p>FJ6SF-1/16-50/6 x 16 一路进，六路出 进线：16-50mm²，出线：6-16mm² One-inlet,six-outlet Inlet wire:16-50mm², outlet wire:6-16mm² 订货号Order number:150768</p>	 <p>FJ6SF-1/16-50/9 x 10 一路进，九路出 进线：16-50mm²，出线：2.5-10mm² One-inlet,nine-outlet Inlet wire:16-50mm², outlet wire:2.5-10mm² 订货号Order number:150769</p>	 <p>FJ6SF-1/16-50/12x6 一路进，十二路出 进线：16-50mm²，出线：1.5-6mm² One-inlet,twelve-outlet Inlet wire:16-50mm², outlet wire:1.5-6mm² 订货号Order number:150770</p>




FJ6SF-1/25-70系列多用途封闭式防窃电接线端子(一进多出)
FJ6SF-1/25-70 series terminal block(one-inlet multi-outlet)

 <p>FJ6SF-1/25-70/1 x 70 一路进，一路出One-inlet,one-outlet 进线：25-70mm²，出线：25-70mm² Inlet wire:25-70mm², outlet wire:25-70mm² 订货号Order number: 150771</p>	 <p>FJ6SF-1/25-70/2 x 70 一路进，二路出One-inlet,two-outlet 进线：25-70mm²，出线：25-70mm² Inlet wire:25-70mm², outlet wire:25-70mm² 订货号Order number: 150772</p>	 <p>FJ6SF-1/25-70/3 x 35 一路进，三路出One-inlet,three-outlet 进线：25-70mm²，出线：6-35mm² Inlet wire:25-70mm², outlet wire:6-35mm² 订货号Order number: 150773</p>	 <p>FJ6SF-1/25-70/10 x 6 一路进，十路出One-inlet,ten-outlet 进线：25-70mm²，出线：6-16mm² Inlet wire:25-70mm², outlet wire:6-16mm² 订货号Order number: 150777</p>
 <p>FJ6SF-1/25-70/4 x 25 一路进，四路出One-inlet,four-outlet 进线：25-70mm²，出线：6-25mm² Inlet wire:25-70mm², outlet wire:6-25mm² 订货号Order number: 150774</p>	 <p>FJ6SF-1/25-70/6 x 25 一路进，六路出One-inlet,six-outlet 进线：25-70mm²，出线：6-25mm² Inlet wire:25-70mm², outlet wire:6-25mm² 订货号Order number: 150775</p>	 <p>FJ6SF-1/25-70/8 x 16 一路进，八路出One-inlet,eight-outlet 进线：25-70mm²，出线：6-16mm² Inlet wire:25-70mm², outlet wire:6-16mm² 订货号Order number: 150776</p>	 <p>FJ6SF-1/25-70/15 x 6 一路进，十五路出One-inlet,fifteen-outlet 进线：25-70mm²，出线：1.5-6mm² Inlet wire:25-70mm², outlet wire:1.5-6mm² 订货号Order number: 150781</p>
 <p>FJ6SF-1/25-70/12 x 6 一路进，十二路出One-inlet,twelve-outlet 进线：25-70mm²，出线：1.5-6mm² Inlet wire:25-70mm², outlet wire:1.5-6mm² 订货号Order number: 150778</p>	 <p>FJ6SF-1/25-70/13 x 6 一路进，十三路出One-inlet,thirteen-outlet 进线：25-70mm²，出线：1.5-6mm² Inlet wire:25-70mm², outlet wire:1.5-6mm² 订货号Order number: 150779</p>	 <p>FJ6SF-1/25-70/14 x 6 一路进，十四路出One-inlet,fourteen-outlet 进线：25-70mm²，出线：1.5-6mm² Inlet wire:25-70mm², outlet wire:1.5-6mm² 订货号Order number: 150780</p>	 <p>FJ6SF-1/25-70/15 x 6 一路进，十五路出One-inlet,fifteen-outlet 进线：25-70mm²，出线：1.5-6mm² Inlet wire:25-70mm², outlet wire:1.5-6mm² 订货号Order number: 150781</p>



FJ6SF-1/70-185系列多用途封闭式防窃电接线端子(一进多出)
FJ6SF-1/70-185 series terminal block(one-inlet multi-outlet)

 <p>FJ6SF-1/70-185/1 x 185 一路进，一路出One-inlet,one-outlet 进线：70-185mm²，出线：70-185mm² Inlet wire:70-185mm², outlet wire:70-185mm² 订货号Order number: 150782</p>	 <p>FJ6SF-1/70-185/2 x 120 一路进，二路出One-inlet,two-outlet 进线：70-185mm²，出线：50-120mm² Inlet wire:70-185mm², outlet wire:50-120mm² 订货号Order number: 150783</p>	 <p>FJ6SF-1/70-185/3 x 50 一路进，三路出One-inlet,three-outlet 进线：70-185mm²，出线：16-50mm² Inlet wire:70-185mm², outlet wire:16-50mm² 订货号Order number: 150784</p>
---	---	--



FJ6SF-1/70-185系列多用途封闭式防窃电接线端子(一进多出)
FJ6SF-1/70-185 series terminal block(one-inlet multi-outlet)



FJ6SF-1/70-185/4 x 35
一路进，四路出
进线：70-185mm²，出线：6-35mm²
Two-inlet, four-outlet
Inlet wire: 70-185mm², outlet wire: 6-35mm²
订货号Order number: 150785



FJ6SF-1/70-185/6 x 25
一路进，六路出
进线：70-185mm²，出线：6-25mm²
Two-inlet, six-outlet
Inlet wire: 70-185mm², outlet wire: 6-25mm²
订货号Order number: 150786



FJ6SF-1/70-185/8 x 25
一路进，八路出
进线：70-185mm²，出线：6-25mm²
Two-inlet, eight-outlet
Inlet wire: 70-185mm², outlet wire: 6-25mm²
订货号Order number: 150787



FJ6SF-1/70-185/10 x 16
一路进，十路出
进线：70-185mm²，出线：6-16mm²
Two-inlet, ten-outlet
Inlet wire: 70-185mm², outlet wire: 6-16mm²
订货号Order number: 150788



FJ6SF-1/70-185/12 x 16
一路进，十二路出
进线：70-185mm²，出线：6-16mm²
Two-inlet, twelve-outlet
Inlet wire: 70-185mm², outlet wire: 6-16mm²
订货号Order number: 150789



FJ6SF-1/70-185/15 x 16
一路进，十五路出
进线：70-185mm²，出线：6-16mm²
Two-inlet, fifteen-outlet
Inlet wire: 70-185mm², outlet wire: 6-16mm²
订货号Order number: 150790



FJ6SF-1/70-185/18 x 10
一路进，十八路出
进线：70-185mm²，出线：2.5-10mm²
Two-inlet, eighteen-outlet
Inlet wire: 70-185mm², outlet wire: 2.5-10mm²
订货号Order number: 150791



FJ6SF-1/70-185/21 x 6
一路进，二十一路出
进线：70-185mm²，出线：1.5-6mm²
Two-inlet, twenty-one-outlet
Inlet wire: 70-185mm², outlet wire: 1.5-6mm²
订货号Order number: 150792


FJ6SF-2/6-25系列多用途封闭式防窃电接线端子(二进多出)
FJ6SF-2/6-25 series terminal block(two-inlet multi-outlet)



FJ6SF-2/6-25/2 x 25
二路进，二路出
进线：6-25mm²，出线：6-25mm²
Two-inlet, two-outlet
Inlet wire: 6-25mm², outlet wire: 6-25mm²
订货号Order number: 150793



FJ6SF-2/6-25/3 x 10
二路进，三路出
进线：6-25mm²，出线：2.5-10mm²
Two-inlet, three-outlet
Inlet wire: 6-25mm², outlet wire: 2.5-10mm²
订货号Order number: 150794



安装尺寸
Mounting size
FJ6SF-2/6-25



FJ6SF-2/6-25/4 x 10
二路进，四路出
进线：6-25mm²，出线：2.5-10mm²
Two-inlet, four-outlet
Inlet wire: 6-25mm², outlet wire: 2.5-10mm²
订货号Order number: 150795



FJ6SF-2/6-25/6 x 6
二路进，六路出
进线：6-25mm²，出线：1.5-6mm²
Two-inlet, six-outlet
Inlet wire: 6-25mm², outlet wire: 1.5-6mm²
订货号Order number: 150796



FJ6SF-2/6-25/9 x 6
二路进，九路出
进线：6-25mm²，出线：1.5-6mm²
Two-inlet, nine-outlet
Inlet wire: 6-25mm², outlet wire: 1.5-6mm²
订货号Order number: 150797


FJ6SF-2/10-35系列多用途封闭式防窃电接线端子(二进多出)
FJ6SF-2/10-35 series terminal block(two-inlet multi-outlet)



FJ6SF-2/10-35/2 x 35
二路进，二路出
进线：10-35mm²，出线：10-35mm²
Two-inlet, two-outlet
Inlet wire: 10-35mm², outlet wire: 10-35mm²
订货号Order number: 150798



FJ6SF-2/10-35/3 x 25
二路进，三路出
进线：10-35mm²，出线：6-25mm²
Two-inlet, three-outlet
Inlet wire: 10-35mm², outlet wire: 6-25mm²
订货号Order number: 150799



安装尺寸
Mounting size
FJ6SF-2/10-35



FJ6SF-2/10-35/4 x 25
二路进，四路出
进线：10-35mm²，出线：6-25mm²
Two-inlet, four-outlet
Inlet wire: 10-35mm², outlet wire: 6-25mm²
订货号Order number: 150800



FJ6SF-2/10-35/6 x 16
二路进，六路出
进线：10-35mm²，出线：6-16mm²
Two-inlet, six-outlet
Inlet wire: 10-35mm², outlet wire: 6-16mm²
订货号Order number: 150801



FJ6SF-2/10-35/9 x 10
二路进，九路出
进线：10-35mm²，出线：2.5-10mm²
Two-inlet, nine-outlet
Inlet wire: 10-35mm², outlet wire: 2.5-10mm²
订货号Order number: 150802



FJ6SF-2/10-35/12 x 6
二路进，十二路出
进线：10-35mm²，出线：1.5-6mm²
Two-inlet, twelve-outlet
Inlet wire: 10-35mm², outlet wire: 1.5-6mm²
订货号Order number: 150803


FJ6SF-2/25-70系列多用途封闭式防窃电接线端子(二进多出)
FJ6SF-2/25-70 series terminal block(two-inlet multi-outlet)



FJ6SF-2/25-70/2 x 70
二路进，二路出
进线：25-70mm²，出线：25-70mm²
Two-inlet, two-outlet
Inlet wire: 25-70mm², outlet wire: 25-70mm²
订货号Order number: 150804



FJ6SF-2/25-70/3 x 25
二路进，三路出
进线：25-70mm²，出线：6-25mm²
Two-inlet, three-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150805



安装尺寸
Mounting size
FJ6SF-2/25-70



FJ6SF-2/25-70/4 x 25
二路进，四路出
进线：25-70mm²，出线：6-25mm²
Two-inlet, four-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150806



FJ6SF-2/25-70/6 x 25
二路进，六路出
进线：25-70mm²，出线：6-25mm²
Two-inlet, six-outlet
Inlet wire: 25-70mm², outlet wire: 6-25mm²
订货号Order number: 150807



FJ6SF-2/25-70/8 x 16
二路进，八路出
进线：25-70mm²，出线：6-16mm²
Two-inlet, eight-outlet
Inlet wire: 25-70mm², outlet wire: 6-16mm²
订货号Order number: 150808



FJ6SF-2/25-70/10 x 6
二路进，十路出
进线：25-70mm²，出线：1.5-6mm²
Two-inlet, ten-outlet
Inlet wire: 25-70mm², outlet wire: 1.5-6mm²
订货号Order number: 150809

FJ6SF-2/25-70系列多用途封闭式防窃电接线端子(二进多出)
FJ6SF-2/25-70 series terminal block(two-inlet multi-outlet)



FJ6SF-2/25-70/12 x 6
二路进, 十二路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, twelve-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number:150810



FJ6SF-2/25-70/13 x 6
二路进, 十三路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, thirteen-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number:150811



FJ6SF-2/25-70/14 x 6
二路进, 十四路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, fourteen-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number:150812



FJ6SF-2/25-70/15 x 6
一路进, 十五路出
进线: 25-70mm², 出线: 1.5-6mm²
Two-inlet, fifteen-outlet
Inlet wire:25-70mm², outlet wire:1.5-6mm²
订货号Order number:150813


FJ6SF-2/50-120系列多用途封闭式防窃电接线端子(二进多出)
FJ6SF-2/50-120 series terminal block(two-inlet multi-outlet)



FJ6SF-2/50-120/2 x 120
二路进, 二路出
进线: 50-120mm², 出线: 50-120mm²
Two-inlet, two-outlet
Inlet wire:50-120mm², outlet wire:50-120mm²
订货号Order number:150814



FJ6SF-2/50-120/3 x 120
二路进, 三路出
进线: 50-120mm², 出线: 16-50mm²
Two-inlet, three-outlet
Inlet wire:50-120mm², outlet wire:16-50mm²
订货号Order number:150815



安装尺寸
Mounting size
FJ6SF-2/50-120



FJ6SF-2/50-120/4 x 35
二路进, 四路出
进线: 50-120mm², 出线: 6-35mm²
Two-inlet, four-outlet
Inlet wire:50-120mm², outlet wire:6-35mm²
订货号Order number:150816



FJ6SF-2/50-120/6 x 25
二路进, 六路出
进线: 50-120mm², 出线: 6-25mm²
Two-inlet, six-outlet
Inlet wire:50-120mm², outlet wire:6-25mm²
订货号Order number:150817



FJ6SF-2/50-120/8 x 25
二路进, 八路出
进线: 50-120mm², 出线: 6-25mm²
Two-inlet, eight-outlet
Inlet wire:50-120mm², outlet wire:6-25mm²
订货号Order number:150818



FJ6SF-2/50-120/10 x 16
二路进, 十路出
进线: 50-120mm², 出线: 6-16mm²
Two-inlet, ten-outlet
Inlet wire:50-120mm², outlet wire:6-16mm²
订货号Order number:150819



FJ6SF-2/50-120/12 x 16
二路进, 十二路出
进线: 50-120mm², 出线: 6-16mm²
Two-inlet, twelve-outlet
Inlet wire:50-120mm², outlet wire:6-16mm²
订货号Order number:150820



FJ6SF-2/50-120/15 x 16
二路进, 十五路出
进线: 50-120mm², 出线: 6-16mm²
Two-inlet, fifteen-outlet
Inlet wire:50-120mm², outlet wire:6-16mm²
订货号Order number:150821




FJ6SF-2/50-120/18 x 10
二路进, 十八路出
进线: 50-120mm², 出线: 2.5-10mm²
Two-inlet, eighteen-outlet
Inlet wire:50-120mm², outlet wire:2.5-10mm²
订货号Order number:150822



FJ6SF-2/50-120/21 x 6
二路进, 二十一路出
进线: 50-120mm², 出线: 1.5-6mm²
Two-inlet, twenty-one-outlet
Inlet wire:50-120mm², outlet wire:1.5-6mm²
订货号Order number:150823

FJ6SF-3系列特殊型多用途封闭式防窃电接线端子(三进多出)
FJ6SF-3 series terminal block(three-inlet multi-outlet)



安装尺寸
Mounting size
FJ6SF-3/2.5-10

FJ6SF-3/2.5-10/3 x 10
三路进2.5-10mm², 三路出2.5-10mm²
Three-inlet 2.5-10mm², Three-outlet 2.5-10mm²
订货号Order number:150824
FJ6SF-3/2.5-10/4 x 10
三路进2.5-10mm², 四路出2.5-10mm²
Three-inlet 2.5-10mm², Four-outlet 2.5-10mm²
订货号Order number:150825
FJ6SF-3/2.5-10/6 x 6
三路进2.5-10mm², 六路出1.5-6mm²
Three-inlet 2.5-10mm², Six-outlet 1.5-6mm²
订货号Order number:150826
FJ6SF-3/2.5-10/9 x 6
三路进2.5-10mm², 九路出1.5-6mm²
Three-inlet 2.5-10mm², Nine-outlet 1.5-6mm²
订货号Order number:150827



安装尺寸
Mounting size
FJ6SF-3/6-35

FJ6SF-3/6-35/3 x 35
三路进2.5-10mm², 三路出6-35mm²
Three-inlet 2.5-10mm², Three-outlet 6-35mm²
订货号Order number:150828
FJ6SF-3/6-35/4 x 25
三路进6-35mm², 四路出6-25mm²
Three-inlet 6-35mm², Four-outlet 6-25mm²
订货号Order number:150829
FJ6SF-3/6-35/6 x 25
三路进6-35mm², 六路出6-25mm²
Three-inlet 6-35mm², Six-outlet 6-25mm²
订货号Order number:150830
FJ6SF-3/6-35/16 x 16
三路进2.5-10mm², 八路出6-16mm²
Three-inlet 2.5-10mm², Eight-outlet 6-16mm²
订货号Order number:150831
FJ6SF-3/6-35/10 x 16
三路进6-35mm², 十路出6-16mm²
Three-inlet 6-35mm², Ten-outlet 6-16mm²
订货号Order number:150832



安装尺寸
Mounting size
FJ6SF-3/6-25

FJ6SF-3/6-25/3 x 25
三路进6-25mm², 三路出6-25mm²
Three-inlet 6-25mm², Three-outlet 6-25mm²
订货号Order number:150837
FJ6SF-3/6-25/4 x 25
三路进6-25mm², 四路出6-25mm²
Three-inlet 6-25mm², Four-outlet 6-25mm²
订货号Order number:150838
FJ6SF-3/6-25/6 x 16
三路进6-25mm², 六路出6-16mm²
Three-inlet 6-25mm², Six-outlet 6-16mm²
订货号Order number:150839
FJ6SF-3/6-25/9 x 10
三路进6-25mm², 九路出2.5-10mm²
Three-inlet 6-25mm², Nine-outlet 2.5-10mm²
订货号Order number:150840
FJ6SF-3/6-25/12 x 6
三路进6-25mm², 十二路出1.5-6mm²
Three-inlet 6-25mm², Twelve-outlet 1.5-6mm²
订货号Order number:150841



安装尺寸
Mounting size
FJ6SF-3/16-50


FJ6SF-3/16-50/3 x 50
三路进16-50mm², 三路出16-50mm²
Three-inlet 16-50mm², Three-outlet 16-50mm²
订货号Order number:150842
FJ6SF-3/16-50/4 x 35
三路进16-50mm², 四路出6-35mm²
Three-inlet 16-50mm², Four-outlet 6-35mm²
订货号Order number:150843
FJ6SF-3/16-50/6 x 25
三路进16-50mm², 六路出6-25mm²
Three-inlet 16-50mm², Six-outlet 6-25mm²
订货号Order number:150844
FJ6SF-3/16-50/8 x 25
三路进16-50mm², 八路出6-25mm²
Three-inlet 16-50mm², Eight-outlet 6-25mm²
订货号Order number:150845
FJ6SF-3/16-50/10 x 16
三路进16-50mm², 十路出6-16mm²
Three-inlet 16-50mm², Ten-outlet 6-16mm²
订货号Order number:150846

FJ6SF-4系列特殊型多用途封闭式防窃电接线端子(四进多出)
FJ6SF-4 series terminal block(four-inlet multi-outlet)



安装尺寸
Mounting size
FJ6SF-4/2.5-10

FJ6SF-4/2.5-10/4 x 10
四路进2.5-10mm ² , 四路出2.5-10mm ²
Four-inlet 2.5-10mm ² , Four-outlet 2.5-10mm ²
订货号Order number:150851
FJ6SF-4/2.5-10/6 x 6
四路进2.5-10mm ² , 六路出1.5-6mm ²
Four-inlet 2.5-10mm ² , Six-outlet 1.5-6mm ²
订货号Order number:150852
FJ6SF-4/2.5-10/9 x 6
四路进2.5-10mm ² , 九路出1.5-6mm ²
Four-inlet 2.5-10mm ² , Nine-outlet 1.5-6mm ²
订货号Order number:150853




安装尺寸
Mounting size
FJ6SF-4/6-25

FJ6SF-4/6-25/4 x 25	FJ6SF-4/6-25/12 x 25
四路进6-25mm ² , 四路出6-25mm ²	四路进6-25mm ² , 十二路出1.5-6mm ²
Four-inlet 6-25mm ² , Four-outlet 6-25mm ²	Four-inlet 6-25mm ² , Twelve-outlet 1.5-6mm ²
订货号Order number:150854	订货号Order number:150858
FJ6SF-4/6-25/6 x 25	FJ6SF-4/6-25/13 x 6
四路进6-25mm ² , 六路出6-25mm ²	四路进6-25mm ² , 十三路出1.5-6mm ²
Four-inlet 6-25mm ² , Six-outlet 6-25mm ²	Four-inlet 6-25mm ² , Thirteen-outlet 1.5-6mm ²
订货号Order number:150855	订货号Order number:150859
FJ6SF-4/6-25/8 x 16	FJ6SF-4/6-25/14 x 6
四路进16-50mm ² , 八路出6-16mm ²	四路进6-25mm ² , 十四路出1.5-6mm ²
Four-inlet 16-50mm ² , Eight-outlet 6-16mm ²	Four-inlet 6-25mm ² , Fourteen-outlet 1.5-6mm ²
订货号Order number:150856	订货号Order number:150860
FJ6SF-4/6-25/10 x 6	FJ6SF-4/6-25/15 x 6
四路进6-25mm ² , 十路出1.5-6mm ²	四路进6-25mm ² , 十五路出1.5-6mm ²
Four-inlet 6-25mm ² , Ten-outlet 1.5-6mm ²	Four-inlet 6-25mm ² , Fifteen-outlet 1.5-6mm ²
订货号Order number:150857	订货号Order number:150861



安装尺寸
Mounting size
FJ6SF-4/6-25

FJ6SF-4/6-25/4 x 25
四路进6-25mm ² , 四路出6-25mm ²
Four-inlet 6-25mm ² , Four-outlet 6-25mm ²
订货号Order number:150862
FJ6SF-4/6-25/6 x 16
四路进6-25mm ² , 六路出6-16mm ²
Four-inlet 6-25mm ² , Six-outlet 6-16mm ²
订货号Order number:150863
FJ6SF-4/6-25/9 x 10
四路进6-25mm ² , 九路出2.5-10mm ²
Four-inlet 6-25mm ² , Nine-outlet 2.5-10mm ²
订货号Order number:150864
FJ6SF-4/6-25/12 x 6
四路进6-25mm ² , 十二路出1.5-6mm ²
Four-inlet 6-25mm ² , Twelve-outlet 1.5-6mm ²
订货号Order number:150865




安装尺寸
Mounting size
FJ6SF-3/16-50

FJ6SF-4/6-35/4 x 35	FJ6SF-4/6-35/12 x 16
四路进6-35mm ² , 四路出6-35mm ²	四路进6-35mm ² , 十二路出6-16mm ²
Four-inlet 6-35mm ² , Four-outlet 6-35mm ²	Four-inlet 6-35mm ² , Twelve-outlet 6-16mm ²
订货号Order number:150866	订货号Order number:150870
FJ6SF-4/6-35/6 x 25	FJ6SF-4/6-35/15 x 16
四路进6-35mm ² , 六路出6-25mm ²	四路进6-35mm ² , 十五路出6-16mm ²
Four-inlet 6-35mm ² , Six-outlet 6-25mm ²	Four-inlet 6-35mm ² , Fifteen-outlet 6-16mm ²
订货号Order number:150867	订货号Order number:150871
FJ6SF-4/6-35/8 x 25	FJ6SF-4/6-35/18 x 10
四路进16-35mm ² , 八路出6-25mm ²	四路进16-35mm ² , 十八路出2.5-10mm ²
Four-inlet 16-35mm ² , Eight-outlet 6-25mm ²	Four-inlet 16-35mm ² , Eighteen-outlet 2.5-10mm ²
订货号Order number:150868	订货号Order number:150872
FJ6SF-4/6-35/10 x 16	FJ6SF-4/6-35/21 x 6
四路进6-35mm ² , 十路出6-16mm ²	四路进6-35mm ² , 二十一路出1.5-6mm ²
Four-inlet 6-35mm ² , Ten-outlet 6-16mm ²	Four-inlet 6-35mm ² , Twenty-one-outlet 1.5-6mm ²
订货号Order number:150869	订货号Order number:150873

一、用途 Use

FJ6G.N.FJ6/47/158系列开关端子, 专业为各小型断路器、漏电断路器、空气开关等, 配套性使用, 用于电控配电设备成套装置及组合式终端配电箱中配线而设计, 绝缘电压690V, 额定电压380V, 插针式进线端紧配开关连接, 无需其他导线、铜、铝排过度连接, 是目前断路器或漏电断路器、出线端多路连接使用便捷、最牢固可靠的新颖产品。

FJ6G.N.FJ6/47.FJ6/158 series switch terminal block, used with various circuit breakers, residual current circuit breakers, air switches, etc., is designed for the layout of complete installation of electric-control distributing equipment and terminal combination electrical box, with insulation voltage up to 690V and rated voltage 380V, its plug-pin inlet terminal is directly connected with the switch, without other conductors or copper/aluminum busbar transitional joint. It is the most convenient, reliable and firm product for the of various circuit breakers, residual circuit breakers as well as outlet terminal multi-circuit connection.



连接便捷, 无需导线过度, 高接触截面, 宽范围线径。
Convenient connection, without the conductor for transition, high-contact section, wide range of wire diameter.



一、用途 Use

FJ6/47(63型)系列开关端子, 专业为各小型断路器、漏电断路器、空气开关等, 配套性使用, 用于电控配电设备成套装置及组合式终端电气箱中配线而设计, 绝缘电压690V, 额定电压380V, 插针式进线端紧配开关连接, 无需其他导线、铜、铝排过度连接, 是目前小型断路器或漏电断路器、出线端多路连接使用便捷、最牢固可靠的新颖产品。

FJ6/47(type 63) series switch terminal block, used with various miniature circuit breakers, residual current circuit breakers, air switches, etc., is designed for the layout of complete installation of electric-control distributing equipment and terminal combination electrical box, with insulation voltage up to 690V and rated voltage 380V, its plug-pin inlet terminal is directly connected with the switch, without other conductors or copper/aluminum busbar transitional joint. It is the most convenient, reliable and firm product for the connection of various circuit breakers, residual current breakers as well as outlet terminal multi-circuit connection.



专业为各小型断路器、漏电断路器、空气开关组合使用。
Special for the combination of various miniature circuit breakers, residual current circuit breakers and air switches

FJ6/47/2 × 10
一路进, 二路出
进线: (63型)插针式, 出线: 1.5-10mm²
One-inlet, two-outlet
Inlet wire: (type 63) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150874


FJ6/47/3 × 10
一路进, 三路出
进线: (63型)插针式, 出线: 1.5-10mm²
One-inlet, three-outlet
Inlet wire: (type 63) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150875



FJ6/47/4 × 10
一路进, 四路出
进线: (63型)插针式, 出线: 1.5-10mm²
One-inlet, four-outlet
Inlet wire: (type 63) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150876



FJ6/47/6 × 10
一路进, 六路出
进线: (63型)插针式, 出线: 1.5-10mm²
One-inlet, six-outlet
Inlet wire: (type 63) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150877



安装尺寸
Mounting size
FJ6/47(63型)

一、用途 Use

FJ6/47LE(100型)系列开关端子, 专业为各小型断路器、漏电断路器、空气开关等, 配套性使用, 用于电控配电设备成套装置及组合式终端电气箱中配线而设计, 绝缘电压690V, 额定电压380V, 插针式进线端紧配开关连接, 无需其他导线、铜、铝排过度连接, 是目前小型断路器或漏电断路器、出线端多路连接使用便捷、最牢固可靠的新颖产品。

FJ6/47LE(type 100) series switch terminal block, used with various miniature circuit breakers, residual current circuit breakers, air switches, etc., is designed for the layout of complete installation of electric-control distributing equipment and terminal combination electrical box, with insulation voltage up to 690V and rated voltage 380V, its plug-pin inlet terminal is directly connected with the switch, without other conductors or copper/aluminum busbar transitional joint. It is the most convenient, reliable and firm product for the connection of various circuit breakers, residual current breakers as well as outlet terminal multi-circuit connection.



专业为各小型断路器、漏电断路器、空气开关组合使用。
Special for the combination of various miniature circuit breakers, residual current circuit breakers and air switches

FJ6/47LE/2 × 10
一路进, 二路出
进线: (100型)插针式, 出线: 1.5-10mm²
One-inlet, two-outlet
Inlet wire: (type 100) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150878


FJ6/47LE/3 × 10
一路进, 三路出
进线: (100型)插针式, 出线: 1.5-10mm²
One-inlet, three-outlet
Inlet wire: (type 100) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150879




FJ6/47LE/4 × 10
一路进, 四路出
进线: (100型)插针式, 出线: 1.5-10mm²
One-inlet, four-outlet
Inlet wire: (type 100) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150880



FJ6/47LE/6 × 10
一路进, 六路出
进线: (100型)插针式, 出线: 1.5-10mm²
One-inlet, six-outlet
Inlet wire: (type 100) pin type, outlet wire: 1.5-10mm²
订货号 Order number: 150881



安装尺寸
Mounting size
FJ6/47LE(100型)



专业为各小型短路器、漏电断路器、空气开关组合使用。
Special for the combination of various miniature circuit breakers, residual current circuit breakers and air switches



FJ6/158/2 × 16
一路进，二路出
进线：(100型)插针式，出线：1.5-16mm²
One-inlet, two-outlet
Inlet wire:(type 100)pin type, outlet wire:1.5-16mm²
订货号Order number:150882




FJ6/158/3 × 16
一路进，三路出
进线：(100型)插针式，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:(type 100)pin type, outlet wire:1.5-16mm²
订货号Order number:150883



FJ6/158/4 × 16
一路进，四路出
进线：(100型)插针式，线：1.5-16mm²
One-inlet, four-outlet
Inlet wire:(type 100)pin type, outlet wire:1.5-16mm²
订货号Order number:150884



FJ6/158/6 × 16
一路进，六路出
进线：(100型)插针式，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:(type 100)pin type, outlet wire:1.5-16mm²
订货号Order number:150885




FJ6/158/6 × 16
一路进，六路出
进线：(100型)插针式，出线：1.5-10mm²
One-inlet, six-outlet
Inlet wire:(type 100)pin type, outlet wire:1.5-10mm²
订货号Order number:150886



FJ6/158/8 × 110
一路进，八路出
进线：(100型)插针式，出线：1.5-10mm²
One-inlet, eight-outlet
Inlet wire:(type 100)pin type, outlet wire:1.5-10mm²
订货号Order number:150887



FJ6/158/9 × 10
一路进，九路出
进线：(100型)插针式，出线：1.5-10mm²
One-inlet, nine-outlet
Inlet wire:(type 100)pin type, outlet wire:1.5-10mm²
订货号Order number:150888



专业为100型短路器、漏电断路器、空气开关组合使用。
连接便捷，无需导线过度，高接触截面，宽范围线径。
Special for type 100 circuit breakers, residual current circuit breakers and air switches
Convenient connection, without the conductor for transition, high-contact section, wide range of wire diameters



FJ6G-100/10-35/2 × 25
一路进，二路出
进线：10-35mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:10-35mm², outlet wire:1.5-25mm²
订货号Order number:150889




FJ6G-100/10-35/3 × 16
一路进，三路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:10-35mm², outlet wire:1.5-16mm²
订货号Order number:150890



FJ6G-100/10-35/4 × 16
一路进，四路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, eight-outlet
Inlet wire:10-35mm², outlet wire:1.5-16mm²
订货号Order number:150891



FJ6G-100/10-35/6 × 16
一路进，六路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, eight-outlet
Inlet wire:10-35mm², outlet wire:1.5-16mm²
订货号Order number:150892



FJ6G-100/10-35/8 × 10
一路进，八路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, eight-outlet
Inlet wire:10-35mm², outlet wire:1.5-10mm²
订货号Order number:150893



FJ6G-100/10-35/9 × 16
一路进，九路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, nine-outlet
Inlet wire:10-35mm², outlet wire:1.5-16mm²
订货号Order number:150894



FJ6G-100/10-35/12 × 10
一路进，十二路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, eight-outlet
Inlet wire:10-35mm², outlet wire:1.5-10mm²
订货号Order number:150895



专业为160型、225型、250型断路器、漏电断路器、空气开关组合使用。
连接便捷，无需导线过度，高接触截面，宽范围线径。



组合式
Combined type



FJ6G-250/16-50/2 x 25
一路进，二路出
进线：16-50mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:16-50mm²,outlet wire:1.5-25mm²
订货号Order number:150896




FJ6G-250/16-50/3 x 16
一路进，三路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150897



FJ6G-250/16-50/4 x 16
一路进，四路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, four-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150898



FJ6G-250/16-50/6 x 16
一路进，六路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150899



安装尺寸
Mounting size
FJ6G-250/16-50



FJ6G-250/16-50/8 x 10
一路进，八路出
进线：16-50mm²，出线：1.5-10mm²
One-inlet, eight-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:150900




FJ6G-250/16-50/9 x 16
一路进，九路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, nine-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150901



FJ6G-250/16-50/12 x 10
一路进，十二路出
进线：16-50mm²，出线：1.5-10mm²
One-inlet, twelve-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:150902



专业为400型断路器、漏电断路器、空气开关组合使用。
连接便捷，无需导线过度，高接触截面，宽范围线径。



安装尺寸
Mounting size
FJ6G-400/25-70



FJ6G-400/25-70/2 x 25
一路进，二路出
进线：25-70mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:25-70mm²,outlet wire:1.5-25mm²
订货号Order number:150903



FJ6G-400/25-70/3 x 16
一路进，三路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150904



FJ6G-400/25-70/4 x 16
一路进，四路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, four-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150905



FJ6G-400/25-70/6 x 16
一路进，六路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150906



FJ6G-400/25-70/8 x 16
一路进，八路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, eight-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150907



FJ6G-400/25-70/10 x 16
一路进，十路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, ten-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150908



FJ6G-400/25-70/12 x 16
一路进，十二路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150909



FJ6G-400/25-70/16 x 10
一路进，十六路出
进线：25-70mm²，出线：1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-10mm²
订货号Order number:150910



FJ6G-400/25-70/18 x 10
一路进，十八路出
进线：25-70mm²，出线：1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-10mm²
订货号Order number:150911

FJ6G-400/25-70系列开关端子(特殊型)
FJ6G-400/25-70 series switch terminal block




FJ6G-400/25-70/16 x 16
一路进，十六路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, sixteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150912



FJ6G-400/25-70/18 x 16
一路进，十八路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150913




FJ6G-400/25-70/24 x 6
一路进，二十四路出
进线：25-70mm²，出线：1.5-6mm²
One-inlet, twenty-four-outlet
Inlet wire:25-70mm²,outlet wire:1.5-6mm²
订货号Order number:150914



安装尺寸
Mounting size
FJ6G-400/25-70



组合式
Combined type

安装尺寸
Mounting size
FJ6G-600/35-95



FJ6G-600/35-95/2 × 25
一路进，二路出
进线：35-95mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:35-95mm²,outlet wire:1.5-25mm²
订货号Order number:150915

专业为600型断路器、漏电断路器、空气开关组合使用。
连接便捷，无需导线过度，高接触截面，宽范围线径。

FJ6G-600/35-95/3 × 16
一路进，三路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150916

FJ6G-600/35-95/4 × 16
一路进，四路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, four-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150917

FJ6G-600/35-95/6 × 16
一路进，六路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150918

FJ6G-600/35-95/8 × 16
一路进，八路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, eight-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150919

FJ6G-600/35-95/10 × 16
一路进，十路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, ten-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150920

FJ6G-600/35-95/12 × 16
一路进，十二路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150921

FJ6G-600/35-95/16 × 10
一路进，十六路出
进线：35-95mm²，出线：1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-10mm²
订货号Order number:150922


FJ6G-600/35-95/18 × 10
一路进，十八路出
进线：35-95mm²，出线：1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-10mm²
订货号Order number:150923

FJ6G-600/35-95系列开关端子(特殊型)
FJ6G-600/35-95 series switch terminal block

FJ6G-600/35-95/16 × 16
一路进，十六路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, sixteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150924

FJ6G-600/35-95/18 × 16
一路进，十八路出
进线：35-95mm²，出线：1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150925

FJ6G-600/35-95/24 × 6
一路进，二十四路出
进线：35-95mm²，出线：1.5-6mm²
One-inlet, twenty-four-outlet
Inlet wire:35-95mm²,outlet wire:1.5-6mm²
订货号Order number:150926




FJ6N-100/10-35 系列零线端子(配断路器组合)
FJ6N-100/10-35 series neutral line terminal block

FJ6N-100/10-35/6 × 16
一路进，六路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150927

FJ6N-100/10-35/8 × 10
一路进，八路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, eight-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:150928

FJ6N-100/10-35/9 × 16
一路进，九路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, nine-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150929



FJ6N-100/10-35系列零线端子(配断路器右组合)
FJ6N-100/10-35 series neutral line terminal block (equipped with circuit breaker on the right)

FJ6N-100/10-35/12 × 10
一路进，十二路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, twelve-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:150930


FJ6N-100/10-35/8 × 16(右组合)
一路进，八路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, eight-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150931

FJ6N-100/10-35/10 × 16(右组合)
一路进，十路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, ten-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150932

FJ6N-100/10-35/12 × 16(右组合)
一路进，十二路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150933

FJ6N-100/10-35/16 × 10(右组合)
一路进，十六路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:150934

FJ6N-100/10-35/18 × 10(右组合)
一路进，十八路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:150935




FJ6N-100/10-35系列零线端子(配断路器右组合)
FJ6N-100/10-35 series neutral line terminal block (equipped with circuit breaker on the right)

FJ6N-100/10-35/16 × 16(右组合)
一路进，十六路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, sixteen-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150936

FJ6N-100/10-35/18 × 16(右组合)
一路进，十八路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150937

FJ6N-100/10-35/24 × 6(右组合)
一路进，二十四路出
进线：10-35mm²，出线：1.5-6mm²
One-inlet, twenty-four-outlet
Inlet wire:10-35mm²,outlet wire:1.5-6mm²
订货号Order number:150938



FJ6N-250/16-50系列零线端子(配断路器组合)
FJ6N-250/16-50 series neutral line terminal block




FJ6N-250/16-50/6 x 16
一路进, 六路出
进线: 16-50mm², 出线: 1.5-16mm²
One-inlet, six-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150939



FJ6N-250/16-50/8 x 10
一路进, 八路出
进线: 16-50mm², 出线: 1.5-10mm²
One-inlet, nine-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:150940



FJ6N-250/16-50/9 x 16
一路进, 九路出
进线: 16-50mm², 出线: 1.5-16mm²
One-inlet, nine-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150941



安装尺寸
Mounting size
FJ6N-250/16-50

FJ6N-250/16-50系列零线端子(配断路器右组合)
FJ6N-250/16-50 series neutral line terminal block (equipped with circuit breaker on the right)



FJ6N-250/16-50/12 x 10
一路进, 十二路出
进线: 16-50mm², 出线: 1.5-10mm²
One-inlet, twelve-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:150942



FJ6N-250/16-50/8 x 16(右组合)
一路进, 八路出
进线: 16-50mm², 出线: 1.5-16mm²
One-inlet, eight-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150943



FJ6N-250/16-50/10 x 16(右组合)
一路进, 十路出
进线: 16-50mm², 出线: 1.5-16mm²
One-inlet, ten-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150944




FJ6N-250/16-50/12 x 16(右组合)
一路进, 十二路出
进线: 16-50mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150945



FJ6N-250/16-50/16 x 10(右组合)
一路进, 十六路出
进线: 16-50mm², 出线: 1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:150946



FJ6N-250/16-50/18 x 10(右组合)
一路进, 十八路出
进线: 16-50mm², 出线: 1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:150947



安装尺寸
Mounting size
FJ6N-250/16-50



FJ6N-250/16-50系列零线端子(配断路器右组合)
FJ6N-250/16-50 series neutral line terminal block (equipped with circuit breaker on the right)




FJ6N-250/16-50/16 x 16(右组合)
一路进, 十二路出
进线: 16-50mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150948



FJ6N-250/16-50/18 x 16(右组合)
一路进, 十八路出
进线: 16-50mm², 出线: 1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:150949



FJ6N-250/16-50/24 x 6(右组合)
一路进, 二十四路出
进线: 16-50mm², 出线: 1.5-6mm²
One-inlet, twenty-four-outlet
Inlet wire:16-50mm²,outlet wire:1.5-6mm²
订货号Order number:150950



安装尺寸
Mounting size
FJ6N-250/16-50


FJ6N-400/25-70系列零线端子(配断路器组合)
FJ6N-400/25-70 series neutral line terminal block



FJ6N-400/25-70/6 x 16
一路进, 六路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, six-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150951



FJ6N-400/25-70/8 x 16
一路进, 八路出
进线: 25-70mm², 出线: 1.5-6mm²
One-inlet, eight-outlet
Inlet wire:25-70mm²,outlet wire:1.5-6mm²
订货号Order number:150952



安装尺寸
Mounting size
FJ6N-400/25-70



FJ6N-400/25-70/10 x 16
一路进, 十路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, ten-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150953



FJ6N-400/25-70/12 x 16
一路进, 十二路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150954



FJ6N-400/25-70/16 x 10
一路进, 十六路出
进线: 25-70mm², 出线: 1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-10mm²
订货号Order number:150955



FJ6N-400/25-70/18 x 10
一路进, 十八路出
进线: 25-70mm², 出线: 1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-10mm²
订货号Order number:150956



FJ6N-400/25-70系列零线端子(配断路器右组合)
FJ6N-400/25-70 series neutral line terminal block(equipped with circuit breaker on the right)




FJ6N-400/25-70/16 x 16(右组合)
一路进, 十二路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150957



FJ6N-400/25-70/18 x 16(右组合)
一路进, 十八路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:150958



FJ6N-400/25-70/24 x 6(右组合)
一路进, 二十四路出
进线: 25-70mm², 出线: 1.5-6mm²
One-inlet, twenty-four-outlet
Inlet wire:25-70mm²,outlet wire:1.5-6mm²
订货号Order number:150959



安装尺寸
Mounting size
FJ6N-400/25-70

FJ6N-600/35-95系列零线端子(配断路器组合)
FJ6N-600/35-95 series neutral line terminal block




FJ6N-600/35-95/6 x 16
一路进, 六路出
进线: 10-35mm², 出线: 1.5-16mm²
One-inlet, six-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150960



FJ6N-600/35-95/8 x 16
一路进, 八路出
进线: 10-35mm², 出线: 1.5-6mm²
One-inlet, eight-outlet
Inlet wire:10-35mm²,outlet wire:1.5-6mm²
订货号Order number:150961



FJ6N-600/35-95/10 x 16
一路进, 十路出
进线: 10-35mm², 出线: 1.5-16mm²
One-inlet, ten-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150962



安装尺寸
Mounting size
FJ6N-600/35-95




FJ6N-600/35-95/6 x 12
一路进, 十二路出
进线: 10-35mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:150963



FJ6N-600/35-95/16 x 10
一路进, 十六路出
进线: 10-35mm², 出线: 1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:150964



FJ6N-600/35-95/18 x 10
一路进, 十八路出
进线: 10-35mm², 出线: 1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:150965



安装尺寸
Mounting size
FJ6N-600/35-95



FJ6N-600/35-95/16 x 16
一路进, 十六路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, sixteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150966



FJ6N-600/35-95/18 x 16
一路进, 十八路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:150967



FJ6N-600/35-95/24 x 6
一路进, 二十四路出
进线: 35-95mm², 出线: 1.5-6mm²
One-inlet, twenty-four-outlet
Inlet wire:35-95mm²,outlet wire:1.5-6mm²
订货号Order number:150968



上下排零线端子(固定式)
Upper and lower row neutral line terminal block




二路进, 八路出
Two-inlet,eight-outlet




一路进, 四路出
One-inlet,four-outlet




专业为100型(100A)600(630A)刀开关组合使用。连接便捷, 无需导线过渡, 高接触截面, 宽范围线径。
Special for type 100 series(100A) 600 series(630A) circuit breakers, residual current circuit breakers and air switches convenient connection, without the conductor for transition, high-contact section, wide range of wire diameters



安装尺寸
Mounting size
FJ6G-100/10-35



安装尺寸
Mounting size
FJ6G-250/16-50



安装尺寸
Mounting size
FJ6G-400/25-70



FJ6G-100/10-35 使用刀开关100A
进线根据刀开关型号定制,
二路线2 x 25(1.5-25mm²)
订货号Order number:150969
FJ6G-100/10-35 使用刀开关100A
进线根据刀开关型号定制,
三路线3 x 16(1.5-16mm²)
订货号Order number:150970
FJ6G-100/10-35 使用刀开关100A
进线根据刀开关型号定制,
四路线4 x 16(1.5-16mm²)
订货号Order number:150971
FJ6G-100/10-35 使用刀开关100A
进线根据刀开关型号定制,
六路线6 x 16(1.5-16mm²)
订货号Order number:150972
FJ6G-100/10-35 使用刀开关100A
进线根据刀开关型号定制,
八路线8 x 10(1.5-10mm²)
订货号Order number:150973
FJ6G-100/10-35 使用刀开关100A
进线根据刀开关型号定制,
九路线9 x 16(1.5-16mm²)
订货号Order number:150974
FJ6G-100/10-35 使用刀开关100A
进线根据刀开关型号定制,
十二路线12 x 10(1.5-10mm²)
订货号Order number:150975

FJ6G-250/10-35 使用刀开关250A
进线根据刀开关型号定制,
二路线2 x 25(1.5-25mm²)
订货号Order number:150976
FJ6G-250/10-35 使用刀开关250A
进线根据刀开关型号定制,
三路线3 x 16(1.5-16mm²)
订货号Order number:150977
FJ6G-250/10-35 使用刀开关250A
进线根据刀开关型号定制,
四路线4 x 16(1.5-16mm²)
订货号Order number:150978
FJ6G-250/10-35 使用刀开关250A
进线根据刀开关型号定制,
六路线6 x 16(1.5-16mm²)
订货号Order number:150979
FJ6G-250/10-35 使用刀开关250A
进线根据刀开关型号定制,
八路线8 x 10(1.5-10mm²)
订货号Order number:150980
FJ6G-250/10-35 使用刀开关250A
进线根据刀开关型号定制,
九路线9 x 16(1.5-16mm²)
订货号Order number:150981
FJ6G-250/10-35 使用刀开关250A
进线根据刀开关型号定制,
十二路线12 x 10(1.5-10mm²)
订货号Order number:150982

FJ6G-400/25-70 使用刀开关400A
进线根据刀开关型号定制,
二路线2 x 25(1.5-25mm²)
订货号Order number:150983
FJ6G-400/25-70 使用刀开关400A
进线根据刀开关型号定制,
四路线4 x 16(1.5-16mm²)
订货号Order number:150984
FJ6G-400/25-70 使用刀开关400A
进线根据刀开关型号定制,
六路线6 x 16(1.5-16mm²)
订货号Order number:150985
FJ6G-400/25-70 使用刀开关400A
进线根据刀开关型号定制,
八路线8 x 16(1.5-16mm²)
订货号Order number:150986
FJ6G-400/25-70 使用刀开关400A
进线根据刀开关型号定制,
十路线10 x 16(1.5-16mm²)
订货号Order number:150987
FJ6G-400/25-70 使用刀开关400A
进线根据刀开关型号定制,
十二路线12 x 16(1.5-16mm²)
订货号Order number:150988
FJ6G-400/25-70 使用刀开关400A
进线根据刀开关型号定制,
十八路线18 x 10(1.5-10mm²)
订货号Order number:150989

FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
二路线2 x 25(1.5-25mm²)(宽: 44)
订货号Order number:150990
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
四路线4 x 16(1.5-16mm²)(宽: 44)
订货号Order number:150991
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
六路线6 x 16(1.5-16mm²)(宽: 44)
订货号Order number:150992
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
八路线8 x 16(1.5-16mm²)(宽: 44)
订货号Order number:150993
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
十路线10 x 16(1.5-16mm²)(宽: 44)
订货号Order number:150994
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
十二路线12 x 16(1.5-16mm²)(宽: 44)
订货号Order number:150995
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
十八路线18 x 10(1.5-10mm²)(宽: 44)
订货号Order number:150996
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
十八路线16 x 16(1.5-16mm²)(宽: 51)
订货号Order number:150997
FJ6G-600/35-95 使用刀开关630A3
进线根据刀开关型号定制,
十八路线18 x 16(1.5-16mm²)(宽: 51)
订货号Order number:150998
FJ6G-600/35-95 使用刀开关630A
进线根据刀开关型号定制,
十八路线24 x 6(1.5-6mm²)(宽: 51)
订货号Order number:150999

FJ6NB-100/10-35系列独立式零线端子(接鼻式)
FJ6NB-100/10-35 series independent type neutral line terminal block(connection lug type)



安装尺寸
Mounting size
FJ6NB-100/10-35

FJ6NB-100/10-35/2 × 25
一路进，二路出
进线：10-35mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:10-35mm²,outlet wire:1.5-25mm²
订货号Order number:151000

FJ6NB-100/10-35/3 × 16
一路进，三路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:151001

FJ6NB-100/10-35/4 × 16
一路进，四路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, four-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:151002

FJ6NB-100/10-35/6 × 16
一路进，六路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:151003

FJ6NB-100/10-35/9 × 16
一路进，九路出
进线：10-35mm²，出线：1.5-16mm²
One-inlet, nine-outlet
Inlet wire:10-35mm²,outlet wire:1.5-16mm²
订货号Order number:151005

FJ6NB-100/10-35/12 × 10
一路进，十二路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, twelve-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:151006

FJ6NB-100/10-35/8 × 10
一路进，八路出
进线：10-35mm²，出线：1.5-10mm²
One-inlet, eight-outlet
Inlet wire:10-35mm²,outlet wire:1.5-10mm²
订货号Order number:151004

卡轨式
Rail type


固定式
Fixed type

FJ6NB-250/16-50系列独立式零线端子(接鼻式)
FJ6NB-250/16-50 series independent type neutral line terminal block(connection lug type)



FJ6NB-250/16-50/2 × 25
一路进，二路出
进线：16-50mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:16-50mm²,outlet wire:1.5-25mm²
订货号Order number:151007

FJ6NB-250/16-50/3 × 16
一路进，三路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:151008



安装尺寸
Mounting size
FJ6NB-250/16-50

FJ6NB-250/16-50/4 × 16
一路进，四路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, four-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:151009

FJ6NB-250/16-50/6 × 16
一路进，六路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:151010

FJ6NB-250/16-50/8 × 10
一路进，八路出
进线：16-50mm²，出线：1.5-10mm²
One-inlet, eight-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:151011


FJ6NB-250/16-50/9 × 16
一路进，九路出
进线：16-50mm²，出线：1.5-16mm²
One-inlet, nine-outlet
Inlet wire:16-50mm²,outlet wire:1.5-16mm²
订货号Order number:151012

FJ6NB-250/16-50/12 × 10
一路进，十二路出
进线：16-50mm²，出线：1.5-10mm²
One-inlet, twelve-outlet
Inlet wire:16-50mm²,outlet wire:1.5-10mm²
订货号Order number:151013

卡轨式
Rail type


固定式
Fixed type

FJ6NB-400/25-70系列独立式零线端子(接鼻式)
FJ6NB-400/25-70 series independent type neutral line terminal block(connection lug type)



FJ6NB-400/25-70/2 × 25
一路进，二路出
进线：25-70mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:25-70mm²,outlet wire:1.5-25mm²
订货号Order number:151014

FJ6NB-400/25-70/3 × 16
一路进，三路出
进线：25-70mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:151015



安装尺寸
Mounting size
FJ6NB-400/25-70

FJ6NB-400/25-70系列独立式零线端子(接鼻式)

FJ6NB-400/25-70 series independent type neutral line terminal block(connection lug type)



FJ6NB-400/25-70/4 × 16
一路进, 四路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, four-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:151016



FJ6NB-400/25-70/6 × 16
一路进, 六路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, six-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:151017



FJ6NB-400/25-70/8 × 16
一路进, 八路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, eight-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:151018



FJ6NB-400/25-70/10 × 16
一路进, 十路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, ten-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:151019




FJ6NB-400/25-70/12 × 16
一路进, 十二路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:151020



FJ6NB-400/35-95/16 × 10
一路进, 十六路出
进线: 25-70mm², 出线: 1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-10mm²
订货号Order number:151021



FJ6NB-400/25-70/18 × 10
一路进, 十八路出
进线: 25-70mm², 出线: 1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:25-70mm²,outlet wire:1.5-16mm²
订货号Order number:151022



卡轨式 Rail type 固定式 Fixed type

FJ6NB-600/35-95系列独立式零线端子(接鼻式)


FJ6NB-600/35-95 series independent type neutral line terminal block(connection lug type)



FJ6NB-600/35-95/2 × 25
一路进, 二路出
进线: 35-95mm², 出线: 1.5-25mm²
One-inlet, two-outlet
Inlet wire:35-95mm²,outlet wire:1.5-25mm²
订货号Order number:151023



FJ6NB-600/35-95/3 × 16
一路进, 三路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, three-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151024



安装尺寸 Mounting size
FJ6NB-600/35-95

FJ6NB-600/35-95系列独立式零线端子(接鼻式)

FJ6NB-600/35-95 series independent type neutral line terminal block(connection lug type)



FJ6NB-600/35-95/4 × 16
一路进, 四路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, four-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151025



FJ6NB-600/35-95/6 × 16
一路进, 六路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, six-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151026



FJ6NB-600/35-95/8 × 16
一路进, 八路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, eight-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151027



FJ6NB-600/35-95/10 × 16
一路进, 十路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, ten-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151028



FJ6NB-600/35-95/12 × 16
一路进, 十二路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151029




FJ6NB-600/35-95/16 × 10
一路进, 十六路出
进线: 35-95mm², 出线: 1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-10mm²
订货号Order number:151030



FJ6NB-600/35-95/18 × 10
一路进, 十八路出
进线: 35-95mm², 出线: 1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-10mm²
订货号Order number:151031



卡轨式 Rail type 固定式 Fixed type



安装尺寸 Mounting size
FJ6NB-600/35-95(大型)



FJ6NB-600/35-95/16 × 16
一路进, 十六路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, sixteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151032



FJ6NB-600/35-95/18 × 16
一路进, 十八路出
进线: 35-95mm², 出线: 1.5-16mm²
One-inlet, eighteen-outlet
Inlet wire:35-95mm²,outlet wire:1.5-16mm²
订货号Order number:151033



FJ6NB-600/35-95/24 × 6
一路进, 二十四路出
进线: 35-95mm², 出线: 1.5-6mm²
One-inlet, twenty-four-outlet
Inlet wire:35-95mm²,outlet wire:1.5-6mm²
订货号Order number:151034

一、产品概述 General

FJ6Q系列自升接线端子专为各类电控配电设备、成套装置、多回路电表箱及组合式终端电器配电箱中配线而设计。产品是额定绝缘电压690V，额定工作电压380V，最大额定工作电流为630A。进线端可连接导线截面为6mm²~70mm²出线端按连接回路数的多少以及接线方式的不同分别可连接导线的截面2.2mm²~25mm²。该产品结构新颖独特，接线牢固可靠，使用灵活方便。是各类电气装置中母线排(汇流排)，接地端子、零线端子排理想的替代产品。

FJ6Q series self-elevating connection terminal is especially designed for wiring in various electric control distribution equipment, complete set of equipment, multi-circuit meter box and terminal combination electrical box. Rated insulation voltage of the product is 690V, rated working voltage is 380V max rated working current is 630A, incoming terminal can be connected with conductors of sectional area 6mm²~70mm², outgoing terminal can be connected with conductors of sectional area 2.2mm²~25mm² respectively according to the circuit number and wiring mode. The product is featured with unique and novel structure, firm and reliable wiring, flexible and convenient operation. It is the ideal substitute for various busbars, earthing terminal and zero line terminal blocks.

二、产品特点 Features

FJ6Q系列自升接线端子，进线端采用自升螺钉压线夹直接压接方式。在压线夹与螺钉之间形成自锁，在震动条件下也不会松脱弱。安装方便、构思轻巧、外形美观，而且对导线具有足够大的挤压力，接触更可靠。

FJ6Q self-elevating connection terminal whose incoming terminal adopts direct crimp connection by self-elevating screw crimping clamp, forms autolocking between crimping clamp and screw, it will not loose or fall under vibration condition. It is featured with convenient installation, light and handy structure, elegant appearance, has enough racking force to the conductor, with reliable contact.

三、安装与使用 Installation and operation

本系列产品提供了两类安装方式：

- 1、固定式直接在底板上打孔安装，安装螺钉为M5；
- 2、卡轨式安装在TH-35导轨(顶帽轨)上。

This series of products provides two installation modes:


1. Fixed type, drill hole in the base plate and install directly, mounting screw is M5;
2. Rail type, installed on the TH-35 guide rail(top hat rail).



四、安装尺寸 Mounting size



专用于相线、接地线端子、零线多路分出的理想替代产品等电位端子之用



FJ6Q-1系列自升接线端子

FJ6Q-1 series self-elevating connection terminal



FJ6Q-1/2 × 10
一路进，二路出
进线：6-50mm²，出线：1.5-10mm²
One-inlet, two-outlet
Inlet wire: 6-50mm², outlet wire: 1.5-10mm²
订货号 Order number: 151035



FJ6Q-1/3 × 10
一路进，三路出
进线：6-50mm²，出线：1.5-10mm²
One-inlet, three-outlet
Inlet wire: 6-50mm², outlet wire: 1.5-10mm²
订货号 Order number: 151036



FJ6Q-1/4 × 10
一路进，四路出
进线：6-50mm²，出线：1.5-10mm²
One-inlet, four-outlet
Inlet wire: 6-50mm², outlet wire: 1.5-10mm²
订货号 Order number: 151037



FJ6Q-1/6 × 10
一路进，六路出
进线：6-50mm²，出线：1.5-10mm²
One-inlet, six-outlet
Inlet wire: 6-50mm², outlet wire: 1.5-10mm²
订货号 Order number: 151038

FJ6Q-2系列自升接线端子

FJ6Q-2 series self-elevating connection terminal



FJ6Q-2/2 × 25
一路进，二路出
进线：6-50(70)mm²，出线：1.5-25mm²
One-inlet, two-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-25mm²
订货号Order number:151039



FJ6Q-2/3 × 16
一路进，三路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, three-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151040



FJ6Q-2/4 × 16
一路进，四路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, four-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151041



FJ6Q-2/6 × 16
一路进，六路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, six-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151042




FJ6Q-2/8 × 10
一路进，八路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, eight-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151043



FJ6Q-2/9 × 16
一路进，九路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, nine-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151044



FJ6Q-2/12 × 10
一路进，十二路出
进线：6-50(70)mm²，出线：1.5-10mm²
One-inlet, ten-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-10mm²
订货号Order number:151045




FJ6Q-3系列自升接线端子

FJ6Q-3 series self-elevating connection terminal



FJ6Q-3/8 × 16
一路进，八路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, eight-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151046



FJ6Q-3/10 × 16
一路进，十路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, ten-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151047



FJ6Q-3/12 × 16
一路进，十二路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, twelve-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151048



FJ6Q-3/16 × 10
一路进，十六路出
进线：6-50(70)mm²，出线：1.5-10mm²
One-inlet, sixteen-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-10mm²
订货号Order number:151049




FJ6Q-3/18 × 10
一路进，十八路出
进线：6-50(70)mm²，出线：1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-10mm²
订货号Order number:151050

FJ6Q-4系列自升接线端子

FJ6Q-4 series self-elevating connection terminal



FJ6Q-4/16 × 16
一路进，十六路出
进线：6-50(70)mm²，出线：1.5-16mm²
One-inlet, sixteen-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-16mm²
订货号Order number:151051



FJ6Q-4/18 × 16
一路进，十八路出
进线：6-50(70)mm²，出线：1.5-10mm²
One-inlet, eighteen-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-10mm²
订货号Order number:151052



FJ6Q-4/24 × 16
一路进，二十四路出
进线：6-50(70)mm²，出线：1.5-10mm²
One-inlet, twenty-four-outlet
Inlet wire:6-50(70)mm²,outlet wire:1.5-10mm²
订货号Order number:151053

一、性能与特点 Function & Features

- FJ6/HDJ系列穿刺线夹主要适用于架空绝缘导线的接续、分支连接和接地保护，适用电压等级为10KV和1KV及以下，其主要性能和特点：
- 安装简便。安装时无需剥去导线的绝缘层，只要按规定位置在线夹中放入主线和支线，用套筒扳手均匀拧断力矩螺母即可；
 - 接触电阻小，线夹温升低。特制力矩螺栓确保恒定的穿刺压力，使线夹与导线达到良好的电气接触而不过分损伤导线，保证架空绝缘导线的正常使用寿命；
 - 结构密封、绝缘性高。线夹内部采用绝缘导热油脂填充，安装后整个导体形成全封闭结构提高了绝缘强度和安全性；
 - 线夹适用范围广。可适用于铜铝绝缘导线、异径导线的支接、等径导线的对接。并适用于铜铝绝缘导线的过渡连接。

FJ6/HDJ series insulation piercing connector is mainly used for wire branching The applicable voltage is 10kV, 1kV, and less more than 1kV. It has the following function and features:

- Simple installation. The insulated layer of lead needn't be stripped. Put the mainline and branch line into connector correctly and screw the moent nut off with a box spanner.
- Small contact resistance and low temperature rising. The specially-made moment bolt guarantees constant piercing pressure which enable the connector to get a good electric contact without any excessive conductor damage and guarante the normal performance life of circuitry.
- Sealed sturture and high surability. The internal adopts whole sealing structure and is filled with insulating heat conducting grease, which improves insulating strength and security.
- Wide application range. It is applicable to branch connection of copper and aluminum conductor, hetero-dia metric conductotr, and butt joint of isodiametric conductor It is also applicable to transition branch connection of copper and aluminum insulated lead.

注：

1. 使用穿刺线夹的导线必须符合国家标准；
2. 穿刺线夹的安装人员必须完全熟悉安装技术；
3. 在带电作业时，请戴上绝缘手套铜扳手；
4. 穿刺线夹属一次性线夹，由于牙型变形拆卸后请勿重复使用。

Remarks


1. The conductor used for insulation piercing connector must conform with international standard.
2. The installation operator must be familiar with installation technique.
3. Please put on insulating gloves and use insulating box spanner during hot-line work.
4. The insulation piercing connector is a kind of one-time product. Please do not use it again after dismantling because of dental pattern transfiguration.

二、应用 Application

A: 高层楼宇竖井电缆分支

1. 用传统方法安装并固定好主干干线电缆
2. 在需做分支的部位剥开主缆护套0.6米(切勿破坏相线绝缘层)
3. 选与电表箱间距相符的分支电缆(不超过3米)并剥离两端端护套
4. 纵向依次安装分支器(分支器间距≥10cm)

1. Installing and fixing main cable in traditional way.
2. Stripping outer insulator of main cable fot 0.6m at part that need part (don't destroy insulator layer for phase).
3. Choosing brabch cable (not more than 3m) whose distance is the sane as electric meter box, and strip insulator at two terminals.
4. Installing the sepatror vertically by turns (the sepatator distance is more than 10cm).




三、典型应用 Mainly application

- 路灯系统专用(竖井禁用)
- 建筑照明、路灯、高层竖井线连接
- 高层建筑竖井电缆户外架空线、电缆沟工厂动力供电主缆
- Special foreet lamp system (vertical shaft forbidden)
- For connecting the building lighrs, street lamp, high builing vertical shaft
- For connecting the cables of high building vertical shaft, outdoors overad wire, cable trench, factory power cable.



四、安装过程(单相线) Mounting process(single pjadse ling) 用扳手或开口扳手(禁止使用手工钳)



1. 将断面整齐的支线插入分支器盖套
Insert branch line into the casing cover of cinnector
2. 将分支器固定于主干线连接处，然后用力拧紧力矩螺母
Fix clamp on the joint of main line, then twist firmly by hand.
3. 用六角套铜板手垂直拧紧力矩螺母至螺帽断开为止
Vertically twist momenr screw to break screw cap with hexagonal set spanner.
4. 用六角套铜板手垂直拧紧力矩螺母至螺帽断开为止
Vertically twist momenr screw to break screw cap with hexagonal set spanner.

五、安装剖面图析 Mounting digram instuttion



涂有防氧化硅胶的接触刀片
导线截面越大接触齿越多
The bigger conductor section,
the more contacting teeth that
is for the contact blade coating
anti-silica gel.

FJ6/HDJ系列绝缘穿刺线夹(1kV)
FJ6/HDJ series insulation piercing connector(1kV)



型号Model:FJ6/HDJ-35
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:1.5 ~ 35
支线截面(mm²)Branch line:1.5 ~ 10
标称截流Nomninal current(A):63
外形尺寸(mm)Dimension:27 × 41 × 62
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151054



型号Model:FJ6/HDJ1-95
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:16 ~ 95
支线截面(mm²)Branch line:1.5 ~ 10
标称截流Nomninal current(A):75
外形尺寸(mm)Dimension:27 × 41 × 62
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151055



型号Model:FJ6/HTD2-95
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:16 ~ 95
支线截面(mm²)Branch line:4 ~ 35(50)
标称截流Nomninal current(A):138
外形尺寸(mm)Dimension:46 × 52 × 87
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151056



型号Model:FJ6/HTD2-150
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:50 ~ 150
支线截面(mm²)Branch line:6 ~ 35(50)
标称截流Nomninal current(A):40
外形尺寸(mm)Dimension:46 × 52 × 87
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151057



型号Model:FJ6/HDJ3-95
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:25 ~ 95
支线截面(mm²)Branch line:25 ~ 95
标称截流Nomninal current(A):214
外形尺寸(mm)Dimension:27 × 41 × 62
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151058



型号Model:FJ6/HDJ3-120
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:16 ~ 120
支线截面(mm²)Branch line:16 ~ 120
标称截流Nomninal current(A):299
外形尺寸(mm)Dimension:52 × 61 × 95
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151059



型号Model:FJ6/HDJ3-150
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:35 ~ 150
支线截面(mm²)Branch line:35 ~ 150
标称截流Nomninal current(A):316
外形尺寸(mm)Dimension:52 × 61 × 95
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151060



型号Model:FJ6/HDJ4-185
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:70 ~ 185
支线截面(mm²)Branch line:25 ~ 95
标称截流Nomninal current(A):276
外形尺寸(mm)Dimension:52 × 68 × 100
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151061



型号Model:FJ6/HDJ4-240
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:120 ~ 240
支线截面(mm²)Branch line:25 ~ 120(150)
标称截流Nomninal current(A):399
外形尺寸(mm)Dimension:52 × 68 × 100
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151062



型号Model:JJC88
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:0.76 ~ 6
支线截面(mm²)Branch line:0.76 ~ 6
标称截流Nomninal current(A):45
外形尺寸(mm)Dimension:21 × 27 × 23
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151063

FJ6/HDJ系列绝缘穿刺线夹(1kV)
FJ6/HDJ series insulation piercing connector(1kV)



型号Model:FJ6/HDJ5-185
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:70 ~ 185
支线截面(mm²)Branch line:6 ~ 35
标称截流Nomninal current(A):275
外形尺寸(mm)Dimension:52 × 68 × 100
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151064



型号Model:FJ6/HDJ5-240
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:120 ~ 240
支线截面(mm²)Branch line:6 ~ 35
标称截流Nomninal current(A):395
外形尺寸(mm)Dimension:52 × 68 × 100
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151065



型号Model:FJ6/HDJ5-300
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:150 ~ 300
支线截面(mm²)Branch line:6 ~ 35
标称截流Nomninal current(A):420
外形尺寸(mm)Dimension:52 × 68 × 100
螺栓数量(枚)Bolt number(pcs):1
订货号Order number:151066



型号Model:FJ6/HDJ6-240
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:95 ~ 240
支线截面(mm²)Branch line:95 ~ 240
标称截流Nomninal current(A):425
外形尺寸(mm)Dimension:83 × 130 × 130
螺栓数量(枚)Bolt number(pcs):2
订货号Order number:151067



型号Model:FJ6/HDJ6-300
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:95 ~ 300
支线截面(mm²)Branch line:35 ~ 240
标称截流Nomninal current(A):427
外形尺寸(mm)Dimension:83 × 130 × 130
螺栓数量(枚)Bolt number(pcs):2
订货号Order number:151068



型号Model:FJ6/HDJ6-400
使用电压(KV)Applicable voltage:1
主线截面(mm²)Main line:240 ~ 400
支线截面(mm²)Branch line:35 ~ 240
标称截流Nomninal current(A):430
外形尺寸(mm)Dimension:83 × 130 × 130
螺栓数量(枚)Bolt number(pcs):2
订货号Order number:151069



FJ6/IPC系列绝缘穿刺线夹(1KV)
FJ6/IPC series insulation piercing connector(1KV)

型号 Model	适用电压(KV) Applicable voltage	主线截面(mm²) Main line	支线截面(mm²) Branch line	螺栓数量(枚) Bolt number	典型应用 Mainly application	订货号 Order no.
FJ6/HDJ2-95	1	16-95	46-35(50)	1	主线路的接续, 主线路与用户的户外分支连接, 主线路与电气设备的连接和路灯的连接。 The connection of main circuitries, the connection of main circuitry and outdoor branch circuitry, the connections of main circuitry and electric appliance and street lamps.	111443
FJ6/HDJ2-150	1	50-150	6-35(50)	1		111444
FJ6/EBM1-95	1	25-95	4-35	1		111445
FJ6/EBM2-95	1	25-95	25-95	2		111446
FJ6/JBC-1	1	35-70	6-70	1		111447
FJ6/JBC-2	1	35-150	35-150	1		111448
FJ6/HTD3	1	16-95	16-95	1		111449

FJ6/UKK端子分线盒
FJ6/UKK terminal distribution box



型号Model: FJ6/UKK-80A
进线Inlet wire: 6-16mm² (1孔 hole)
出线outlet wire: 2.5-6mm² (4孔 hole)
2.5-16mm² (2孔 hole)
尺寸Size: 65*28*48
订货号Order number: 152385



型号Model: FJ6/UKK-125A
进线Inlet wire: 10-35mm² (1孔 hole)
出线outlet wire: 2.5-6mm² (7孔 hole)
尺寸Size: 74*28*48
订货号Order number: 152386



型号Model: FJ6/UKK-160A
进线Inlet wire: 10-70mm² (1孔 hole)
出线outlet wire: 2.5-6mm² (7孔 hole)
尺寸Size: 74*28*48
订货号Order number: 152387



型号Model: FJ6/UKK-250A
进线Inlet wire: 35-120mm² (1孔 hole)
出线outlet wire: 6-35mm² (2孔 hole)
2.5-10mm² (5孔 hole)
2.5-16mm² (5孔 hole)
尺寸Size: 95*48*50
订货号Order number: 152388



型号Model: FJ6/UKK-400A
进线Inlet wire: 95-185mm² (1孔 hole)
出线outlet wire: 6-35mm² (2孔 hole)
2.5-10mm² (5孔 hole)
2.5-16mm² (5孔 hole)
尺寸Size: 95*48*50
订货号Order number: 152389



型号Model: FJ6/UKK-500A
进线Inlet wire: 4*1.5*0.8-8*24mm² (1孔 hole)
出线outlet wire: 6-35mm² (2孔 hole)
2.5-10mm² (5孔 hole)
2.5-16mm² (5孔 hole)
尺寸Size: 95*48*50
订货号Order number: 152390

FJ6/JHSD蓝色自升接线端子
FJ6/JHSD blue Jack-up terminal



型号Model: FJ6/JHSD-4
单极四表户(左出线)
Unipolar four watch households (left out of line)
进线Inlet wire: 16-50mm²
出线outlet wire: 1.5-16(25)mm²
订货号Order number: 152391



型号Model: FJ6/JHSD-6
单极六表户(左出线)
Unipolar six watch households (left out of line)
进线Inlet wire: 16-50mm²
出线outlet wire: 1.5-16(25)mm²
订货号Order number: 152392



型号Model: FJ6/JHSD-9
单极九表户(左出线)
Unipolar nine watch households (left out of line)
进线Inlet wire: 16-50mm²
出线outlet wire: 1.5-16(25)mm²
订货号Order number: 152393



型号Model: FJ6/JHSD-12
单极十二表户(左出线)
Unipolar twelve watch households (left out of line)
进线Inlet wire: 16-50mm²
出线outlet wire: 1.5-16(25)mm²
订货号Order number: 152394




型号Model: FJ6/JHSD-16
单极十六表户(左出线)
Unipolar sixteen watch households (left out of line)
进线Inlet wire: 16-50mm²
出线outlet wire: 1.5-16(25)mm²
订货号Order number: 152395



型号Model: FJ6/JHSD-10
单极十表户(左出线)
Unipolar ten watch households (left out of line)
进线Inlet wire: 16-50mm²
出线outlet wire: 1.5-16(25)mm²
订货号Order number: 152396


电能表接插件
Watt-hour meter connector

型号Model: HD-JX01C
单相间隙式电能表接插件H款
Single-phase gap watt-hour meter connector H
订货号Order number: 152397




安装线路图Installation circuit diagram

型号Model: HD-GY01C
单相过盈式电能表接插件H款
Single-phase interference watt-hour meter connector H
订货号Order number: 152398



安装线路图Installation circuit diagram


型号Model: HD-GY01
单相过盈式电能表接插件
Single-phase interference watt-hour meter connector
订货号Order number: 152399



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:HD-JX01
单相间隙式电能表接插件
Single-phase gap watt-hour meter connector
订货号Order number:152400




安装线路图Installation circuit diagram

型号Model:HD-JX01D
单孔单相间隙式电能表接插件
Single hole single phase gap watt-hour meter connector
订货号Order number:152401



安装线路图Installation circuit diagram


型号Model:HD-GY01D
单孔单相过盈式电能表接插件
Single hole single phase interference watt-hour meter connector
订货号Order number:152402



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:HD-JX01Y
单相间隙式电能表接插(一体式)
Single-phase gap watt-hour meter plug (integrated)
订货号Order number:152403




安装线路图Installation circuit diagram

型号Model:HD-GY01Y
单相过盈式电能表接插(一体式)
Single-phase interference watt-hour meter plug (integrated)
订货号Order number:152404



安装线路图Installation circuit diagram


型号Model:HD-SC03/60A
三相手动电能表接插件
Three-phase manual watt-hour meter connector
订货号Order number:152405



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:HD-SC03/80A/100A
三相手操式电能表接插件
Three-phase manual watt-hour meter connector
订货号Order number:152406




安装线路图Installation circuit diagram

型号Model:HD-JY07/60A
单相手操式电能表接插件
Single-phase manual watt-hour meter connector
订货号Order number:152408



安装线路图Installation circuit diagram


型号Model:HD-JY07/100A
单相手操式电能表接插件
Single-phase manual watt-hour meter connector
订货号Order number:152409



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:HD-HGQ03J
三相互感间隙式分体电能表接插件
(不带接线盒)
Three mutual inductance gap type split watt-hour meter connector (without junction box)
订货号Order number:152410




安装线路图Installation circuit diagram

型号Model:HD-HGQ03Y
三相互感过盈式分体电能表接插件
(不带接线盒)
Three mutual inductance interference type split watt-hour meter connector (without junction box)
订货号Order number:152411



安装线路图Installation circuit diagram

型号Model:HD-ZD01J
三相采集终端间隙式电能表接插件(分体)
Three-phase acquisition terminal gap watt-hour meter connector (split)
订货号Order number:152412




安装线路图Installation circuit diagram

电能表接插件
Watt-hour meter connector

型号Model:HD-ZD01G


三相采集终端过盈式电能表接插件(分体)
Three-phase acquisition terminal interference watt-hour meter connector (split)
订货号Order number:152413



安装线路图Installation circuit diagram

型号Model:FJ6/DXW


单相简易支架
Single-phase simple stent
订货号Order number:152414



安装线路图Installation circuit diagram

型号Model:FJ6/SXW

三相简易支架
Three-phase simple support
订货号Order number:152415




安装线路图Installation circuit diagram

电能表接插件
Watt-hour meter connector

型号Model:HD-HGQ01Y


三相互感间隙式分体电能表接插件
(接线盒一体式)
Three mutual inductance gap type split watt-hour meter connector (junction box integrated)
订货号Order number:152416



安装线路图Installation circuit diagram

型号Model:HD-HGQ01G


三相互感过盈式分体电能表接插件
(接线盒一体式)
Three mutual inductance interference type split watt-hour meter connector (junction box integrated)
订货号Order number:152417



安装线路图Installation circuit diagram

型号Model:FJ6/HD-SGY08/60A


三相过盈式分体电能表接插件
Three-phase interference type split watt-hour meter connector
订货号Order number:152418



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:FJ6/HD-SGY08/80A/100A
三相过盈式分体电能表接插件
Three-phase interference type split
watt-hour meter connector
订货号Order number: 152419




安装线路图Installation circuit diagram

型号Model:FJ6/HD-SGY08/35mm²/60A
三相过盈式分体电能表接插件
Three-phase interference type split
watt-hour meter connector
订货号Order number: 152420



安装线路图Installation circuit diagram


型号Model:FJ6/HD-SGY08/35mm²/80A/100A
三相过盈式分体电能表接插件
Three-phase interference type split
watt-hour meter connector
订货号Order number: 152421



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:FJ6/HD-SGY07/60A
三相过盈式分体电能表接插件
Three-phase interference type split
watt-hour meter connector
订货号Order number: 152422




安装线路图Installation circuit diagram

型号Model:FJ6/HD-SGY07/80A/100A
三相过盈式分体电能表接插件
Three-phase interference type split
watt-hour meter connector
订货号Order number: 152423



安装线路图Installation circuit diagram


型号Model:FJ6/HD-SJX08/60A
三相间隙式分体电能表接插件
Three-phase gap type split
watt-hour meter connector
订货号Order number: 152424



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:FJ6/HD-SJX08/80A/100A
三相间隙式分体电能表接插件
Three-phase gap type split
watt-hour meter connector
订货号Order number: 152425




安装线路图Installation circuit diagram

型号Model:FJ6/HD-SJX08/35mm²/60A
三相间隙式分体电能表接插件
Three-phase gap type split
watt-hour meter connector
订货号Order number: 152426



安装线路图Installation circuit diagram


型号Model:FJ6/HD-SJX08/35mm²/80A/100A
三相间隙式分体电能表接插件
Three-phase gap type split
watt-hour meter connector
订货号Order number: 152427



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:FJ6/HD-SJX07/60A
三相间隙式分体电能表接插件
Three-phase gap type split
watt-hour meter connector
订货号Order number: 152428




安装线路图Installation circuit diagram

型号Model:FJ6/HD-SJX07/80A/100A
三相间隙式分体电能表接插件
Three-phase gap type split
watt-hour meter connector
订货号Order number: 152429



安装线路图Installation circuit diagram


型号Model:HD-SGY02/60A
三相过盈式分体电能表接插件
(一体式)
Three-phase interference type
split watt-hour meter connector
(integrated)
订货号Order number: 152430



安装线路图Installation circuit diagram


电能表接插件
Watt-hour meter connector

型号Model:HD-HGQ02J
三相互感间隙式简易电能表接插件
Three mutual inductance gap type
simple watt-hour meter connector
订货号Order number:152437



安装线路图Installation circuit diagram

型号Model:HD-HGQ02Y
三相互感过盈式简易电能表接插件
Three mutual inductance interference
type simple watt-hour meter plug-in
订货号Order number:152438



安装线路图Installation circuit diagram

电能表接插件(配件)
Watt-hour meter connector (accessories)

单相不停电换表装置
Single-phase meter changer without
power outage
订货号Order number:152439



单相防护套
Single-phase protective sleeve
订货号Order number:152440



单相耦合器
Single-phase coupler
订货号Order number:152441



单相三相耦合器
Single-phase three-phase coupler
订货号Order number:152442



耦合器
Coupler
订货号Order number:152443



三相不停电换表装置
Three-phase meter changer without power outage
订货号Order number:152444



三相防护套
Three-phase protective sleeve
订货号Order number:152445



三相防护套组合
Three-phase protective sleeve combination
订货号Order number:152446



铜头
Copper head



型号Model: HD-H001
三相过盈式铜头
Three-phase interference copper head
订货号Order number:152447



型号Model: HD-H002
三相间隙式铜头
Three-phase gap copper head
订货号Order number:152448



型号Model: HD-H003
单相过盈式铜头
Single-phase interference copper head
订货号Order number:152449



型号Model: HD-H004
单相间隙式铜头
Single-phase gap copper head
订货号Order number:152450



型号Model: HD-H005
三相间隙式大铜头
Three-phase gap type large copper head
订货号Order number:152451



型号Model: HD-H006
三进四出铜头
Three in and four out of copper head
铜条尺寸Copper bar size: 125mm
订货号Order number:152452



型号Model: HD-H007
二进六出铜头
Two-in-six-out copper head
铜条尺寸Copper bar size: 138mm
订货号Order number:152453



型号Model: HD-H008
二进九出铜头
Two-in-nine-out copper head
铜条尺寸Copper bar size: 158mm
订货号Order number:152454



型号Model: HD-H009
二进十六出铜头
Two in and sixteen out of copper head
铜条尺寸Copper bar size: 205mm
订货号Order number:152455



型号Model: HD-H010
二进十八出铜头
Two in and eighteen out of copper head
铜条尺寸Copper bar size: 218mm
订货号Order number:152456

FJ6GD自升开关端子
FJ6GD Jack-up switch terminal



型号Model: FJ6GD-100.250/2 x 16(25)
一进二出自升开关端子
One-in-two-out self-lifting switch terminal
订货号Order number:152457




型号Model: FJ6GD-100.250/4 x 16
一进四出自升开关端子
One-in-four-out self-lifting switch terminal
订货号Order number:152458



型号Model: FJ6GD-100.250/6 x 16
一进六出自升开关端子
One-in-six-out self-lifting switch terminal
订货号Order number:152459

支架
Stent



型号: 单相T型电表支架
Model: Single-phase T-meter bracket
长度Length: 160mm
订货号Order number:152460



型号: 三相T型电表支架
Model: Three-phase T-meter bracket
长度Length: 270mm
订货号Order number:152461



型号: 单相工型电表支架
Model: Single-phase electric meter bracket
长度Length: 160mm
订货号Order number:152462



型号: 三相工型电表支架
Model: Three-phase electric meter bracket
长度Length: 270mm
订货号Order number:152463

铜排黑色底座
Black base of copper bar



型号: 三进四出铜端子带底座
Model: Three-in-four-out copper terminal with base
订货号Order number:152464



型号: 三进六出铜端子带底座
Model: Three-in-six-out copper terminal with base
订货号Order number:152465



型号: 三进九出铜端子带底座
Model: Three-in-nine-out copper terminal with base
订货号Order number:152466



型号: 三进十二出铜端子带底座
Model: Three-in-twelve-out copper terminal with base
订货号Order number:152467



型号: 三进十六出铜端子带底座
Model: Three-in-sixteen-out copper terminal with base
订货号Order number:152468

TC接线端子
TC terminal



型号Model: TC60A-2P
导轨截面Rail cross section: 6-14
安装孔距Installation aperture: 30
尺寸Size: 57*43*32
订货号Order number:152469



型号Model: TC60A-3P
导轨截面Rail cross section: 6-14
安装孔距Installation aperture: 30
尺寸Size: 88*43*35
订货号Order number:152470



型号Model: TC60A-4P
导轨截面Rail cross section: 6-14
安装孔距Installation aperture: 30
尺寸Size: 116*43*35
订货号Order number:152471



型号Model: TC100A-2P
导轨截面Rail cross section: 10-22
安装孔距Installation aperture: 35
尺寸Size: 69*55*39
订货号Order number:152472



型号Model: TC100A-3P
导轨截面Rail cross section: 10-22
安装孔距Installation aperture: 35
尺寸Size: 104*55*39
订货号Order number:152473



型号Model: TC100A-4P
导轨截面Rail cross section: 10-22
安装孔距Installation aperture: 30
尺寸Size: 140*55*39
订货号Order number:152474



型号Model: TC100A-5P
导轨截面Rail cross section: 10-22
安装孔距Installation aperture: 35
尺寸Size: 172*55*39
订货号Order number:152475



型号Model: TC150A-3P
导轨截面Rail cross section: 40-60
安装孔距Installation aperture: 40
尺寸Size: 115*66*42
订货号Order number:152476




型号Model: TC150A-4P
导轨截面Rail cross section: 40-60
安装孔距Installation aperture: 40
尺寸Size: 153*66*42
订货号Order number:152477



型号Model: TC150A-5P
导轨截面Rail cross section: 40-60
安装孔距Installation aperture: 40
尺寸Size: 195*66*42
订货号Order number:152478



型号Model: TC200A-3P
导轨截面Rail cross section: 60-100
安装孔距Installation aperture: 45
尺寸Size: 133*72*47
订货号Order number:152479



型号Model: TC200A-4P
导轨截面Rail cross section: 60-100
安装孔距Installation aperture: 45
尺寸Size: 179*72*47
订货号Order number:152480



型号Model: TC200A-5P
导轨截面Rail cross section: 60-100
安装孔距Installation aperture: 45
尺寸Size: 223*72*47
订货号Order number:152481



型号Model: TC300A-3P
导轨截面Rail cross section: 100-150
安装孔距Installation aperture: 55
尺寸Size: 164*90*52
订货号Order number:152482



型号Model: TC300A-4P
导轨截面Rail cross section: 100-150
安装孔距Installation aperture: 55
尺寸Size: 218*90*52
订货号Order number:152483



型号Model: TC400A-3P
导轨截面Rail cross section: 100-150
安装孔距Installation aperture: 55
尺寸Size: 164*90*52
订货号Order number:152484

TB接线端子
TB terminal



型号Model: TB-1503L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 35
尺寸Size: 45.5*22*17
订货号Order number:152485



型号Model: TB-1504L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 44
尺寸Size: 54.5*22*17
订货号Order number:152486



型号Model: TB-1505L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 53
尺寸Size: 63*22*17
订货号Order number:152487



型号: TB-1506L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 62
尺寸Size: 72*22*17
订货号Order number:152488

TB接线端子
TB terminal



型号Model: TB-1508L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 78.3
尺寸Size: 89*22*17
订货号Order number:152489



型号Model: TB-1510L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 96
尺寸Size: 107*22*17
订货号Order number:152490



型号Model: TB-1512L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 115
尺寸Size: 125*22*17
订货号Order number:152491



型号Model: TB-1515L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 140
尺寸Size: 152*22*17
订货号Order number:152492



型号Model: TB-1520L
导轨截面Rail cross section: 0.5-1.5
安装孔距Installation aperture: 185
尺寸Size: 195*22*17
订货号Order number:152493



型号Model: TB-2503L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 44
尺寸Size: 55*30*19.5
订货号Order number:152494



型号Model: TB-2504L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 56
尺寸Size: 67*30*19.5
订货号Order number:152495



型号Model: TB-2505L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 68
尺寸Size: 79*30*19.5
订货号Order number:152496



型号Model: TB-2506L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 80
尺寸Size: 91*30*19.5
订货号Order number:152497



型号Model: TB-2508L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 104
尺寸Size: 115*30*19.5
订货号Order number:152498



型号Model: TB-2510L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 128
尺寸Size: 139*30*19.5
订货号Order number:152499



型号Model: TB-2512L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 152
尺寸Size: 163*30*19.5
订货号Order number:152500



型号Model: TB-2515L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 186
尺寸Size: 195*30*19.5
订货号Order number:152501



型号Model: TB-2520L
导轨截面Rail cross section: 0.5-2.5
安装孔距Installation aperture: 245
尺寸Size: 255*30*19.5
订货号Order number:152502



型号Model: TB-4503L
导轨截面Rail cross section: 0.5-4
安装孔距Installation aperture: 59
尺寸Size: 69.5*37.5*23
订货号Order number:152503



型号Model: TB-4504L
导轨截面Rail cross section: 0.5-4
安装孔距Installation aperture: 75
尺寸Size: 86*37.5*23
订货号Order number:152504



型号Model: TB-4505L
导轨截面Rail cross section: 0.5-4
安装孔距Installation aperture: 92
尺寸Size: 103*37.5*23
订货号Order number:152505



型号Model: TB-4506L
导轨截面Rail cross section: 0.5-4
安装孔距Installation aperture: 108.5
尺寸Size: 119.5*37.5*23
订货号Order number:152506



型号Model: TB-4510L
导轨截面Rail cross section: 0.5-4
安装孔距Installation aperture: 175
尺寸Size: 186*37.5*23
订货号Order number:152507



型号Model: TB-4512L
导轨截面Rail cross section: 0.5-4
安装孔距Installation aperture: 209
尺寸Size: 220*37.5*23
订货号Order number:152508



产品材质: A.C.E.F部位采用尼龙制成, D部位采用丁腈橡胶制成。

螺纹规格: 公制、德制、英制。

工作温度: 静态: -40°C到+100°C, 短时可达+120°C, 动态: -20°C到+80°C, 短时可达+100°C。

颜色: 黑色, 灰色(特殊颜色可定做)。

防护等级: 在规定的卡口范围内, 并使用O形密封圈旋紧迫紧头, 达到IP65。

产品特性: 夹紧爪与密封件的特殊设计, 配合迫紧头装配省时便利, 夹紧电缆范围大, 抗拉力特强, 可防水, 防尘, 防酸, 防盐, 耐酸碱, 酒精, 油, 脂及一般溶剂。

使用方法: 塑料电缆防水接头是电缆的配套产品, 接头可将电缆锁紧, 另一端可接入设备箱体上, 也可以根据选用螺纹接入进出口为内螺纹的电动设备上。

Product material: Location A,C,E and F made of PA, Location D made of chemigum.

Specification of thread: Metric, PG and G


Working temperature: Static: -40°C~+100°C, instantaneously can be +120°C; Dynamic: -20°C~+80°C, instantaneously can be +100°C;

Color: Black and gray(special colors customizable)

Protection classification: Within the specified clamp range, use O-shaped sealing ring and screw tight the pressing fastener reaching Ip65.

Property: the special designs for clamping jaw and sealants fitted with pressing fastener can save both time and energy promising a wide scope for cable clamping and extremely great stretching resistance. It is water resistant, dust resistant and inactivewith salts, acids, alkalis, oils and greases as well as general dissolvent.

How to use: waterproof nylon cable glands are the fittings for cables. The joints can lock the cables tight. The other end of the joint can be either connected with the housing of equipments or connected with electric equipment with inner threaded access hole as per the thread selected.



德制螺纹 PG Thread

型号 Item NO.	德制螺纹 PG	电缆范围 Cable range (mm)	D1	D2	L1	L2	L3	B1
PG-07	PG7	3.5-6	10.9	8.1	10.4	14.5	10.5	6.4
PG-09	PG9	4-8	15.3	12.2	9.9	15.8	17.2	8.6
PG-11	PG11	5-10	17.9	14.6	10.6	15.5	17.5	10.7
PG-13.5	PG13.5	6-12	20.2	16.2	10.3	17.8	17.9	13.3
PG-16	PG16	10-14	21.3	18.3	11.2	18.5	20.5	14.3
PG-19	PG19	12-15	24.7	20.5	11.4	18.6	21.8	15.5
PG-21	PG21	13-18	26.9	21.8	11.6	18.7	23.1	16.7
PG-24	PG24	15-22	29.8	25.0	12.1	19.3	24.1	19.2
PG-27	PG27	17-23	29.8	25.0	12.1	19.3	24.1	19.2
PG-29	PG29	18-25	35.1	29.8	12.4	22.6	24.8	24.8
PG-36	PG36	22-32	44.7	37.1	12.6	25.1	26.1	30.7
PG-42	PG42	30-38	50.4	43.3	17.3	25.9	30.5	35.6
PG-48	PG48	34-44	56.1	48.2	20.9	28.1	31.5	41.4
PG-63	PG63	42-54	71.0	63.5	27.5	31.5	43.5	55.0

公制螺纹 Metric Thread

型号 Item NO.	公制螺纹 METRIC	电缆范围 Cable range (mm)	D1	D2	L1	L2	L3	B1
M12	M12 × 1.5	3.5-6	12	9	10.4	14.5	14	6.4
M16	M16 × 1.5	4-8	15.3	12.2	9.9	13	16	8.6
M18	M18 × 1.5	5-10	17.9	14.6	10.6	15.5	17.5	10.7
M20	M20 × 1.5	6-12	20.2	16.2	10.3	17.8	17.9	13.3
M22	M22 × 1.5	10-14	21.3	18.3	11.2	18.5	20.5	14.3
M24	M24 × 1.5	12-15	24.7	20.5	11.4	18.6	21.8	15.5
M27	M27 × 1.5	13-18	26.9	21.8	11.6	18.7	23.1	16.7
M30	M30 × 1.5	15-22	29.8	25.0	12.1	19.3	24.1	19.2
M32	M32 × 1.5	17-23	29.8	25.0	12.1	19.3	24.1	19.2
M36	M36 × 1.5	18-25	35.1	29.8	12.4	22.6	24.8	24.8
M46	M46 × 1.5	22-32	44.7	37.1	12.6	25.1	26.1	30.7
M54	M54 × 1.5	30-38	50.4	43.3	17.3	25.9	30.5	35.6
M60	M60 × 1.5	34-44	56.1	48.2	20.9	28.1	31.5	41.4
M70	M70 × 1.5	42-54	71.0	63.5	27.5	31.5	43.5	55.0

英制 G thread

型号 Item NO.	英制螺纹 G thread	电缆范围 Cable range (mm)	D1	D2	L1	L2	L3	B1
G1/2"	G1/2"	6-12	20.2	16.2	10.3	17.8	17.9	13.3
G3/4"	G3/4"	13-18	26.9	21.8	11.6	18.7	23.1	16.7
G1"	G1"	15-22	29.8	25.0	12.1	19.3	24.1	19.2
G1 1/4"	G1 1/4"	18-25	35.1	29.8	12.4	22.6	24.8	24.8
G1 1/2"	G1 1/2"	22-32	44.7	37.1	12.6	25.1	26.1	30.7
G2"	G2"	34-44	56.1	48.2	20.9	28.1	31.5	41.4

